

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

KURUMAN BUL & RAM VEILING 2026

KURUMAN
07 August 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 03 August 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION


1 **LOT 1 (M)**

2 **Breed Logo**

3 **GT**

4 **SB 200201 PP(c)**

5 **SB 110001**

6 

7 

8 **OWNER INFORMATION**

Town, Province

078 737 2855

super_bull@webmail.com

9 (**& 10**)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

11 **Parentage**

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

12 **SB 140007**

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

13 **SB 140010**

Age 7 | AFC 27 | ICP 366
Calves 6 | Weaned 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

14 **SB 110001**

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

15 **SB 110012 P**

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

16 **SB 110001**

Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
2. Breed's logo
3. GT - animal is genomically tested
4. Animal Identification Number
5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
6. Animal's photo, or Herd's logo
7. Herd's logo
8. Owner's information
9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period
11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
13. Four (4) generation pedigree
14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 25 (M) BEEFMASTER RJ 230068



Herd Book	C
Birth date	2023-09-27
Age	2y 10m
Inbreeding	0%
DNA	ZOCA2024-72179

RJ 190010 HH
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	
Genomic		

RJ 200088
Age 5y | AFC 34m | ICP 447d
Calves 3 | Weaned 2 | Wean Mat. 120
Avg. WI 110 | CCB 7.78 | CCW 66.8
Calvings: 23-09, 25-02, 26-03

BOS 144181 PcH
Wean Mat. 67

MB 160581
Age 9y | AFC 27m | ICP 563d
Calves 5 | Weaned 5 | Wean Mat. 123
Avg. WI 96 | CCB 6.48 | CCW 45.6

MULTIPLE SIRES
Wean Mat. -

RJ 160619
Age 9y | AFC - | ICP 506d
Calves 6 | Weaned 5 | Wean Mat. 103
Avg. WI 96 | CCB 7.23 | CCW 52.5

BOS 100048 HH
BOS 100421
Age 6y | Avg. WI 98
Calves 4 | Weaned 2
OKT 120021
SR 130033
Age 10y | Avg. WI 106
Calves 7 | Weaned 4

VR VOERKRAAL & BOERDERY BK



Kuruman, Northern Cape
0833999073
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 113	
113	Calving Ease Value
93	Calf Growth Value
104	Milk Value
129	Maintenance Value
94	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 94	
PRODUCTION VALUE -	



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	90	93	104	101	96	87	103
63%	42%	60%	41%	23%	32%	18%	38%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	103	-	70	100	100	91	92	90
38%	21%	-	30%	23%	22%	8%	7%	7%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	255kg 112 (4)	471kg 107 (5)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 26 (M) BEEFMASTER RJ 240020



Herd Book	SP
Birth date	2024-02-21
Age	2y 6m
Inbreeding	0%
DNA	ZOCA2025-88038

BOS 188237 PcH
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	
Genomic		

BA 150148
Age 10y | AFC 34m | ICP 401d
Calves 8 | Weaned 6 | Wean Mat. 81
Avg. WI 99 | CCB 6.34 | CCW 45.6
Calvings: 18-06, 19-07, 20-10, 21-09, 22-10, 24-02, 25-04, 26-03

WO 050389 HH
Wean Mat. 101

BOS 144018
Age 12y | AFC 34m | ICP 517d
Calves 6 | Weaned 5 | Wean Mat. 92
Avg. WI 101 | CCB - | CCW -

BA 100108
Wean Mat. 53

BA 110350
Age 7y | AFC 25m | ICP 355d
Calves 6 | Weaned 6 | Wean Mat. 101
Avg. WI 105 | CCB - | CCW 49.2

WO 010081 HH
WO 010219
Age 15y | Avg. WI 107
Calves 11 | Weaned 9
BOS 033098
BOS 099366
Age 9y | Avg. WI 103
Calves 6 | Weaned 5
MAJ 070230
MAJ 070636
Age 6y | Avg. WI 96
Calves 3 | Weaned 3
MAJ 060263
MAJ 050651
Age 16y | Avg. WI 103
Calves 14 | Weaned 12

VR VOERKRAAL & BOERDERY BK




Kuruman, Northern Cape
0833999073
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81	
96	Calving Ease Value
111	Calf Growth Value
87	Milk Value
83	Maintenance Value
90	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 101	
PRODUCTION VALUE 76	



EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	95	111	87	108	88	89	102
65%	49%	65%	51%	35%	39%	32%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	99	92	119	96	102	101	110	102
48%	32%	16%	40%	33%	33%	21%	19%	18%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	212kg 96 (4)	448kg 100 (4)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 53 (M) BEEFMASTER RJ 240034



Kuddeboek	B
Geb. dtm	2024-04-03
Oud.	2j 4m
Inteling	0%
DNS	ZOCA2025-88045

BOS 177135 PcH
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BOS 077216 PcH
Spn Mat. 97

BOS 144075
Oud. 11j | OEK 36m | TKP 403d
Kalwers 8 | Gespeen 8 | Spn. Mat. 80
Gem. SI 99 | KKG 6.3 | KKS 44.8

WO 010116

BOS 000462
Oud. 11j | Gem. SI 101
Kalwers 9 | Gespeen 7

BOS 100432 HH

BOS 066160
Oud. 10j | Gem. SI 100
Kalwers 7 | Gespeen 5

RJ 160682

Oud. 9j | OEK - | TKP 494d
Kalwers 6 | Gespeen 4 | Spn. Mat. 90
Gem. SI 95 | KKG 8 | KKS 55.3

Kalwings: 19-01, 20-11, 21-10,
22-11, 24-04, 25-10

VR VOERKRAAL & BOERDERY BK



Kuruman, Northern Cape
0833999073
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 84

105	Kalfgemak Waarde
83	Kalfgroei Waarde
90	Melk Waarde
116	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 80

PRODUKSIE WAARDE -



EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	94	83	90	86	94	92	97
63%	46%	59%	46%	25%	29%	19%	45%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	85	84	87	91	83	78	106	78
41%	23%	5%	23%	25%	24%	9%	8%	8%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	185kg 92 (3)	411kg 90 (3)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 54 (M) BEEFMASTER RJ 230112



Kuddeboek	C
Geb. dtm	2023-11-16
Oud.	2j 9m
Inteling	0%
DNS	ZOCA2024-73184

BOS 177135 PcH
Spn Mat. 86

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

BOS 077216 PcH
Spn Mat. 97

BOS 144075
Oud. 11j | OEK 36m | TKP 403d
Kalwers 8 | Gespeen 8 | Spn. Mat. 80
Gem. SI 99 | KKG 6.3 | KKS 44.8

WO 010116

BOS 000462
Oud. 11j | Gem. SI 101
Kalwers 9 | Gespeen 7

BOS 100432 HH

BOS 066160
Oud. 10j | Gem. SI 100
Kalwers 7 | Gespeen 5

MULTIPLE SIRES

Spn Mat. -

RJ 190013

Oud. 7j | OEK 37m | TKP 572d
Kalwers 3 | Gespeen 3 | Spn. Mat. 123
Gem. SI 103 | KKG 6.8 | KKS 51.1

Kalwings: 22-03, 23-11, 25-05

RJ 160032

Oud. 9j | OEK - | TKP 493d
Kalwers 6 | Gespeen 5 | Spn. Mat. 113
Gem. SI 103 | KKG 6.98 | KKS 51.6

VR VOERKRAAL & BOERDERY BK



Kuruman, Northern Cape
0833999073
mmb.van.r@gmail.com

POSBUS 1020, KURUMAN, 8460



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 89

100	Kalfgemak Waarde
87	Kalfgroei Waarde
107	Melk Waarde
106	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 84

PRODUKSIE WAARDE -



EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	90	87	107	89	88	96	99
64%	44%	62%	46%	25%	35%	20%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
89	89	92	94	95	90	81	103	84
42%	23%	5%	24%	25%	24%	9%	8%	8%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	211kg 90 (4)	485kg 102 (3)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.35	-0.06	12.1	-1.4	19	7	72	-40	11.0	1.0	13.0						
Auction Average				35	216	8.13	54.1	-	-	-0.09	0.25	8.4	-2.2	14	-2	50	-28	8.8	-2	7	98	-	96	102	5.0	92
25	RJ 230068	M	C	31	255	7.93	73.2	-	-	-0.85	0.34	8.2	-0.2	13.7	-27.6	81	0	11.8	1	13	112	-	101	110	3	98
26	RJ 240020	M	SP	36	212	6.32	42.5	-	-	0.57	0.13	18.3	-5.1	28.6	28.4	69	-30	15.6	-1	16	96	-	108	99	8	105
53	RJ 240034	M	B	37	185	9.97	52.1	-	-	-0.16	0.17	2.5	-4.2	4.5	-7.8	19	-22	3.2	-4	-3	92	-	86	95	6	87
54	RJ 230112	M	C	35	211	8.31	48.6	-	-	0.07	0.34	4.5	0.6	10.2	-0.1	31	-31	4.8	-2	3	90	-	89	103	3	79

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik