


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

PARESIS AUCTION

Otjiwarongo

09 October 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 16 September 2026



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

6

7

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 PCH
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

13

SUPERBULL BREEDERS

Town, Province

078 737 2855

super_bull@webmail.com

8

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PCH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



WRSZ220065

DANCEL Nacho Kingfisher



DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA,-

Herd Book	SP
Birth date	2022-12-05
Age	3y 10m
Inbreeding	5%
DNA	U20538U005

WRSZ160097
DANCEL Leopold kingfisher
Wean Mat. 144

Parentage	Sire	Dam
DNA	✓	
Genomic		

WRSZ150062
DANCEL GILL KATHY
Age 10y | AFC 31m | ICP 406d
Calves 6 | Weaned 1 | Wean Mat. 100
Avg. WI 107 | CCB 7.01 | CCW 52.1
Calvings: 18-04, 19-04, 20-03,
21-09, 22-12, 23-11

AJS 120040

PLATDRIF KINGFISHER 3DE
Wean Mat. 121

PSS 111555
POTHOUS PSS11555
Age 9y | AFC 32m | ICP 456d
Calves 4 | Weaned 4 | Wean Mat. 129
Avg. WI 101 | CCB 8.22 | CCW 49.8

AJS 120033

PLATDRIF KINGFISHER 2DE
Wean Mat. 105

JRE 090073

HUNTERSVELEI KATY 128
Age 13y | AFC 35m | ICP 423d
Calves 10 | Weaned 5 | Wean Mat. 95
Avg. WI 101 | CCB 6.05 | CCW 34.9

TL 080017
STOTTERHEIM TL0817

AJS 080003
PLATDRIF KATY 12DE
Age 13y | Avg. WI 104
Calves 10 | Weaned 9

PSS 077151
POTHOUS PSS077151

TZ 050119
FAURZYL CATHE 3DE
Age 21y | Avg. WI 120
Calves 8 | Weaned 6

TL 080017
STOTTERHEIM TL0817

AJS 090011
PLATDRIF KATY 13DE
Age 7y | Avg. WI 100
Calves 4 | Weaned 4

JRE 040019
HUNTERSVELEI TRAFALGAR 31ST

JRE 030093
HUNTERSVELEI KATY 116
Age 13y | Avg. WI 105
Calves 9 | Weaned 9

COW VALUE 107

101	Calving Ease Value
98	Calf Growth Value
121	Milk Value
91	Maintenance Value
94	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	85	98	121	91	99	94	96
75%	49%	55%	39%	12%	39%	18%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	103	-	109	99	100	-	-	-
46%	7%		12%	13%	11%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	-	313kg 86 (2)	373kg 101 (2)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Nocho Kingfisher comes from a very fertile mother line, exceptional milk index (122), which boosts your maternal performance in your herd, exceptional growth values for weaner and ox production.

LOT 2 (M)



WRSZ230011

DANCEL Octavio Horatior Cha



DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA,-

Herd Book	SP
Birth date	2023-01-22
Age	3y 9m
Inbreeding	6%
DNA	U20538U014

AJS 150040
PLATDRIF UNION 2DE
Wean Mat. 105

Parentage	Sire	Dam
DNA	✓	
Genomic		

WRSZ180015
DANCEL Jacky Senorita 2nd
Age 8y | AFC 36m | ICP 400d
Calves 6 | Weaned 5 | Wean Mat. 90
Avg. WI 98 | CCB 7.7 | CCW 51.3
Calvings: 21-02, 22-04, 23-01,
24-01, 25-01, 26-08

AJS 120040

PLATDRIF KINGFISHER 3DE
Wean Mat. 121

AJS 100006
PLATDRIF UNICE 14DE
Age 11y | AFC 37m | ICP 452d
Calves 7 | Weaned 5 | Wean Mat. 90
Avg. WI 103 | CCB - | CCW 38.6

AJS 120033

PLATDRIF KINGFISHER 2DE
Wean Mat. 105

JRE 110136

HUNTERSVELEI SENORITA 130
Age 9y | AFC 32m | ICP 410d
Calves 6 | Weaned 4 | Wean Mat. 89
Avg. WI 100 | CCB 7.7 | CCW 38.6

TL 080017
STOTTERHEIM TL0817

AJS 080003
PLATDRIF KATY 12DE
Age 13y | Avg. WI 104
Calves 10 | Weaned 9

AJS 060022
PLATDRIF DUNLOP

AJS 070035
PLATDRIF UNICE 85TE
Age 10y | Avg. WI 102
Calves 8 | Weaned 6

TL 080017
STOTTERHEIM TL0817

AJS 090011
PLATDRIF KATY 13DE
Age 7y | Avg. WI 100
Calves 4 | Weaned 4

JRE 080009
HUNTERSVELEI NELSON 16TH

JRE 040080
HUNTERSVELEI SENORITA 110
Age 8y | Avg. WI 101
Calves 6 | Weaned 5

COW VALUE 95

96	Calving Ease Value
102	Calf Growth Value
97	Milk Value
92	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	102	102	97	-	102	97	100
75%	47%	66%	44%		35%	16%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	-	-	108	-	-	-	-	-
46%			19%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	249kg 94 (3)	306kg 98 (5)	392kg 94 (3)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: The Union bloodline is known for growth and makes him practical and profitable for weaner and ox production; Octavio has a fertile mother ICP of 357 over 5 calves.

LOT 3 (M)



WRSZ220094

DANCEL Nickel Brumby



DANCEL SUSSEX ZUCHT

Windhoek, X Namibia
bader@iway.na

P.O. BOX 80627, WINDHOEK, NAMIBIA,-

Kuddeboek	SP
Geb. dtm	2022-12-25
Oud.	3j 9m
Inteling	3%
DNS	U14799U015

18-0055SSS

ST BLAIZE SIR BRUMBY 55-18

Spn Mat. 84

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

WRSZ180063

DANCEL WRSZ180063

Oud. 7j | OEK 34m | TKP 365d
Kalwers 4 | Gespeen 2 | Spn. Mat. 103
Gem. SI 102 | KKG 8.94 | KKS 50.4

Kalwings: 21-02, 22-01, 22-12,
24-02

JRE 140092

HUNTERSVEI BRUMBY 1ST

Spn Mat. 79

13-0022SSS

ST BLAIZE MISS SANDERSON 2

Oud. 13j | OEK - | TKP -
Kalwers - | Gespeen - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

WRSZ140064

DANCEL FLIEDER MERVE

Spn Mat. 101

WRSZ150058

DANCEL GLENDA MASIS NUGGET

Oud. 5j | OEK 32m | TKP 423d
Kalwers 3 | Gespeen 1 | Spn. Mat. 84
Gem. SI 103 | KKG 6.19 | KKS 35.4

JRE 110028

HUNTERSVEI MERVE 44TH

JRE 080069

HUNTERSVEI ZENA 132

Oud. 11j | Gem. SI 104

Kalwers 8 | Gespeen 8

MSS 060038

MASIS SIR AVOCO 38 06

SSS 080078

ST. BLAIZE MISS KIANA

Oud. 4j | Gem. SI -

Kalwers 1 | Gespeen -

JRE 090046

HUNTERSVEI MERVE 4TH

JRE 100110

HUNTERSVEI DANDELION 255

Oud. 12j | Gem. SI 104

Kalwers 9 | Gespeen 8

WRSZ120007

DANCEL DIEGO

MSS 050046

MASIS MISS NUGGET 46 05

Oud. 11j | Gem. SI 111

Kalwers 7 | Gespeen 4

KOEIWAARDE 98

109	Kalfgemak Waarde
99	Kalfgroei Waarde
95	Melk Waarde
96	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE -

PRODUKSIE WAARDE -

LOGIX
GENETICS
EBV Analyse 2026-08-17

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	105	99	95	92	101	101	105
74%	37%	66%	34%	20%	32%	15%	42%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	96	-	104	100	99	-	-	-
46%	16%	-	13%	20%	19%	-	-	-

Raam

Karkas

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	254kg 97 (4)	337kg 109 (14)	415kg 97 (8)	-	-	- (B2)	-



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Nickel Brumby is a new bloodline and coming from a very fertile mother ICP365 over 4 calves, can be used on heifers and showing strong growth traits.



Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										1.11	0.45	15.4	6.3	30	26	113	-90	13.8	19.0	32.0						
Auction Average				39	252	8.23	52.1	-	-	0.95	0.57	15.3	7.7	36	33	111	-	9.8	18	32	96	-	92	102	5.0	102
1	WRSZ220065	M	SP	40	-	6.78	52.1	-	-	0.92	1.10	14.3	12.8	37.3	35.3	128	0	9.5	18	32	-	-	91	107	6	99
2	WRSZ230011	M	SP	40	249	8.97	54.3	-	-	1.48	0.37	16.6	5.4	37.4	34.4	0	0		0	0	94	-	-	98	6	103
3	WRSZ220094	M	SP	38	254	8.94	50	-	-	0.45	0.23	14.9	4.8	34.8	30.1	94	0	10	19	31	97	-	92	102	4	105

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik