


AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

STOFFBERG BORAN GROUP 8TH PRODUCTION AUCTION

Ermelo

23 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 14 September 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.
- 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:
 - 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
 - 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
 - 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
 - 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.3 The Society will approve any production sale of registered Boran cattle provided that:
 - 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
 - 1.3.2 Both the Sellers and the Society will sign a written agreement
 - 1.3.3 The Seller adheres to the requirements detailed further in this document.
 - 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The seller may only sell animals at auction that have been in their possession for no less than 12 months. Only applicable for Boran National Auctions.

- 2.3 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.
- 2.4 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.8 Only one auction under the auspices of the society can be held on any one day
- 2.9 No other sale may be held three (3) weeks prior to the National sale. However, it is the Council's prerogative to grant permission to hold an auction under the auspices within the three weeks.
- 2.10 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Bye-laws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than eight months of age at the date of sale.
- 3.1.8 If the calf is younger than eight months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.

- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.
- 3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twenty-four (24) months and older, must:
- 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. These bulls must be genomically tested and also test free of Pompies mutation and double muscling. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
- 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
- 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 8 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days (Inter Calf Periods of female animals offered at the National Auction(s) may not exceed 500 days maximum.)
 - 4.1.1.2.2 have calved before 42 months (Female animals offered at the National Auction(s) may not exceed 39 months of age at first calving.
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.

- 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
- 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
- 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.
- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
- 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
- 4.1.11.2 Pregnancy must be recorded in months.
- 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
- 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
- 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
- 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
- 5.1.1 to verify the identification of the animals on offer
- 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
- 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B & C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.

- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:
 - 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
 - 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 8 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1% will be levied on the transaction as per Society's sales agreement.
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multi-sires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro-and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 In the event of a disease outbreak, such as Foot-and-Mouth, that prevents auctions from being held, the following procedures will be implemented regarding the screening of animals:
- 12.4.1 All screenings of animals intended for the online auction will take place on the farm of the seller, prior to the auction.
- 12.4.2 In the event that an auction is successfully concluded, the relocation of animals from the seller's farm to the buyer's premises will be subject to agreement between the seller and the buyer. The Boran Society will not be a party to these agreement, and the Society do not guarantee the relocation of animals in any way.
- 12.4.3 The seller and buyer must agree on a timeline for the relocation of animals that is both fair and safe, taking into account the prevailing disease conditions and any relevant regulatory requirements.
- 12.5 All other rules in this document also apply to internet/online auctions

The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society. Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS
 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
 SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

SB 140007
 SUPERBULL SB 140007 Pp(c)

SB 110001
 SUPERBULL SB 11 0100

SB 110012 P
 SUPERBULL SB 110012
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weighed -
 Avg. WI - | Wean Mat. 80

SB 110001
 SUPERBULL SB 110400

SB 060004 Pch
 SUPERBULL SB 060004
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weighed 7
 Avg. WI 105 | Wean Mat. 110

9 (& 10)

12

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

- Myostatin Results**
- Free - free from double muscling genes
 - Carrier - heterozygotic / carrier of one double muscling gene
 - D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



BAS 200106

BOTHASBERG BLOUBOS

Herd Book	SP
Birth date	2020-04-14
Age	6y 5m
Inbreeding	0%
DNA	U13468U009
AFC	38m
Calves	4
Weighed	1
Avg. WI	99
ICP	373d

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 260907 (F)
Birth Date	2026-07-08
Sire ID	BAS 190261

Calvings: 23-06, 24-07, 25-07, 26-07

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 105

90	Calving Ease Value
112	Calf Growth Value
93	Milk Value
87	Maintenance Value
114	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 107

PRODUCTION VALUE 102

SELLER REMARKS: Pedigree rooted in original Kenyan genetics. Her sire, AAA 08-45, is the product of 2 direct Kenyan animals-Solio 548 and Kisima V7Y7653. On the dam side Afri-Bor 10-20(622). An opportunity to acquire a female carrying a strong concentration of the genetics. Heifer calf BAS26-907 from BAS19-261.

AAA 080045 SP

TRIPLE A AAA 080045

Wean Mat. 72

Parentage Sire Dam

DNA ✓ ✓

Genomic

BAS 170069 C

BOTHASBERG BLOUBLOM

Age 9y | AFC 32m | ICP 440d
Calves 6 | Weighed 1 | Wean Mat. 121
Avg. WI 100 | CCB 9.84 | CCW 46.6

Calvings: 20-04, 21-10, 22-10,
23-09, 25-05, 26-04

KPO548 F

KE OL PEJETA SOLIO 548/SI

Wean Mat. 83

V7Y7653 PBD

KISIMA V7Y7653

Age 32y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -

ECC 100020 SP

AFRI-BOR 1020

Wean Mat. 121

BAS 130025 B

BOTHASBERG BLOUBLOM

Age 6y | AFC 33m | ICP 344d
Calves 3 | Weighed - | Wean Mat. 117
Avg. WI - | CCB - | CCW -

583 F

583

523 F

523

Age 42y | Avg. WI -
Calves 1 | Weighed -
N 040003 SP

EERSTEGELUK-BAS N 04 03 -YSTE

B 020013 SP

BORGEN B 02 13

Age 10y | Avg. WI -

Calves 7 | Weighed -

MULTIPLE SIRES MS

MULTIPLE SIRES

BAS 100018 A

BOTHASBERG BAS10018

Age 7y | Avg. WI -

Calves 1 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	84	112	93	96	118	111	95
55%	62%	48%	53%	47%	50%	26%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	96	102	114	116	115	104	99	104
30%	44%	6%	67%	46%	42%	37%	41%	37%

LOT 2 (F)



EMD 170038

OOSTENWAL EMD 170038

Herd Book	SP
Birth date	2017-08-05
Age	9y 2m
Inbreeding	0%
DNA	U261777U004
AFC	39m
Calves	6
Weighed	0
Avg. WI	-
ICP	413d

OOSTENWAL BOERDERY

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoorjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 260117 (F)
Birth Date	2026-06-28
Sire ID	FN 180076

Calvings: 20-11, 22-04, 23-05, 24-06, 25-08, 26-06

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108

108	Calving Ease Value
84	Calf Growth Value
102	Milk Value
122	Maintenance Value
110	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 94

PRODUCTION VALUE 109

SELLER REMARKS: Deep cow with great fertility. She has an ICP of 413. Going back to Z0304 and Forester 9675. With heifer calf EMD 26117 from FN1876.

WJ 100064 SP

JANSON WJ100064

Wean Mat. 107

Parentage Sire Dam

DNA ✓ ✓

Genomic

FS 060001 SP

KROMSPRUIT FS 061

Age 15y | AFC 35m | ICP 393d
Calves 12 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -

Calvings: 09-07, 10-07, 11-11, 12-11,
14-02, 15-03, 16-06, 17-08, 18-09,
19-08, 20-07, 21-08

E 060005 HH SP

TAMBARAINE E 06 05

Wean Mat. 102

MHB 070003 SP

MOLL'S-HOOP CINDY

Age 14y | AFC 31m | ICP 374d
Calves 8 | Weighed - | Wean Mat. 106
Avg. WI - | CCB - | CCW -

TLM 020014 SP

KETA TLM020014

Wean Mat. 108

Z 030004 SP

HLANZENI Z 03 4

Age 20y | AFC 39m | ICP 354d
Calves 10 | Weighed - | Wean Mat. 90
Avg. WI - | CCB - | CCW -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000014 SP

KETA TLM 00 14

Age 15y | Avg. WI 111

Calves 12 | Weighed 6

FE 960075 SP

FORRESTER 96/75

MHB 040021 SP

MOLL'S-HOOP CINDY

Age 15y | Avg. WI -

Calves 8 | Weighed -

KPO791 PBD

KE OL PEJETA KPO 791

K6K2748 PBD

KE MOGWONNI K6K2748

Age 36y | Avg. WI -

Calves 1 | Weighed -

Z 950015 SP

HLANZENI Z 95 15

Z 960073 SP

HLANZENI Z 96 73

Age 8y | Avg. WI -

Calves 4 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
106	102	84	102	97	111	114	95
46%	49%	34%	37%	25%	48%	32%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
86	104	107	79	103	96	99	102	104
24%	23%	12%	40%	25%	23%	20%	22%	20%

LOT 3 (F)



JVG 220100

JANVOS JVG 220100

Kuddeboek	SP
Geb. dtm	2022-09-28
Oud.	3j 12m
Inteling	0%
DNS	U20755U043
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



JANVOS LANDGOED

JANVOS LANDGOED

Davel, Mpumalanga

0823068524

janvosfarm@gmail.com

POSBUS 46, DAVEL, 2320

Laaste Kalf

Kalf ID	JVG 250122 (M)
Geb. datum	2025-10-10
Vaar ID	MULTIPLE SIRES

Kalwings: 25-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 04-AUG-26 (EXP 02-FEB-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 95

80	Kalfgemak Waarde
104	Kalfgroei Waarde
115	Melk Waarde
108	Onderhoudswaarde
89	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 105

PRODUKSIE WAARDE 99

VERKOPER OPMERKINGS: A Thick young cow out of Amarula with Nitro and Baltizar in her dam lines. Her mother maintained a ICP of 387 over 5 calves. 6 months pregnant to JVG 21-50/FPL 17-129

JVG 140060 HH SP

JANVOS JVG 140060

Spn Mat. 102

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JVG 180031 SP

JANVOS JVG18031

Oud. 8j | OEK 38m | TKP 387d
Kalwers 5 | Geweeg 6 | Spn. Mat. 122
Gem. SI 107 | KKG 8.63 | KKS 48.1

Kalwings: 21-08, 22-09, 23-11,
24-11, 25-11

LOGIX
EBV Analyse 2026-09-09

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Spn Mat. 93

CFH 100095 SP

ELANDSPRUIT CFH100095

Oud. 16j | OEK - | TKP 404d
Kalwers 12 | Geweeg 5 | Spn. Mat. 114
Gem. SI 104 | KKG 6.68 | KKS 45.1

TLM 060506 SP

KETA TLM 6 506

Spn Mat. 83

MB 110389 SP

MON-BIJOU SMALDEEL MB 110389

Oud. 14j | OEK 36m | TKP 403d
Kalwers 10 | Geweeg 6 | Spn. Mat. 132
Gem. SI 114 | KKG 8.39 | KKS 51.3

25 PBD

KE MARULA 25

KPO21 PBD

KE OL PEJETA 21

Oud. 39j | Gem. SI -

Kalwers 2 | Geweeg -

CFH 060874 SP

ELANDSPRUIT CFH06874

Z 980010 SP

HLANZENI Z 98 10

Oud. 20j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 000010 SP

KETA TLM 00 10

Oud. 15j | Gem. SI 94

Kalwers 11 | Geweeg 4

TLM 050503 SP

KETA TLM 05 503

TLM 050040 DH SP

KETA TLM050040

Oud. 15j | Gem. SI 103

Kalwers 10 | Geweeg 1

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	65	104	115	102	96	94	84
70%	71%	57%	57%	55%	46%	32%	57%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	104	99	92	105	99	98	98	89
46%	52%	25%	59%	54%	51%	37%	40%	37%


LOT 4 (F)



MOS 240695

MOSDENE MOS240695

Kuddeboek	SP
Geb. dtm	2024-11-13
Oud.	1j 10m
Inteling	1%
DNS	U20886U040



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo

0764894769

mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



E 200049 HH SP

TAMBARAINE E200049

Spn Mat. 112

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BH 160002 SP

CIRCLE H BH 160002

Oud. 10j | OEK 35m | TKP 505d
Kalwers 6 | Geweeg 3 | Spn. Mat. 78
Gem. SI 94 | KKG - | KKS 51.6

Kalwings: 18-12, 20-05, 21-11,
23-05, 24-11, 25-11

WZ 140052 HH SP

WILZAK JUMBO

Spn Mat. 108

E 140200 HH SP

TAMBARAINE E140200

Oud. 9j | OEK 34m | TKP 443d
Kalwers 6 | Geweeg 6 | Spn. Mat. 109
Gem. SI 106 | KKG - | KKS 58.8

B 081161 SP

BORGEN NYATHI

Spn Mat. 116

CI 080110 P SP

CIRCLE C FIONA

Oud. 12j | OEK 29m | TKP 385d
Kalwers 10 | Geweeg 2 | Spn. Mat. 67
Gem. SI 100 | KKG 6.59 | KKS 49.6

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 100024 SP

HOTSPOT JASMINE

Oud. 16j | Gem. SI -

Kalwers 9 | Geweeg -

CFH 080173 SP

ELANDSPRUIT CFH08173

E 110002 SP

TAMBARAINE 110002

Oud. 8j | Gem. SI 102

Kalwers 5 | Geweeg 5

B 040042 SP

BORGEN B 04 42

B 030039 SP

BORGEN B03039

Oud. 13j | Gem. SI -

Kalwers 5 | Geweeg -

KB19A SP

KETA KB 19 A - FORTIS

TLM 040078 DH SP

KETA TLM040078

Oud. 16j | Gem. SI -

Kalwers 6 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	96	102	96	102	86	90	105
71%	53%	68%	49%	28%	39%	25%	49%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	88	88	92	102	102	95	101	90
36%	26%	14%	48%	27%	26%	23%	25%	23%

VERKOPER OPMERKINGS: Deep red open heifer sired by Wolff (Jumbo son) with 717, 02 12, B 04 42, PM14R, Caesar and 3094, Ready for your choice of bull.

LOT 5 (F)



JH 190023

MARONES JH190023

Herd Book	SP
Birth date	2019-05-28
Age	7y 4m
Inbreeding	0%
DNA	U521786
AFC	30m
Calves	4
Weighed	0
Avg. WI	-
ICP	485d



KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Last Calf	
Calf ID	KW 250263 (F)
Birth Date	2025-11-19
Sire ID	DBC 150043

Calvings: 21-11, 23-07, 24-09, 25-11



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98	
112	Calving Ease Value
93	Calf Growth Value
82	Milk Value
109	Maintenance Value
102	Fertility Value
GROWTH VALUE 86	
CARCASS VALUE 62	
PRODUCTION VALUE 93	

SELLER REMARKS: Daughter of the Bont Gulliver. 4m ICT M/S KW 22 008, KW 22 185, KW 23 325, EMD 18 036. Out of fertile and longevous dam.

CFH 110279 HH SP

ELANDSPRUIT CFH110279

Wean Mat. 74

Parentage Sire Dam

DNA ✓

Genomic

JH 120034 SP

MARONES JH120034

Age 14y | AFC 29m | ICP 428d
Calves 11 | Weighed 7 | Wean Mat. 96
Avg. WI 100 | CCB - | CCW 57.1

Calvings: 14-10, 16-05, 17-04,
18-05, 19-05, 20-05, 21-06,
22-09, 23-12, 25-05, 26-06

TLM 030021 SP

KETA TLM030021

Wean Mat. 84

CFH 060873 SP

ELANDSPRUIT CFH06873

Age 13y | AFC 36m | ICP 374d
Calves 8 | Weighed - | Wean Mat. 82
Avg. WI - | CCB - | CCW -

JH 060004 SP

MARONES JH060004

Wean Mat. 116

JH 080022 SP

MARONES JH080022

Age 12y | AFC - | ICP 384d
Calves 9 | Weighed 8 | Wean Mat. 86
Avg. WI 96 | CCB - | CCW 45.4

K6K2588 PBD
KE MOGWOONI K6K2588

KPO961 PBD
KE OL PEJETA KPO 961

Age 36y | Avg. WI -
Calves 1 | Weighed -
HVT 990001 SP
OUTSPAN HVT 99 01

HVT 950013 SP
OUTSPAN HVT950013

Age 19y | Avg. WI -
Calves 9 | Weighed -
KB32X SP
KETA KB X 32

TLM 030059 SP
KETA TLM 03 59

Age 14y | Avg. WI 109
Calves 8 | Weighed 5

TLM 040505 HH SP
KETA TLM 04 505

TLM 030051 SP
KETA TLM 03 51

Age 10y | Avg. WI 100
Calves 1 | Weighed 1

LOGIX
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	126	93	82	101	101	108	98
78%	82%	71%	59%	50%	55%	33%	63%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	105	113	92	99	93	75	80	86
40%	46%	41%	55%	49%	45%	40%	45%	41%

LOT 6 (F)



LE 210021

AMAZING LE210021

Herd Book	SP
Birth date	2021-07-04
Age	5y 3m
Inbreeding	3%
DNA	U7225U012
AFC	40m
Calves	2
Weighed	0
Avg. WI	-
ICP	645d



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Last Calf	
Calf ID	LE 260037 (F)
Birth Date	2026-08-07
Sire ID	EMD 200046

Calvings: 24-10, 26-08



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 81	
96	Calving Ease Value
105	Calf Growth Value
99	Milk Value
90	Maintenance Value
76	Fertility Value
GROWTH VALUE 106	
CARCASS VALUE 96	
PRODUCTION VALUE 85	

SELLER REMARKS: A good quality cow selling with heifer calf LE26-37 by EMD17-33 / EMD20-46. Her sire line boasts 786, Koning, TLM02-17 and Z98-76, with HVT95-21 and Forrester 96-75 on the dam side.

LE 120011 SP

AMAZING LE120011

Wean Mat. 115

Parentage Sire Dam

DNA ✓ ✓

Genomic

LE 150002 SP

AMAZING LE15002

Age 6y | AFC 36m | ICP 345d
Calves 4 | Weighed - | Wean Mat. 83
Avg. WI - | CCB - | CCW -

Calvings: 18-07, 19-08, 20-07,
21-07

DVB 040003 HH SP

DIAMANT-V 0403

Wean Mat. 79

JH 090064 SP

MARONES JH090064

Age 15y | AFC - | ICP 458d
Calves 9 | Weighed 1 | Wean Mat. 115
Avg. WI 130 | CCB 6.47 | CCW 36.1

MB 090301 SP

MON-BIJOU SMALDEEL MARIUS

Wean Mat. 72

WJ 100029 SP

JANSON WJ100029

Age 15y | AFC - | ICP 442d
Calves 11 | Weighed 1 | Wean Mat. 94
Avg. WI 90 | CCB 6.64 | CCW 37

KPO786 PBD
KE OL PEJETA 786

KPO818 PBD
KE OL PEJETA 818

Age 30y | Avg. WI -
Calves - | Weighed -
TLM 050526 HH SP
KETA TLM 05 526 - KONING

CFH 040458 SP
ELANDSPRUIT CFH 04 458

Age 13y | Avg. WI 99
Calves 9 | Weighed 5
HVT 950021 SP
OUTSPAN HVT950021

CFH 070170 SP
ELANDSPRUIT CFH07170

Age 17y | Avg. WI 85
Calves 11 | Weighed 1

CI 060008 DH SP
CIRCLE C CIO60008- HOUDINI

MHB 060039 SP
MOLL'S-HOOP KELLY

Age 10y | Avg. WI -
Calves 3 | Weighed -

LOGIX
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	98	105	99	91	69	84	106
44%	47%	37%	38%	26%	50%	27%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	102	98	110	99	93	90	100	94
22%	24%	12%	41%	26%	24%	19%	21%	19%

LOT 7 (F)

RD 240030

ROCKDALE GEORGIE VII

**ROCKDALE
BORANE**

ROCKDALE INDUSTRIAL (PTY) LTD

 Middelburg, Mpumalanga
0716196219
livestock@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050

Kuddeboek	SP
Geb. dtm	2024-07-17
Oud.	2j 2m
Inteling	3%
DNS	U20052U001

 RKHF150016 HH SP
ROCKDALE RKHF15016
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

 RKHF200025 SP
ROCKDALE GEORGIE III
Oud. 6j | OEK 24m | TKP 328d
Kalwers 3 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -
Kalwings: 22-10, 23-09, 24-07

 FN 090470 SP
FONTEINE FN090470
Spn Mat. 86

 FN 120230 SP
FONTEINE FN12230
Oud. 7j | OEK 35m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 92
Gem. SI - | KKG - | KKS -

 RN 130206 SP
RANKIN BEEF RN 130206
Spn Mat. 94

 FN 120227 SP
FONTEINE GEORGIE I
Oud. 13j | OEK 34m | TKP 419d
Kalwers 10 | Geweeg 3 | Spn. Mat. 97
Gem. SI 103 | KKG 6.52 | KKS 35.4

 TLM 010001 SP
KETA TLM010001 - NAPOLEON
FN 060079 SP
FONTEINE FN06079
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
FN 050028 SP
FONTEINE CHURCHILL FN0528
FN 080257 SP
FONTEINE FN08257
Oud. 12j | Gem. SI -
Kalwers 3 | Geweeg -
KB28W D SP
KETA KB 28 W
JH 090054 SP
MARONES JH090054
Oud. 5j | Gem. SI -
Kalwers 2 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 070121 SP
FONTEINE FN07121
Oud. 6j | Gem. SI -
Kalwers 2 | Geweeg -

KOEIWAARDE 101

117	Kalfgemak Waarde
97	Kalfgroei Waarde
92	Melk Waarde
97	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 114
KARKAS WAARDE 107
PRODUKSIE WAARDE 105
LOGIX
GENETICS LIAISON
EBV Analise 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
111	111	97	92	102	96	105	102
70%	53%	44%	42%	23%	38%	23%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	110	111	102	102	101	110	101	98
22%	22%	13%	45%	23%	21%	19%	21%	19%

VERKOPER OPMERKINGS: Oop vers wat terug gaan na KB28W en Gianni 2812 aan haar ma se kant. Aan haar pa se kant sien ons Churchill en Ceaser.


Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 8 (F)

FN 170246

FONTEINE FN 17 246


RIVERSTONE
LANGKLOOF BDY

 Belfast, Mpumalanga
0615308629
admin@gbcelect.co.za

LANGKLOOF BDY, BELFAST, 1100

Kuddeboek	SP
Geb. dtm	2017-07-11
Oud.	9j 2m
Inteling	15%
DNS	U520191
OEK	42m
Kalwers	5
Geweeg	0
Gem. SI	-
TKP	461d

 FN 110197 SP
FONTEINE FN 11 197
Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

 FN 120226 HH SP
FONTEINE FN12226
Oud. 13j | OEK 31m | TKP 378d
Kalwers 11 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -
Kalwings: 15-07, 16-05, 17-07, 18-06, 19-05, 20-04, 21-04, 22-04, 23-06, 24-11, 25-11

 HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 80

 B 070139 HH SP
BORGEN B070139
Oud. 18j | OEK - | TKP 419d
Kalwers 13 | Geweeg 1 | Spn. Mat. 134
Gem. SI 112 | KKG - | KKS 40.6

 HVT 970017 SP
OUTSPAN HVT970017
Spn Mat. 80

 B 050042 SP
BORGEN B 05 42
Oud. 13j | OEK 32m | TKP (donor)
Kalwers 7 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

 6SEG096 PBD
SEGERA 494
KPO303 PBD
KE OL PEJETA KPO303
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
B 040001 SP
BORGEN B 040001
B 010142 SP
BORGEN B 01 142
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -
6SEG096 PBD
SEGERA 494
KPO303 PBD
KE OL PEJETA KPO303
Oud. 33j | Gem. SI -
Kalwers 1 | Geweeg -
Z 960033 SP
HLANZENI 336
B 980004 SP
BORGEN B980004
Oud. 20j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE 102

107	Kalfgemak Waarde
99	Kalfgroei Waarde
88	Melk Waarde
101	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 92
KARKAS WAARDE 93
PRODUKSIE WAARDE 98
LOGIX
GENETICS LIAISON
EBV Analise 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
108	95	99	88	98	115	95	114
71%	58%	46%	44%	37%	50%	35%	63%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	94	88	98	85	94	88	117	130
35%	35%	21%	46%	36%	34%	32%	34%	32%

VERKOPER OPMERKINGS: She sells 5-6 mths in calf to Notorious FPL 17-84 or Kovu HOT 21-4, offering an exciting genetic combination. A line-bred 494 female backed by proven bull-breeding cows, with a pedigree built on genetics proven to consistently produce exceptional cattle.


Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 9 (M)

BAS 220498

BOTHASBERG BAS 220498

Herd Book	SP
Birth date	2022-08-30
Age	4y 1m
Inbreeding	2%
DNA	U261895U003

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 100

94	Calving Ease Value
110	Calf Growth Value
107	Milk Value
82	Maintenance Value
102	Fertility Value

GROWTH VALUE 110
CARCASS VALUE 108
PRODUCTION VALUE 103

SELLER REMARKS: BAS 22-498 combines some of the great old genetics. K6K 3094 features through both his sire and dam lines, complemented by Gianni 2812 and Caesar on the sire side. His B04-57 dam line brings together K6K 3094 and Kisima 7771. A unique combination of proven genetics for the discerning breeder.

FPL 130156 HH SP
BLOODLINE BRAVO

Wean Mat. 111

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

B 090414 HH SP
BORGEN B09414

Age 17y | AFC 31m | ICP 367d
Calves 14 | Weighed 4 | Wean Mat. 104
Avg. WI 101 | CCB 4.85 | CCW 40.7

Calvings: 11-11, 13-05, 14-07,
15-08, 16-07, 17-06, 18-05, 19-05,
20-07, 21-06, 22-08, 23-07,
25-05, 26-04

FN 060064 SP
FONTEINE FN0664

Wean Mat. 118

FN 090397 SP
FONTEINE FN09397

Age 5y | AFC - | ICP (donor)
Calves 2 | Weighed 1 | Wean Mat. 109
Avg. WI 99 | CCB 7.11 | CCW 41

B 040042 SP
BORGEN B 04 42

Wean Mat. 85

B 040057 SP
BORGEN B04057

Age 18y | AFC 31m | ICP 363d
Calves 12 | Weighed - | Wean Mat. 99
Avg. WI - | CCB - | CCW -

2812 PBD
GIANNI 2812

PB/9831 F

KE DELAMERE 304
Age 32y | Avg. WI -
Calves - | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP
FONTEINE FN 04 23

Age 14y | Avg. WI -
Calves 4 | Weighed -
KPO786 PBD
KE OL PEJETA 786

8334 F

ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -
K6K3094 PBD
KE MOGWONDI 3094 (BMK163)

ZIP7771 F

KISIMA 7771
Age 31y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	105	110	107	105	105	95	103
60%	57%	57%	52%	49%	45%	30%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	104	108	120	102	101	108	91	104
40%	45%	19%	52%	48%	44%	41%	45%	42%

LOT 10 (M)

EMD 210104

OOSTENWAL EMD 210104

Herd Book	SP
Birth date	2021-08-05
Age	5y 2m
Inbreeding	0%
DNA	ZOCA2021-21455

OOSTENWAL BOERDERY

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44,,LAERSDRIFT, 1065


Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 90

93	Calving Ease Value
105	Calf Growth Value
91	Milk Value
91	Maintenance Value
99	Fertility Value

GROWTH VALUE 102
CARCASS VALUE 105
PRODUCTION VALUE 92

SELLER REMARKS: Going back to NDA 9 the bont bull on his father's side. On the dam's side HVT 0011. Long deep red bull with good temperament.

ECC 180004 HH SP
AFRI-BOR ECC180004

Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

PP 160401 SP
PIET POTGIETER PP 160401

Age 10y | AFC 31m | ICP 479d
Calves 5 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

Calvings: 19-04, 20-06, 21-08,
22-08, 24-07

CFH 070279 SP
ELANDSPRUIT CFH07279

Wean Mat. 110

ECC 130021 SP
AFRI-BOR ECC1321

Age 6y | AFC 39m | ICP 406d
Calves 3 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -

CFH 080282 SP
ELANDSPRUIT CFH08282

Wean Mat. 91

CFH 100060 SP
ELANDSPRUIT CFH100060

Age 15y | AFC 44m | ICP 445d
Calves 9 | Weighed - | Wean Mat. 82
Avg. WI - | CCB - | CCW -

Z 040061 SP
HLANZENI Z 04 61

Z 980105 SP

HLANZENI Z 98 105
Age 17y | Avg. WI -
Calves 4 | Weighed -
BA 040015 SP
BA BA 04 15

ECC 100017 SP
AFRI-BOR 1017

Age 9y | Avg. WI -
Calves 2 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR

TLM 020051 SP
KETA TLM 02 51

Age 16y | Avg. WI -
Calves 3 | Weighed -
CFH 060874 SP
ELANDSPRUIT CFH06874

B 010035 SP
BORGEN B 01 35

Age 24y | Avg. WI -
Calves 5 | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2026-09-09


Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	96	105	91	103	95	106	96
44%	36%	35%	29%	25%	38%	22%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	105	107	109	105	106	106	97	106
26%	23%	10%	30%	24%	22%	20%	22%	20%

LOT 11 (M)

MOS 200134 HH

MOSDENE MOS 200134


MOSDENE CATTLE RANCH

 Naboomspruit, Limpopo
0764894769
mosdeneranch@gmail.com

POB 250, NABOOMSPRUIT, 0560



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2020-10-05
Oud.	5j 12m
Inteling	1%
DNS	WSC038847

KOEIWAARDE 92	
87	Kalfgemak Waarde
119	Kalfgroei Waarde
85	Melk Waarde
99	Onderhoudswaarde
84	Vrugbaarheidswaarde
GROEI WAARDE 91	
KARKAS WAARDE 113	
PRODUKSIE WAARDE 89	

VERKOPER OPMERKINGS: Jumbo son going back to TLM 02 12, TLM 00 11 (717) FE41 and TLM 02 17 (Mother of Koning). A bull that has it all: Looks, Muscle and Pedigree!

WZ 140052 HH SP
WILZAK JUMBO
Spn Mat. 108

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

E 130065 HH SP
TAMBARAINE 130065
Oud. 11j | OEK 32m | TKP 412d
Kalwers 8 | Geweeg 8 | Spn. Mat. 85
Gem. SI 98 | KKG - | KKS 49.1
Kalwings: 16-02, 17-05, 18-08, 19-09, 20-10, 21-11, 23-01, 24-01

MHB 040027 SP
MOLL'S-HOOP KHAN
Spn Mat. 94

HOT 100024 SP
HOTSPOT JASMINE
Oud. 16j | OEK 37m | TKP (donor)
Kalwers 9 | Geweeg - | Spn. Mat. 112
Gem. SI - | KKG 5.03 | KKS -

E 080046 SP
TAMBARAINE E 08 46
Spn Mat. 83

TLM 040023 SP
KETA TLM 04 23
Oud. 17j | OEK 29m | TKP 411d
Kalwers 9 | Geweeg 5 | Spn. Mat. 102
Gem. SI 101 | KKG - | KKS 49.4

KPO786 PBD
KE OL PEJETA 786
ADC5761 PBD
A.D.C. MUTARA 5761
Oud. 35j | Gem. SI -
Kalwers - | Geweeg -
TLM 050543 SP
KETA TLM050543
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
TLM 020012 SP
KETA TLM 02 12
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 000011 SP
KETA TLM000011
970041FE SP
FORRESTER FE 97 041
Oud. 18j | Gem. SI 95
Kalwers 11 | Geweeg 1

LOGIX
EBV Analyse 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
88	94	119	85	91	81	86	107
89%	87%	88%	86%	83%	85%	83%	86%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	89	85	100	102	104	100	112	97
84%	83%	82%	86%	83%	83%	83%	83%	83%

LOT 12 (M)

DBC 190039

NIEKERKSHEK DBC 190039


KWANARE

 Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POB 165, STOFFBERG, 1056



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-09-05
Oud.	7j 1m
Inteling	2%
DNS	UA524229

KOEIWAARDE 96	
108	Kalfgemak Waarde
94	Kalfgroei Waarde
99	Melk Waarde
102	Onderhoudswaarde
95	Vrugbaarheidswaarde
GROEI WAARDE 105	
KARKAS WAARDE 107	
PRODUKSIE WAARDE 98	

VERKOPER OPMERKINGS: A polled bull used to great success on heifers, a testament to his easy calving. Out of fertile mother line.

DBC 170001 SP
NIEKERKSHEK DUKE
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

DBC 170007 SP
NIEKERKSHEK DBC 170007
Oud. 9j | OEK 30m | TKP 453d
Kalwers 6 | Geweeg 3 | Spn. Mat. 93
Gem. SI 98 | KKG - | KKS 53.2
Kalwings: 19-09, 20-11, 21-10, 23-05, 24-10, 25-11

V 130002 SP
HILLOCK MAGNAAT
Spn Mat. 106

AVZ 130021 SP
MEANDER MOLLY
Oud. 13j | OEK 28m | TKP 523d
Kalwers 8 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG 5 | KKS -

SS 120056 SP
SANDSONIA FRED
Spn Mat. 116

DBC 140043 HH SP
NIEKERKSHEK SAVANNA
Oud. 12j | OEK 29m | TKP 351d
Kalwers 10 | Geweeg 6 | Spn. Mat. 89
Gem. SI 95 | KKG 7.07 | KKS 38.4

CI 070127 SP
CIRCLE C 070127 - MAGNUM
V 100009 SP
HILLOCK EMMA
Oud. 13j | Gem. SI -
Kalwers 10 | Geweeg -
TLM 020006 SP
KETA TLM020006 - LOBASE
AVZ 100006 SP
MEANDER AVZ100006
Oud. 9j | Gem. SI 104
Kalwers 6 | Geweeg 3
CI 080115 SP
CIRCLE C 080115
SS 090183 SP
SANDSONIA SS9183
Oud. 16j | Gem. SI -
Kalwers 13 | Geweeg -
BS 090023 SP
MOUNTAIN VIEW BIG RED
DVB 100029 SP
DIAMANT-V 1029
Oud. 7j | Gem. SI -
Kalwers 4 | Geweeg -

LOGIX
EBV Analyse 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	108	94	99	96	96	89	109
82%	55%	64%	46%	31%	33%	22%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	103	94	96	90	96	97	111	93
36%	27%	10%	47%	30%	26%	23%	26%	23%

LOT 13 (F)



BAS 180198
BOTHASBERG MOLLIE

Herd Book	SP
Birth date	2018-05-07
Age	8y 5m
Inbreeding	0%
DNA	U24235U005
AFC	27m
Calves	6
Weighed	2
Avg. WI	109
ICP	434d

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 260910 (F)
Birth Date	2026-07-10
Sire ID	BAS 190261

Calvings: 20-08, 21-10, 22-09, 23-09, 25-08, 26-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 128	
108	Calving Ease Value
111	Calf Growth Value
125	Milk Value
99	Maintenance Value
105	Fertility Value
GROWTH VALUE 97	
CARCASS VALUE 113	
PRODUCTION VALUE 123	

SELLER REMARKS: Outstanding Namib (ECC 10 20) daughter with everything in the right places. With the cherry on top a Salmon (BAS19-261) heifer BAS26 910 at foot.

ECC 100020 SP
AFRI-BOR 1020
Wean Mat. 121

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 130085 SP
BOTHASBERG MOLLIE
Age 12y | AFC 34m | ICP 459d
Calves 5 | Weighed 1 | Wean Mat. 123
Avg. WI 89 | CCB - | CCW 43.6
Calvings: 16-08, 18-05, 19-06,
20-06, 21-08

N 040003 SP
EERSTEGELUK-BAAS N 04 03 -YSTE
Wean Mat. 86

B 020013 SP
BORGEN B 02 13
Age 10y | AFC 30m | ICP 398d
Calves 7 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -

B 060126 SP
BORGEN B060126
Wean Mat. 128

B 040003 SP
BORGEN B 04 03
Age 14y | AFC 34m | ICP 425d
Calves 7 | Weighed - | Wean Mat. 107
Avg. WI - | CCB - | CCW -

KPO622 PBD
KE OL PEJETA 622
K6K2228 PBD
KE MOGWONI 2228
Age 34y | Avg. WI -
Calves - | Weighed -
HVT 980014 SP
OUTSPAN HVT980014
HVT 950037 SP
OUTSPAN HVT95037
Age 20y | Avg. WI -
Calves 8 | Weighed -
KPO786 PBD
KE OL PEJETA 786
ADC8288 PBD
ADC MUTARA 8288
Age 30y | Avg. WI -
Calves - | Weighed -
K6K2997 PBD
KE MOGWONI K6K2997
Z7F1509 PBD
KE OL PEJETA 1509
Age 37y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	106	111	125	115	109	105	92
55%	63%	58%	65%	50%	52%	33%	64%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	102	102	98	118	121	107	102	107
36%	47%	13%	73%	49%	46%	40%	44%	41%

LOT 14 (F)



BAS 200296
BOTHASBERG GERTJIE

Herd Book	SP
Birth date	2020-05-20
Age	6y 4m
Inbreeding	0%
DNA	U13468U016
AFC	38m
Calves	3
Weighed	0
Avg. WI	-
ICP	501d

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Last Calf	
Calf ID	BAS 260860 (M)
Birth Date	2026-04-05
Sire ID	FPL 130156

Calvings: 23-07, 25-05, 26-04



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98	
76	Calving Ease Value
110	Calf Growth Value
89	Milk Value
111	Maintenance Value
102	Fertility Value
GROWTH VALUE 101	
CARCASS VALUE 103	
PRODUCTION VALUE 98	

SELLER REMARKS: Nog 'n Solio 548 kleindogter wat haar vermoë wys in haar kalf BAS26 860 van FPL13 156. Met Salmon BAS 19 261 as halfbroer moet sy oorweeg word deur enige stoet teler.

AAA 080045 SP
TRIPLE A AAA 080045
Wean Mat. 72

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

GF 120061 SP
WALT GF1261
Age 13y | AFC 36m | ICP 562d
Calves 8 | Weighed 2 | Wean Mat. 96
Avg. WI 107 | CCB 7.46 | CCW 52.9
Calvings: 15-09, 17-07, 18-10,
20-05, 21-10, 23-05, 25-05, 26-07

KPO548 F
KE OL PEJETA SOLIO 548/51
Wean Mat. 83

V7Y7653 PBD
KISIMA V7Y7653
Age 32y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 104
Avg. WI - | CCB - | CCW -

CI 070057 SP
CIRCLE C CI070057
Wean Mat. 87

GF 100012 SP
WALT GF100012
Age 8y | AFC 30m | ICP 347d
Calves 6 | Weighed - | Wean Mat. 96
Avg. WI - | CCB - | CCW -

583 F
583
523 F
523
Age 42y | Avg. WI -
Calves 1 | Weighed -
TLM 040529 SP
KETA TLM040529 - RINKHALS
GF77R D DH SP
GRASMERE GF 77 R
Age 18y | Avg. WI 91
Calves 8 | Weighed 2
GF 060010 SP
WALT GF0610
GF 070006 SP
WALT GF076
Age 7y | Avg. WI 92
Calves 6 | Weighed 4

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	75	110	89	93	101	105	101
57%	63%	46%	47%	45%	49%	24%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	97	90	91	98	103	114	110	107
30%	41%	8%	52%	43%	39%	34%	38%	34%

LOT 15 (F)



BAS 240684

BOTHASBERG BAS 240684

Kuddeboek	SP
Geb. dtm	2024-07-18
Oud.	2j 2m
Inteling	2%
DNS	U22142U026

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

BAS 160151 SP

BOTHASBERG MODEL

Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 180026 SP

AFRI-BOR ECC180026

Oud. 8j | OEK 27m | TKP 407d
Kalwers 6 | Geweeg 2 | Spn. Mat. 108
Gem. SI 95 | KKG 6.83 | KKS 46.3
Kalwings: 20-12, 22-06, 23-07,
24-07, 25-07, 26-07

W 110036 SP

MODEL MADOT

Spn Mat. 91

W 130335 HH SP

MODEL W130335

Oud. 12j | OEK 32m | TKP 415d
Kalwers 9 | Geweeg 4 | Spn. Mat. 110
Gem. SI 114 | KKG - | KKS 44.2

MOU 090039 SP

CHROME MOU0939

Spn Mat. 129

ECC 110028 SP

AFRI-BOR ECC1128

Oud. 13j | OEK 80m | TKP 302d
Kalwers 2 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -

CI 070034 SP

CIRCLE C CI070034 - JUNIOR

B 040069 SP
BORGEN B 04 69
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -
NBOR060065 SP
NTABA NYONI 0665

B 090491 SP
BORGEN B09491
Oud. 14j | Gem. SI -
Kalwers 8 | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021

Z 060018 SP

HLANZENI RONEL
Oud. 19j | Gem. SI 115

B 040042 SP
BORGEN B 04 42

ECC 090012 SP
AFRI-BOR 0912
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -

KOEIWAARDE 96

75	Kalfgemak Waarde
119	Kalfgroei Waarde
109	Melk Waarde
85	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 113

KARKAS WAARDE 113

PRODUKSIE WAARDE 101



EBV Analise 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
76	93	119	109	95	101	84	109
40%	43%	63%	44%	30%	36%	26%	47%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	116	115	115	123	121	120	90	105
28%	28%	15%	45%	30%	28%	23%	26%	23%

VERKOPER OPMERKINGS: White gold going back to "Madot", " Kijivu" and KPO 786 with everything in the right places. 7 Months in calf to BAS 19 261, BAS 22 529, BAS 22 505 or BAS 22 466.

LOT 16 (F)



EMD 210145

OOSTENWAL DIAMANT

Kuddeboek	SP
Geb. dtm	2021-10-03
Oud.	4j 12m
Inteling	0%
ZOCA2021-	
DNS	24818
OEK	36m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	393d



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44,,LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 250263 (M)
Geb. datum	2025-11-09
Vaar ID	NCT 190011

Kalwings: 24-10, 25-11



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

DVB 100032 SP

DIAMANT-V 1032

Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 160041 C

OOSTENWAL EMD 160041

Oud. 10j | OEK 31m | TKP 418d
Kalwers 6 | Geweeg 1 | Spn. Mat. 136
Gem. SI 123 | KKG - | KKS 43
Kalwings: 19-05, 20-06, 21-10,
22-09, 24-03, 25-06

TLM 050526 HH SP

KETA TLM 05 526 - KONING

Spn Mat. 105

TLM 040017 SP

KETA TLM 04 17

Oud. 11j | OEK 33m | TKP 385d
Kalwers 8 | Geweeg 1 | Spn. Mat. 85
Gem. SI 100 | KKG 5.89 | KKS 36.7

SWR 090028 SP

ASHREE BOBBY 090028

Spn Mat. 136

EMD 130015 B

OOSTENWAL EMD1315

Oud. 11j | OEK 38m | TKP 449d
Kalwers 5 | Geweeg - | Spn. Mat. 123
Gem. SI - | KKG 6.72 | KKS -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103

Kalwers 9 | Geweeg 4
TLM 000011 SP
KETA TLM000011

TLM 010003 SP
KETA TLM 01 3
Oud. 18j | Gem. SI 101

Kalwers 10 | Geweeg 3
HVT 980022 SP
OUTSPAN HVT980022

BA 050031 SP
BA OLIFANT
Oud. 5j | Gem. SI -

Kalwers 4 | Geweeg -
NBOR060093 SP
NTABA NYONI 0693

EMD 100109 A
OOSTENWAL EMD10109
Oud. 5j | Gem. SI -

Kalwers 2 | Geweeg -



EBV Analise 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	92	118	114	103	84	98	100
47%	54%	48%	46%	43%	55%	32%	60%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	118	118	131	121	114	97	100	107
31%	40%	16%	52%	42%	39%	37%	40%	37%

VERKOPER OPMERKINGS: Uitsonderlike groei-genetika (118 Groei) en 'n uitstekende 113 Melk Waarde. Sy is 8 maande dragtig van FN18-76 of FN20-108.

LOT 17 (F)



EMD 210148

OOSTENWAL NINA

Herd Book	SP
Birth date	2021-09-30
Age	4y 12m
Inbreeding	2%
DNA	ZOCA2021-24821
AFC	36m
Calves	3
Weighed	0
Avg. WI	-
ICP	317d

OOSTENWAL BOERDERY



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 260108 (F)
Birth Date	2026-07-04
Sire ID	BR 180102

Calvings: 24-10, 25-09, 26-07



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 108

96	Calving Ease Value
111	Calf Growth Value
103	Milk Value
88	Maintenance Value
108	Fertility Value

GROWTH VALUE -

CARCASS VALUE 114

PRODUCTION VALUE -

SELLER REMARKS: Productive cow with excellent growth and carcass traits. Bred out of the sought-after B 05-98 and Rare Segera 35-91 genetics. She has a beautiful heifer calf EMD26-108 at foot by BR18-102.

EMD 150018 SP

OOSTENWAL EMD 150018

Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	
Genomic		

EMD 190035 HH SP

OOSTENWAL EMD 190035

Age 7y | AFC 28m | ICP 502d
Calves 4 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -
Calvings: 21-09, 23-04, 24-07, 25-11

B 080109 SP

BORGEN B08109

Wean Mat. 110

FN 070185 SP

FONTEINE FN07185

Age 15y | AFC 32m | ICP 521d
Calves 5 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -

CFH 070279 SP

ELANDSPRUIT CFH07279

Wean Mat. 110

HJ 080014 SP

HESSI HJ0814

Age 17y | AFC 25m | ICP 416d
Calves 12 | Weighed - | Wean Mat. 96
Avg. WI - | CCB 5.71 | CCW -

B 050098 SP

BORGEN B05098 - NINETY-EIGHT

HVT 010006 SP

OUTSPAN HVT01006

Age 13y | Avg. WI -

Calves 5 | Weighed -

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Z 981048 SP

HLANZENI Z 98 1048

Age 14y | Avg. WI -

Calves 7 | Weighed -

Z 040061 SP

HLANZENI Z 04 61

Z 980105 SP

HLANZENI Z 98 105

Age 17y | Avg. WI -

Calves 4 | Weighed -

B 010009 SP

BORGEN B 01 009

EP 040002 SP

EMBRIO PLUS EP04002

Age 15y | Avg. WI -

Calves 8 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	106	111	103	109	111	106	98
54%	52%	43%	35%	19%	52%	25%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	123	120	112	113	119	107	89	100
24%	18%	9%	37%	19%	17%	15%	16%	15%

LOT 18 (F)



EMD 160080

OOSTENWAL EMD160080

Herd Book	SP
Birth date	2016-10-15
Age	9y 11m
Inbreeding	1%
DNA	ZOCA2022-39053
AFC	37m
Calves	6
Weighed	0
Avg. WI	-
ICP	359d

OOSTENWAL BOERDERY



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 240170 (F)
Birth Date	2024-10-14
Sire ID	EMD 200150

Calvings: 19-11, 20-10, 21-10, 22-10, 23-10, 24-10



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 118

95	Calving Ease Value
95	Calf Growth Value
105	Milk Value
109	Maintenance Value
128	Fertility Value

GROWTH VALUE 97

CARCASS VALUE 99

PRODUCTION VALUE 114

SELLER REMARKS: Koei met 118 groeiwaarde. 9 mnde dragtig van FN 1876 of FN 20108.

NBOR100007 SP

NTABA NYONI NBOR10007

Wean Mat. 134

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 100268 SP

ELANDSPRUIT CFH 100268

Age 15y | AFC 35m | ICP 397d
Calves 12 | Weighed - | Wean Mat. 76
Avg. WI - | CCB - | CCW -
Calvings: 13-11, 15-05, 16-10, 17-11, 18-09, 19-10, 20-10, 21-08, 22-08, 23-09, 24-09, 25-10

B 040001 SP

BORGEN B 04001

Wean Mat. 133

NBOR060069 SP

NTABA NYONI 0669

Age 10y | AFC 25m | ICP 603d
Calves 3 | Weighed - | Wean Mat. 128
Avg. WI - | CCB - | CCW -

TLM 020008 SP

KETA TLM020008

Wean Mat. 75

HVT 990005 SP

OUTSPAN HVT 99 05

Age 19y | AFC 34m | ICP 359d
Calves 6 | Weighed - | Wean Mat. 75
Avg. WI - | CCB - | CCW -

KPO1017 PBD

KE OL PEJETA 1017

Z7F2773 PBD

KE WORAGUS Z7F 2773

Age 34y | Avg. WI -

Calves 1 | Weighed -

2812 PBD

GIANNI 2812

KPO999 SP

KE OL PEJETA 999

Age 28y | Avg. WI -

Calves 1 | Weighed -

K6K2459 PBD

KE MOGWOONI K6K2459

KPO898 F

KE OL PEJETA KPO 898

Age 36y | Avg. WI -

Calves - | Weighed -

HVT 950030 SP

OUTSPAN HVT 95 30

B 960011 SP

OUTSPAN B 96 11

Age 8y | Avg. WI -

Calves 5 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	95	95	105	92	130	118	109
51%	53%	43%	43%	31%	51%	35%	61%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	92	84	92	92	95	94	105	109
34%	29%	18%	44%	31%	29%	26%	28%	26%

LOT 19 (F)



JVG 230145

JANVOS JVG 230145

Kuddeboek	SP
Geb. dtm	2023-11-12
Oud.	2j 10m
Inteling	0%
DNS	U262304U002



JANVOS LANDGOED

Davel, Mpumalanga

0823068524

janvosfarm@gmail.com

POSBUS 46,DAVEL, 2320

FMD ENT 04-AUG-26 (EXP 02-FEB-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 80

99	Kalngemak Waarde
91	Kalngroei Waarde
87	Melk Waarde
113	Onderhoudswaarde
83	Vrugbaarheidswaarde

GROEI WAARDE 89

KARKAS WAARDE 87

PRODUKSIE WAARDE 78



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

ENJ 150006 HH SP

VAALKAMDOR ENJ15006

Spn Mat. 70

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MC 110203 SP

MCS MC11203

Oud. 13j | OEK - | TKP 456d
Kalwers 8 | Geweeg 5 | Spn. Mat. 104
Gem. SI 102 | KKG 6.89 | KKS 43.7

Kalwings: 15-02, 16-08, 17-10,
18-11, 20-01, 21-03, 22-09, 23-11



EBY Analise 2026-09-09

TV 100005 SP

VALLEYRANCH NICOLAI

Spn Mat. 80

TV 100026 SP

VALLEYRANCH TV 100026

Oud. 14j | OEK 33m | TKP 360d
Kalwers 13 | Geweeg - | Spn. Mat. 68
Gem. SI - | KKG - | KKS -

TLM 050503 SP

KETA TLM 05 503

Spn Mat. 100

CFH 050132 DH SP

ELANDSPRUIT CFH050132

Oud. 10j | OEK 29m | TKP (donor)
Kalwers 4 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Oud. 18j | Gem. SI 95

Kalwers 12 | Geweeg 3

N 040007 SP

EERSTEGELUK-BAS N 04 07

BA 060066 SP

BA EERLIKHEID

Oud. 17j | Gem. SI -

Kalwers 9 | Geweeg -

K6K2459 PBD

KE MOGWONI K6K2459

KPO1680 F

KE OL PEJETA 1680

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

HVT 950003 SP

OUTSPAN HVT950003

Z 980026 SP

HLANZENI Z980026

Oud. 16j | Gem. SI 110

Kalwers 5 | Geweeg 1

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	112	91	87	69	75	100	84
73%	57%	70%	52%	55%	45%	29%	57%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	90	85	90	90	89	84	103	104
58%	51%	14%	51%	54%	50%	23%	26%	23%

VERKOPER OPMERKINGS: a Stunning red heifer out of one of our best stud sires, Kalahari. Her genetics combine Celine, B 04-42, KPO 622, and Nitro. 5.5 months pregnant to EMD 16-23/ Zip 20-105.


LOT 20 (F)



MOS 240553

MOSDENE MOS240553

Kuddeboek	SP
Geb. dtm	2024-10-18
Oud.	1j 11m
Inteling	2%
DNS	U20387U045



MOSDENE CATTLE RANCH

Naboomspruit, Limpopo

0764894769

mosdeneranch@gmail.com

POSBUS 250,NABOOMSPRUIT, 0560

MOS 200268 HH SP

MOSDENE MOS 200268

Spn Mat. 94

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

MOS 210303 SP

MOSDENE MOS210303

Oud. 4j | OEK 35m | TKP 430d
Kalwers 2 | Geweeg 2 | Spn. Mat. 122
Gem. SI 109 | KKG - | KKS 41.4

Kalwings: 24-10, 25-12

BH 150268 SP

CIRCLE H OAKLEY

Spn Mat. 83

FN 100109 SP

FONTEINE FN 10 109

Oud. 15j | OEK 36m | TKP 540d
Kalwers 9 | Geweeg 4 | Spn. Mat. 104
Gem. SI 110 | KKG 7.55 | KKS 42.7

QT 120030 HH SP

MEYBOR QT1230

Spn Mat. 133

BH 170135 SP

CIRCLE H BH 170135

Oud. 9j | OEK 30m | TKP 381d
Kalwers 7 | Geweeg 4 | Spn. Mat. 104
Gem. SI 108 | KKG - | KKS 60.8

B 080082 SP

BORGEN B08082 - GRANITE

MHB 050005 SP

MOLL'S-HOOP ODETTE

Oud. 16j | Gem. SI 103

Kalwers 9 | Geweeg 2

TLM 020004 SP

KETA TLM020004 CAESAR

FN 080266 SP

FONTEINE FN08266

Oud. 4j | Gem. SI -

Kalwers 1 | Geweeg -

CFH 060874 SP

ELANDSPRUIT CFH06874

QT 090007 SP

MEYBOR QT090007

Oud. 17j | Gem. SI 106

Kalwers 11 | Geweeg 6

DVB 080022 SP

DIAMANT-V 08 22

DVB 080017 SP

DIAMANT-V DVB 08 0017

Oud. 10j | Gem. SI -

Kalwers 8 | Geweeg -

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	110	111	109	113	107	98	106
73%	47%	69%	45%	23%	34%	22%	47%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	115	119	114	101	105	109	108	100
44%	21%	11%	43%	22%	20%	18%	19%	18%

VERKOPER OPMERKINGS: A bont Da Vinci daughter out of a Tarzan daughter with added Caesar and Odette (3094). 2M incalf to MOS 21 222 Mpande (Derby son) via AI



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 21 (F)



KW 200465

KWANARE KW 20 465

Herd Book	SP
Birth date	2020-05-27
Age	6y 4m
Inbreeding	1%
DNA	U13415U047
AFC	39m
Calves	3
Weighed	0
Avg. WI	-
ICP	411d

BS 140050 SP
MOUNTAIN VIEW BS1450
Wean Mat. 108

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

MCS 170047 SP
MAFRED MCS 170047
Age 8y | AFC 33m | ICP 610d
Calves 4 | Weighed 2 | Wean Mat. 76
Avg. WI 95 | CCB - | CCW 52
Calvings: 20-05, 21-11, 23-09, 25-05

CI 070127 SP
CIRCLE C 070127 - MAGNUM
Wean Mat. 119

Z 010203 SP
HLANZENI Z 01 203
Age 16y | AFC 38m | ICP 422d
Calves 9 | Weighed - | Wean Mat. 91
Avg. WI - | CCB 5.08 | CCW -

FN 131119 SP
FONTEINE FN 131119
Wean Mat. 78

FN 140113 SP
FONTEINE FN140113
Age 4y | AFC 33m | ICP -
Calves 1 | Weighed - | Wean Mat. 86
Avg. WI - | CCB - | CCW -

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
Z 950015 SP
HLANZENI Z 95 15
Z 960034 SP
HLANZENI Z960034
Age 21y | Avg. WI -
Calves 8 | Weighed -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 090488 HH SP
FONTEINE FN 090488
Age 15y | Avg. WI 103
Calves 11 | Weighed 1
B 070033 SP
BORGEN B07033
FN 110208 SP
FONTEINE FN110208
Age 7y | Avg. WI -
Calves 1 | Weighed -

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056

Last Calf	
Calf ID	KW 250251 (F)
Birth Date	2025-11-16
Sire ID	EMD 160078

Calvings: 23-08, 24-08, 25-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 91	
108	Calving Ease Value
78	Calf Growth Value
92	Milk Value
121	Maintenance Value
100	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 82	
PRODUCTION VALUE 89	

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	107	78	92	103	103	96	107
73%	75%	64%	43%	35%	47%	30%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
82	96	97	81	72	79	84	102	101
50%	32%	13%	45%	34%	30%	29%	32%	29%

SELLER REMARKS: Snow white cow. 6.5m ICT M/S KW 22 008, KW 22 185, KW 23 325, EMD 18 036. On course to improve her ICP.

LOT 22 (F)



KW 230492

KWANARE KW 23 492

Herd Book	SP
Birth date	2023-10-11
Age	2y 11m
Inbreeding	0%
DNA	U261385U022

BU 180144 SP
BOSIU IMPOSSIBONT
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

LUD 190334 SP
LUD LUD19334
Age 6y | AFC 35m | ICP 420d
Calves 4 | Weighed - | Wean Mat. 81
Avg. WI - | CCB - | CCW -
Calvings: 22-10, 23-10, 24-10, 26-03

BA 090111 HH SP
BA IMPOSSIBULLIT
Wean Mat. 57

GF 100024 HH SP
WALT CHAMPIE
Age 15y | AFC - | ICP 426d
Calves 11 | Weighed 8 | Wean Mat. 122
Avg. WI 102 | CCB 6.74 | CCW 50.5

D 140139 SP
DELBOR D14139 VIKING
Wean Mat. 67

LUD 130571 SP
LUD LUD130571
Age 12y | AFC 35m | ICP 443d
Calves 9 | Weighed 3 | Wean Mat. 90
Avg. WI 100 | CCB - | CCW 50.9

HVT 950017 SP
OUTSPAN METUSALEG
BA 040007 SP
BA OUNOOI
Age 15y | Avg. WI -
Calves 13 | Weighed -
GF 060010 SP
WALT GF0610
GF 070013 C
WALT GF0713
Age 7y | Avg. WI 102
Calves 5 | Weighed 2
1831LXIX PBD
KE OL PEJETA KPO 1294
F/17780 PBD
KE OL PEJETA KPO 1299
Age 22y | Avg. WI -
Calves - | Weighed -
KMF 090010 SP
MAXIMUS
KMF 110028 SP
JONAZELL KMF110028
Age 15y | Avg. WI 85
Calves 11 | Weighed 1

KWANARE

Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 109	
109	Calving Ease Value
90	Calf Growth Value
86	Milk Value
116	Maintenance Value
115	Fertility Value
GROWTH VALUE 68	
CARCASS VALUE 93	
PRODUCTION VALUE 95	

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	87	90	86	101	111	120	103
72%	54%	50%	41%	43%	39%	24%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	82	74	87	97	98	93	102	100
32%	39%	13%	41%	41%	37%	23%	26%	23%

SELLER REMARKS: Combining both bont lines with a bont sire. 7.5m ICT M/S KW 22 008, KW 22 185, KW 23 325, EMD 18 036.

LOT 23 (F)



LE 200038

AMAZING LE200038



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	LE 260017 (F)
Geb. datum	2026-06-24
Vaar ID	EMD 170033

Kalwings: 23-10, 24-12, 26-06



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2020-10-31
Oud.	5j 11m
Inteling	1%
DNS	U3646U008
OEK	35m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	495d

LE 120011 SP
AMAZING LE120011
Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

LE 130022 HH SP
AMAZING LE 130022
Oud. 12j | OEK 37m | TKP 420d
Kalwers 8 | Geweeg 1 | Spn. Mat. 76
Gem. SI - | KKG 7.22 | KKS -
Kalwings: 16-12, 18-08, 19-12,
20-10, 21-09, 22-12, 24-04, 25-10

DVB 040003 HH SP
DIAMANT-V 0403
Spn Mat. 79

JH 090064 SP
MARONES JH090064
Oud. 15j | OEK - | TKP 458d
Kalwers 9 | Geweeg 1 | Spn. Mat. 115
Gem. SI 130 | KKG 6.47 | KKS 36.1

TLM 020004 SP
KETA TLM020004 CAESAR
Spn Mat. 83

JH 100068 SP
MARONES JH100068
Oud. 16j | OEK - | TKP 375d
Kalwers 12 | Geweeg 2 | Spn. Mat. 90
Gem. SI 103 | KKG 6.75 | KKS 46.3

KPO786 PBD
KE OL PEJETA 786
KPO818 PBD
KE OL PEJETA 818
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 050526 HH SP
KETA TLM 05 526 - KONING
CFH 040458 SP
ELANDSPRUIT CFH 04 458
Oud. 13j | Gem. SI 99
Kalwers 9 | Geweeg 5
K6K2459 PBD
KE MOGWONI K6K2459
KPO898 F
KE OL PEJETA KPO 898
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
JH 060004 SP
MARONES JH060004
JH 070024 SP
MARONES JH070024
Oud. 5j | Gem. SI 97
Kalwers 2 | Geweeg 2

KOEIWAARDE 90

98	Kalfgemak Waarde
100	Kalfgroei Waarde
96	Melk Waarde
95	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 90

PRODUKSIE WAARDE 91

LOGIX
EBV Analise 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	112	100	96	93	90	98	106
46%	51%	40%	42%	34%	54%	33%	61%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	100	106	103	94	88	88	100	87
28%	33%	19%	44%	34%	32%	27%	29%	27%

VERKOPER OPMERKINGS: Proud to present this quality cow with heifer calf LE26-17, sired by EMD 17-33. She goes back to B01-20 which has truly left a mark on the breed. Bulls in her pedigree include 786, Koning, TLM02-17, 2459, and some Zambian influence by means of KB32X

LOT 24 (F)



LE 190110

AMAZING LE 190110



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	LE 260033 (M)
Geb. datum	2026-07-16
Vaar ID	EMD 170033

Kalwings: 23-03, 24-10, 26-07



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2019-09-16
Oud.	7j
Inteling	1%
DNS	U548241
OEK	42m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	615d

LE 120011 SP
AMAZING LE120011
Spn Mat. 115

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 140830 SP
FONTEINE FN 140830
Oud. 12j | OEK 26m | TKP 401d
Kalwers 9 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -
Kalwings: 16-11, 18-08, 19-09,
20-08, 21-07, 22-11, 23-10, 24-10,
25-08

DVB 040003 HH SP
DIAMANT-V 0403
Spn Mat. 79

JH 090064 SP
MARONES JH090064
Oud. 15j | OEK - | TKP 458d
Kalwers 9 | Geweeg 1 | Spn. Mat. 115
Gem. SI 130 | KKG 6.47 | KKS 36.1

FN 070149 SP
FONTEINE FN07149
Spn Mat. 84

B 050042 SP
BORG B 05 42
Oud. 13j | OEK 32m | TKP (donor)
Kalwers 7 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

KPO786 PBD
KE OL PEJETA 786
KPO818 PBD
KE OL PEJETA 818
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 050526 HH SP
KETA TLM 05 526 - KONING
CFH 040458 SP
ELANDSPRUIT CFH 04 458
Oud. 13j | Gem. SI 99
Kalwers 9 | Geweeg 5
HVT 970017 SP
OUTSPAN HVT970017
FN 030002 SP
FONTEINE FN 03 02
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -
Z 960033 SP
HLANZENI 336
B 980004 SP
BORG B980004
Oud. 20j | Gem. SI -
Kalwers 6 | Geweeg -

KOEIWAARDE 93

105	Kalfgemak Waarde
100	Kalfgroei Waarde
102	Melk Waarde
94	Onderhoudswaarde
90	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 93

PRODUKSIE WAARDE 95

LOGIX
EBV Analise 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	108	100	102	97	92	91	105
47%	49%	39%	42%	32%	52%	29%	62%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	106	106	104	96	95	87	104	112
26%	29%	14%	43%	31%	29%	24%	26%	24%

VERKOPER OPMERKINGS: Truly something special, selling with bull calf LE26-33, sired by EMD17-33. Tried and tested foundation bloodlines such as 786, TLM02-17, Z98-76, with some Zambian influence by means of Buffel, on the sire's side, and HVT97-17, Segera 494 combined with KPO303, on the dam's side.

LOT 25 (F)



RD 210025

ROCKDALE GEORGIE IV

ROCKDALE
BORANE



Herd Book	SP
Birth date	2021-08-31
Age	5y 1m
Inbreeding	2%
DNA	U14625U011
AFC	34m
Calves	2
Weighed	1
Avg. WI	97
ICP	370d

ROCKDALE INDUSTRIAL (PTY) LTD

Middelburg, Mpumalanga
0716196219
livestock@rockd.co.za

P.O. BOX 4369, MIDDELBURG, 1050

Last Calf	
Calf ID	RD 250121 (M)
Birth Date	2025-06-30
Sire ID	RD 210005

Calvings: 24-06, 25-06

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 107

78	Calving Ease Value
121	Calf Growth Value
86	Milk Value
99	Maintenance Value
110	Fertility Value

GROWTH VALUE 105

CARCASS VALUE 105

PRODUCTION VALUE 107

SELLER REMARKS: 9 mnnde dragtig van JVG20-20. Diep rooi koei, met 'n koeiwaarde van 107.

RN 130276 SP

RANKIN BEEF RN 130276

Wean Mat. 76

Parentage Sire Dam

DNA ✓ ✓

Genomic

FN 120227 SP

FONTEINE GEORGIE I

Age 13y | AFC 34m | ICP 419d
Calves 10 | Weighed 3 | Wean Mat. 97
Avg. WI 103 | CCB 6.52 | CCW 35.4
Calvings: 15-09, 16-09, 17-10,
19-10, 20-09, 21-08, 22-09, 23-10,
25-02, 26-01

CI 070115 HH SP

CIRCLE C C1070115 - ATILLA

Wean Mat. 64

LW 080005 HH SP

NELLO JESSICA

Age 18y | AFC - | ICP 450d
Calves 9 | Weighed 2 | Wean Mat. 96
Avg. WI 100 | CCB 5.46 | CCW 44.6

TLM 020004 SP

KETA TLM020004 CAESAR

Wean Mat. 83

FN 070121 SP

FONTEINE FN07121

Age 6y | AFC - | ICP 615d
Calves 2 | Weighed - | Wean Mat. 114
Avg. WI - | CCB - | CCW -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB5X P SP

KETA KB 5 X

Age 21y | Avg. WI 104
Calves 11 | Weighed 4
N 040003 SP

EERSTEGELUK-BAS N 04 03 -YSTE

Z 060038 SP

HLANZENI Z0638

Age 18y | Avg. WI 98
Calves 13 | Weighed 2
K6K2459 PBD

KE MOGWONI K6K2459

KPO898 F

KE OL PEJETA KPO 898

Age 36y | Avg. WI -
Calves - | Weighed -
2812 PBD

GIANNI 2812

K6K080 F

KE MOGWONI 080

Age 31y | Avg. WI -
Calves - | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
80	91	121	86	101	106	104	111
73%	73%	50%	58%	33%	50%	32%	55%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
121	99	104	100	102	102	109	90	103
32%	31%	17%	67%	33%	31%	28%	30%	28%

LOT 27 (M)



EMD 180008

OOSTENWAL EMD 180008

DE ROODEPOORT
BORANE

DE ROODEPOORT BORANE

Ermelo, Mpumalanga
0828512161
ermelo.vet@gmail.com

H/A DE ROODEPOORT BORAN PTY LTD,
KLIEJNHANSSTRAAT 13, ERMELO, 2351

USED IN HERD (8)

Herd Book	SP
Birth date	2018-04-12
Age	8y 5m
Inbreeding	3%
DNA	ZOCA2022-33685

CI 110141 SP

CIRCLE C C110141

Wean Mat. 97

Parentage Sire Dam

DNA ✓

Genomic

EMD 140023 SP

OOSTENWAL EMD 140023

Age 11y | AFC 41m | ICP 462d
Calves 7 | Weighed - | Wean Mat. 92
Avg. WI - | CCB - | CCW -
Calvings: 18-04, 19-07, 20-08,
21-10, 22-10, 24-08, 25-11

TLM 020001 SP

KETA TLM020001 - BUFFEL

Wean Mat. 86

HOT 070008 HH SP

HOTSPOT BIANCA

Age 18y | AFC - | ICP 409d
Calves 14 | Weighed 8 | Wean Mat. 104
Avg. WI 100 | CCB 6.34 | CCW 48.1

FN 080217 SP

FONTEINE FN08217

Wean Mat. 101

EMD 120002 SP

OOSTENWAL EMD120002

Age 11y | AFC 34m | ICP 1056d
Calves 3 | Weighed - | Wean Mat. 83
Avg. WI - | CCB - | CCW -

K6K2459 PBD

KE MOGWONI K6K2459

KPO4203 F

KE OL PEJETA KPO 4203

Age 18y | Avg. WI -
Calves - | Weighed -
B 040001 SP

BORGEN B 040001

B 970018 SP

BORGEN B 97 18 - L'OREAL
Age 20y | Avg. WI -
Calves 7 | Weighed -

TLM 010001 SP

KETA TLM010001 - NAPOLEON

Z 970043 SP

HLANZENI Z970043

Age 15y | Avg. WI -
Calves 7 | Weighed -
DVB 050002 SP

DIAMANT-V DVB 05 02

CFH 080020 SP

ELANDSPRUIT CFH 08 0020
Age 15y | Avg. WI -
Calves 10 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	86	89	95	85	99	98	103
48%	46%	39%	41%	34%	44%	31%	59%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	98	87	91	88	87	93	120	116
32%	32%	18%	43%	33%	31%	27%	29%	27%

SELLER REMARKS: Beproeft bul uit Buffel en Hotspot Bianca aan vaderskant.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 28 (M)

BAS 220529

BOTHASBERG BAS 220529

Kuddeboek	SP
Geb. dtm	2022-09-25
Oud.	3j 12m
Inteling	0%
DNS	U261895U002

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 98

89	Kalfigemak Waarde
102	Kalfigroei Waarde
99	Melk Waarde
116	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 102
KARKAS WAARDE 98
PRODUKSIE WAARDE 99

VERKOPER OPMERKINGS: Strong masculine bull that combine FN 06 64, FN 04 23 and TLM 03 12. Proven Genetics in a solid package.

FPL 130156 HH SP
BLOODLINE BRAVO

Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 180041 SP

AFRI-BOR ECC180041

Oud. 8j | OEK 38m | TKP 430d
Kalwers 5 | Geweeg 2 | Spn. Mat. 87
Gem. SI 96 | KKG 8.53 | KKS 57.8

Kalwings: 21-09, 22-09, 24-05,
25-05, 26-06

FN 060064 SP

FONTEINE FN0664

Spn Mat. 118

FN 090397 SP

FONTEINE FN09397

Oud. 5j | OEK - | TKP (donor)
Kalwers 2 | Geweeg 1 | Spn. Mat. 109
Gem. SI 99 | KKG 7.11 | KKS 41

GF 080007 SP

WALT GF0807

Spn Mat. 84

ECC 160007 SP

AFRI-BOR ECC160007

Oud. 4j | OEK 26m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

2812 PBD

GIANNI 2812

PB/9831 F

KE DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -
TLM 030012 SP
KETA TLM030012

HMC 990010 SP

ALZU BA 10

Oud. 13j | Gem. SI 100
Kalwers 9 | Geweeg 1
CFH 070279 SP
ELANDSPRUIT CFH07279

BA 040002 SP

BA BA 04 02

Oud. 15j | Gem. SI -
Kalwers 8 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2026-09-09

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	92	102	99	83	97	88	102
52%	48%	52%	46%	43%	39%	24%	50%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
104	94	95	87	88	91	100	95	99
34%	39%	14%	49%	42%	38%	37%	40%	37%

Raam
Karkas
LOT 29 (M)

EMD 210112

OOSTENWAL WOLFIE

Kuddeboek	SP
Geb. dtm	2021-08-14
Oud.	5j 1m
Inteling	8%
DNS	ZOCA2021-21463

OOSTENWAL BOERDERY

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjirduitoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 80

101	Kalfigemak Waarde
110	Kalfigroei Waarde
95	Melk Waarde
93	Onderhoudswaarde
65	Vrugbaarheidswaarde

GROEI WAARDE 112
KARKAS WAARDE 102
PRODUKSIE WAARDE 87

VERKOPER OPMERKINGS: Uitstekende groei-indekse (110 KalfGroei en 111 Groei) vir die produksie van swaar speenkalwers. Hy dra die top-genetika van Koning en 717 agter hom. Sy ma is 'n geharde kudde-staatmaker met 'n uitstekende, bewese TKP.

DVB 100032 SP

DIAMANT-V 1032

Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FPL 140081 SP

BLOODLINE DE KONING

Oud. 11j | OEK 35m | TKP 418d
Kalwers 8 | Geweeg 1 | Spn. Mat. 100
Gem. SI 107 | KKG - | KKS 48.7

Kalwings: 17-11, 19-05, 20-06,
21-08, 22-08, 23-08, 24-08, 25-11

TLM 050526 HH SP

KETA TLM 05 526 - KONING

Spn Mat. 105

TLM 040017 SP

KETA TLM 04 17

Oud. 11j | OEK 33m | TKP 385d
Kalwers 8 | Geweeg 1 | Spn. Mat. 85
Gem. SI 100 | KKG 5.89 | KKS 36.7

FPL 090055 SP

BLOODLINE DE LA REY

Spn Mat. 104

JH 090079 SP

MARONES JH090079

Oud. 16j | OEK 34m | TKP 394d
Kalwers 12 | Geweeg 3 | Spn. Mat. 94
Gem. SI 97 | KKG 5.74 | KKS 34.4

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 020017 SP

KETA TLM 02 17

Oud. 12j | Gem. SI 103

Kalwers 9 | Geweeg 4

TLM 000011 SP

KETA TLM000011

TLM 010003 SP

KETA TLM 01 3

Oud. 18j | Gem. SI 101

Kalwers 10 | Geweeg 3

HVT 970017 SP

OUTSPAN HVT970017

CFH 060008 SP

ELANDSPRUIT CFH 06 08

Oud. 11j | Gem. SI 110

Kalwers 3 | Geweeg 1

TLM 050526 HH SP

KETA TLM 05 526 - KONING

JH 060005 SP

MARONES JH060005

Oud. 6j | Gem. SI 87

Kalwers 4 | Geweeg 3

LOGIX
GENETICS
EBV Analyse 2026-09-09

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	103	110	95	105	47	84	107
53%	51%	51%	49%	48%	49%	32%	61%

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
107	109	105	106	91	87	91	106	118
37%	44%	19%	53%	47%	43%	41%	44%	41%

Raam
Karkas

LOT 30 (M)

EMD 170033 HH

OOSTENWAL EMD 170033

Herd Book	SP
Birth date	2017-07-09
Age	9y 3m
Inbreeding	0%
DNA	ZOCA2021-14630

FS 090005 SP

KROMSPRUIT FS 090005

Wean Mat. 76

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BBO 130001 SP

SOETENDAL E'LOUISE

 Age 13y | AFC 27m | ICP 450d
Calves 9 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -

 Calvings: 15-10, 17-07, 18-05,
19-10, 21-02, 22-11, 23-08, 24-09,
25-08

B 040050 SP

BORGEB B 04 50

Wean Mat. 95

HVT 950012 SP

OUTSPAN HVT950012

 Age 21y | AFC - | ICP 440d
Calves 8 | Weighed - | Wean Mat. 76
Avg. WI - | CCB - | CCW -

B 060126 SP

BORGEB B060126

Wean Mat. 128

CFH 100148 SP

ELANDSPRUIT CFH100148

 Age 16y | AFC 36m | ICP 395d
Calves 11 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -

359G PBD

SOLIO 359 G

K6K2258 PBD
KE MOGWONI 2258
Age 34y | Avg. WI -
Calves - | Weighed -

6SEG096 PBD
SEGERA 494

ADC3746 PBD
MUTARA ADC3746
Age 37y | Avg. WI -
Calves - | Weighed -

KPO786 PBD
KE OL PEJETA 786

ADC8288 PBD
ADC MUTARA 8288
Age 30y | Avg. WI -
Calves - | Weighed -

TLM 040595 SP
KETA TLM040595

GF400 SP
GRASMERE 40 O
Age 21y | Avg. WI -
Calves 6 | Weighed -

AMAZING BORANS

 Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

 P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

USED IN HERD (44)


Myostatin

Q204X	Free
NT821	Free
F94L	Free

COW VALUE 102

115	Calving Ease Value
79	Calf Growth Value
92	Milk Value
119	Maintenance Value
111	Fertility Value

GROWTH VALUE 80
CARCASS VALUE 81
PRODUCTION VALUE 94


EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
112	123	79	92	100	111	121	95
86%	85%	83%	83%	82%	83%	82%	86%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	82	80	84	70	73	80	107	117
82%	82%	81%	83%	82%	82%	81%	82%	81%

SELLER REMARKS: An outstanding well-bred SP bull combining sought-after Boran genetics. His pedigree boasts Solio 359G, Segera 494, 786 and 2738. A valuable breeding bull with serious genetic depth

LOT 31 (F)

BAS 230598

BOTHASBERG BAS 230598

Herd Book	SP
Birth date	2023-09-27
Age	2y 12m
Inbreeding	0%
DNA	U19245U042

FPL 130156 HH SP

BLOODLINE BRAVO

Wean Mat. 111

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 190103 C

BOTHASBERG BAS190103

 Age 7y | AFC 37m | ICP 486d
Calves 3 | Weighed - | Wean Mat. 121
Avg. WI - | CCB - | CCW -

Calvings: 22-09, 23-09, 25-05

FN 060064 SP

FONTEINE FN0664

Wean Mat. 118

FN 090397 SP

FONTEINE FN09397

 Age 5y | AFC - | ICP (donor)
Calves 2 | Weighed 1 | Wean Mat. 109
Avg. WI 99 | CCB 7.11 | CCW 41

ECC 100020 SP

AFRI-BOR 1020

Wean Mat. 121

BAS 130022 B

BOTHASBERG VARING

 Age 9y | AFC 55m | ICP 359d
Calves 3 | Weighed - | Wean Mat. -
Avg. WI - | CCB - | CCW -

2812 PBD

GIANNI 2812

PB/9831 F
KE DELAMERE 304
Age 32y | Avg. WI -
Calves - | Weighed -

TLM 020004 SP
KETA TLM020004 CAESAR

FN 040023 SP
FONTEINE FN 04 23
Age 14y | Avg. WI -
Calves 4 | Weighed -

N 040003 SP
EERSTEGELUK-BAS N 04 03 -YSTE

B 020013 SP
BORGEB B 02 13
Age 10y | Avg. WI -
Calves 7 | Weighed -

MULTIPLE SIRES MS
MULTIPLE SIRES

BAS 100002 A
BOTHASBERG BAS10002
Age 7y | Avg. WI -
Calves 1 | Weighed -

BOTHASBERG BOERDERY

 Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

 P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 96

94	Calving Ease Value
107	Calf Growth Value
116	Milk Value
90	Maintenance Value
89	Fertility Value

GROWTH VALUE 88
CARCASS VALUE 96
PRODUCTION VALUE 92


EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	95	107	116	87	96	87	93
51%	44%	51%	41%	47%	39%	24%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	85	92	109	99	97	94	90	102
36%	43%	14%	42%	46%	42%	40%	44%	40%

SELLER REMARKS: "Bravo" FPL 13 156 dogter wat spog met Giani 2812 en FN 04 23. Met KPO 622 aan die moeders kant sorg vir voorspelbare genetica. 7 Maande dragtig van BAS 19 261, BAS 22 529, BAS 22 505 of BAS 22 466.

LOT 32 (F)



BAS 210373

BOTHASBERG BAS 210373

Kuddeboek	SP
Geb. dtm	2021-04-06
Oud.	5j 6m
Inteling	0%
DNS	U13468U049
OEK	41m
Kalwers	2
Geweeg	1
Gem. SI	98
TKP	402d

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Laaste Kalf	
Kalf ID	BAS 250826 (F)
Geb. datum	2025-10-12
Vaar ID	FPL 130156

Kalwings: 24-09, 25-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



BWS 140004 SP

BRENAISSANCE BWS 140004

Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BAS 150115 SP

BOTHASBERG MOLLIE

Oud. 8j | OEK 39m | TKP 438d
Kalwers 4 | Geweeg 1 | Spn. Mat. 119
Gem. SI 101 | KKG - | KKS 45.3
Kalwings: 18-10, 19-12, 21-04, 22-05

MHB 040027 SP

MOLL'S-HOOP KHAN

Spn Mat. 94

TULP100031 SP

TULPIESKRAAL TULP1031

Oud. 9j | OEK 26m | TKP 407d
Kalwers 6 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -

SWR 090028 SP

ASHREE BOBBY 090028

Spn Mat. 136

BAS 080005 SP

BOTHASBERG 0805

Oud. 15j | OEK 33m | TKP 471d
Kalwers 9 | Geweeg 2 | Spn. Mat. 99
Gem. SI 105 | KKG - | KKS 48.4

KPO786 PBD

KE OL PEJETA 786

ADC5761 PBD

A.D.C. MUTARA 5761

Oud. 35j | Gem. SI -

Kalwers - | Geweeg -

TLM 040508 SP

KETA TLM040508 - INKUNZI

CI 080058 SP

CIRCLE C C1080058

Oud. 7j | Gem. SI -

Kalwers 1 | Geweeg -

HVT 980022 SP

OUTSPAN HVT980022

BA 050031 SP

BA OLIFANT

Oud. 5j | Gem. SI -

Kalwers 4 | Geweeg -

B 050100 SP

BORGEN B 05 100

CFH 060488 SP

ELANDSPRUIT CFH060488

Oud. 12j | Gem. SI 94

Kalwers 10 | Geweeg 1



EBV Analyse 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
82	100	108	114	105	106	112	107
48%	47%	65%	56%	37%	49%	29%	57%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	107	108	141	101	107	120	97	93
34%	35%	18%	69%	37%	34%	32%	35%	33%

VERKOPER OPMERKINGS: Koei met baie kapasiteit en 'n diverse genetiese samestelling soos solio 359, B 05 100 (Hans) en TLM 02 06 (Lobase). 8 Maande dragtig van BAS 19 261, BAS 22 529, BAS 22 505, en BAS 22 466.

LOT 33 (F)



BAS 230583

BOTHASBERG BAS 230583

Kuddeboek	SP
Geb. dtm	2023-07-25
Oud.	3j 2m
Inteling	0%
DNS	U19245U032

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FPL 130156 HH SP

BLOODLINE BRAVO

Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 180026 SP

AFRI-BOR ECC180026

Oud. 8j | OEK 27m | TKP 407d
Kalwers 6 | Geweeg 2 | Spn. Mat. 108
Gem. SI 95 | KKG 6.83 | KKS 46.3
Kalwings: 20-12, 22-06, 23-07, 24-07, 25-07, 26-07

FN 060064 SP

FONTEINE FN0664

Spn Mat. 118

FN 090397 SP

FONTEINE FN09397

Oud. 5j | OEK - | TKP (donor)
Kalwers 2 | Geweeg 1 | Spn. Mat. 109
Gem. SI 99 | KKG 7.11 | KKS 41

MOU 090039 SP

CHROME MOU0939

Spn Mat. 129

ECC 110028 SP

AFRI-BOR ECC1128

Oud. 13j | OEK 80m | TKP 302d
Kalwers 2 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -

2812 PBD

GIANNI 2812

PB/9831 F

KE DELAMERE 304

Oud. 32j | Gem. SI -

Kalwers - | Geweeg -

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Oud. 14j | Gem. SI -

Kalwers 4 | Geweeg -

HVT 950021 SP

OUTSPAN HVT950021

Z 060018 SP

HLANZENI RONEL

Oud. 19j | Gem. SI 115

Kalwers 12 | Geweeg 8

B 040042 SP

BORGEN B 04 42

ECC 090012 SP

AFRI-BOR 0912

Oud. 13j | Gem. SI -

Kalwers 7 | Geweeg -



EBV Analyse 2026-09-09

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	98	108	109	80	104	93	106
52%	49%	52%	47%	45%	40%	26%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	97	97	109	99	98	102	100	102
35%	41%	15%	49%	44%	40%	38%	42%	38%

VERKOPER OPMERKINGS: Half sister to lot 15, out of ECC 18 26 who never disappoints combined with FPL 13 156 make this female a investment for the future. 8 Mnd'e dragtig van BAS 19 261, BAS 19 261, BAS 22 529, BAS 22 505, BAS 22 466.

LOT 34 (F)



EMD 210165
OOSTENWAL HESSIE

Herd Book	SP
Birth date	2021-10-30
Age	4y 11m
Inbreeding	4%
DNA	ZOCA2021
AFC	32m
Calves	3
Weighed	0
Avg. WI	-
ICP	376d



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 260120 (F)
Birth Date	2026-07-10
Sire ID	FN 180076

Calvings: 24-06, 25-07, 26-07



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 107	
110	Calving Ease Value
87	Calf Growth Value
91	Milk Value
113	Maintenance Value
117	Fertility Value
GROWTH VALUE 92	
CARCASS VALUE 85	
PRODUCTION VALUE 103	

SELLER REMARKS: Baie vrugbare koei uit "Ys" EMD 14-25. Met n sterk verskalf EMD26-120 van FN 18-76.

EMD 140025 SP OOSTENWAL EMD 140025 Wean Mat. 100 CFH 100060 SP ELANDSPRUIT CFH100060 Age 15y AFC 44m ICP 445d Calves 9 Weighed - Wean Mat. 82 Avg. WI - CCB - CCW - Calvings: 14-01, 16-09, 17-10, 19-01, 19-12, 20-11, 21-10, 22-10, 23-10	FN 080217 SP FONTEINE FN08217 Wean Mat. 101 HJ 110004 SP HESSI HJ110004 Age 8y AFC 35m ICP 425d Calves 4 Weighed - Wean Mat. 99 Avg. WI - CCB - CCW - CFH 060874 SP ELANDSPRUIT CFH06874 Wean Mat. 96 B 010035 SP BORGES B 01 35 Age 24y AFC 38m ICP (donor) Calves 5 Weighed - Wean Mat. 67 Avg. WI - CCB - CCW -	TLM 010001 SP KETA TLM010001 - NAPOLEON Z 970043 SP HLANZENI Z970043 Age 15y Avg. WI - Calves 7 Weighed - KB19X D SP KETA KB X 19 HJ 080014 SP HESSI HJ0814 Age 17y Avg. WI - Calves 12 Weighed - HVT 000010 SP OUTSPAN HVT000010 GF400 SP GRASMERE 40 O Age 21y Avg. WI - Calves 6 Weighed - HVT 980014 SP OUTSPAN HVT980014 HVT 970015 SP OUTSPAN HVT970015 Age 14y Avg. WI 86 Calves 9 Weighed 1
---	---	--



EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	95	87	91	95	113	122	98
42%	45%	33%	35%	26%	51%	28%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	93	94	90	88	89	98	101	110
22%	23%	9%	37%	25%	22%	20%	23%	20%

LOT 35 (F)



EMD 220140
OOSTENWAL CHANTE

Herd Book	SP
Birth date	2022-10-10
Age	3y 11m
Inbreeding	2%
DNA	ZOCA2022-
	39095
AFC	31m
Calves	2
Weighed	1
Avg. WI	100
ICP	414d



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 260086 (F)
Birth Date	2026-06-25
Sire ID	PYM 170012

Calvings: 25-05, 26-06



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 119	
93	Calving Ease Value
99	Calf Growth Value
114	Milk Value
109	Maintenance Value
119	Fertility Value
GROWTH VALUE 104	
CARCASS VALUE 110	
PRODUCTION VALUE 117	

SELLER REMARKS: Koei wat vir die tweede keer gekalf EMD26-86 het van PYM 17-12 onder strawwe toestande.

CTM 110012 SP CHAN-TE-MAR REDBULL Wean Mat. 123 EMD 160080 SP OOSTENWAL EMD160080 Age 9y AFC 37m ICP 359d Calves 6 Weighed - Wean Mat. 105 Avg. WI - CCB - CCW - Calvings: 19-11, 20-10, 21-10, 22-10, 23-10, 24-10	KB60X SP KETA KB X 60 - BEEFMAKER Wean Mat. 111 CFH 080098 SP ELANDSPRUIT BEENTJIE Age 15y AFC - ICP 467d Calves 10 Weighed 3 Wean Mat. 107 Avg. WI 93 CCB - CCW 67.7 NBOR100007 SP NTABA NYONI NBOR10007 Wean Mat. 134 CFH 100268 SP ELANDSPRUIT CFH 100268 Age 15y AFC 35m ICP 397d Calves 12 Weighed - Wean Mat. 76 Avg. WI - CCB - CCW -	PM14R SP LILAYI PM14R GF1130 SP GRASMERE GF 113 O Age 19y Avg. WI 64 Calves 8 Weighed 2 TLM 020004 SP KETA TLM020004 CAESAR B 980004 SP BORGES B980004 Age 20y Avg. WI - Calves 6 Weighed - B 040001 SP BORGES B 04001 NBOR060069 SP NTABA NYONI 0669 Age 10y Avg. WI - Calves 3 Weighed - TLM 020008 SP KETA TLM020008 HVT 990005 SP OUTSPAN HVT 99 05 Age 19y Avg. WI - Calves 6 Weighed -
---	---	---



EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	87	99	114	105	119	118	104
50%	48%	43%	41%	27%	52%	31%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	109	104	92	104	110	106	108	101
28%	25%	15%	43%	26%	24%	22%	23%	22%

LOT 36 (F)



EMD 230157

OOSTENWAL PETRA

Kuddeboek	SP
Geb. dtm	2023-08-08
Oud.	3j 2m
Inteling	3%
DNS	ZOCA2023-57087

OOSTENWAL BOERDERY



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor:jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

KOEIWAARDE	81
87	Kalngemak Waarde
105	Kalngroei Waarde
92	Melk Waarde
94	Onderhoudswaarde
86	Vrugbaarheidswaarde
GROEI WAARDE	108
KARKAS WAARDE	106
PRODUKSIE WAARDE	86



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

GD 150001 HH SP
MONDIA GD 150001
Spn Mat. 74

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 190048 C
OOSTENWAL EMD 190048
Oud. 5j | OEK 36m | TKP 448d
Kalwers 2 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -
Kalwings: 22-05, 23-08

TLM 030021 SP
KETA TLM030021
Spn Mat. 84

B 050018 SP
BORGEN B 05 18
Oud. 17j | OEK 35m | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -

CTM 110012 SP
CHAN-TE-MAR REDBULL
Spn Mat. 123

EMD 140001 B
OOSTENWAL EMD 140001
Oud. 12j | OEK 41m | TKP 366d
Kalwers 9 | Geweeg 1 | Spn. Mat. 98
Gem. SI 98 | KKG - | KKS 60

K6K2588 PBD
KE MOGWONI K6K2588
KPO961 PBD
KE OL PEJETA KPO 961
Oud. 36j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3094 PBD
KE MOGWONI 3094 (BMK163)
K6K2228 PBD
KE MOGWONI 2228
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
KB60X SP
KETA KB X 60 - BEEFMAKER
CFH 080098 SP
ELANDSPRUIT BEENTJIE
Oud. 15j | Gem. SI 93
Kalwers 10 | Geweeg 3
FN 080217 SP
FONTEINE FN08217
CFH 090255 A
ELANDSPRUIT CFH090255
Oud. 15j | Gem. SI -
Kalwers 11 | Geweeg -

LOGIX
GENETICS
EBV Analyse 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	77	105	92	115	93	89	91
45%	40%	45%	37%	27%	40%	26%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	120	120	105	118	118	108	94	103
24%	25%	15%	40%	26%	24%	20%	22%	21%

VERKOPER OPMERKINGS: Thick heifer 8 mths pregnant of PYM 17-12 or the bont bul YF17-13.

LOT 37 (F)



JVG 230071

JANVOS JVG 230071

Kuddeboek	SP
Geb. dtm	2023-08-27
Oud.	3j 1m
Inteling	1%
DNS	U262304U001
OEK	36m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



JANVOS LANDGOED

Davel, Mpumalanga
0823068524
janvosfarm@gmail.com
POSBUS 46, DAVAL, 2320



Laaste Kalf	
Kalf ID	JVG 260091 (F)
Geb. datum	2026-09-05
Vaar ID	EMD 160023

Kalwings: 26-09

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



CFH 130315 SP
ELANDSPRUIT HERCULES
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

JVG 190014 SP
JANVOS JVG19014
Oud. 7j | OEK 30m | TKP 396d
Kalwers 5 | Geweeg 3 | Spn. Mat. 89
Gem. SI 96 | KKG 6.51 | KKS 42.1
Kalwings: 21-09, 22-09, 23-08, 25-01, 26-01

TLM 030021 SP
KETA TLM030021
Spn Mat. 84

CFH 070145 SP
ELANDSPRUIT CFH07145
Oud. 7j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -

B 080063 SP
BORGEN B08063
Spn Mat. 80

JVG 140017 SP
JANVOS JVG14017
Oud. 8j | OEK 37m | TKP 496d
Kalwers 5 | Geweeg 2 | Spn. Mat. 101
Gem. SI 102 | KKG - | KKS 54.9

K6K2588 PBD
KE MOGWONI K6K2588
KPO961 PBD
KE OL PEJETA KPO 961
Oud. 36j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021
HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -
KPO622 PBD
KE OL PEJETA 622
KPO21 PBD
KE OL PEJETA 21
Oud. 39j | Gem. SI -
Kalwers 2 | Geweeg -
RKB 070002 SP
MARIOS YUKA
C 090024 SP
BYRNE VALLEY C090024
Oud. 15j | Gem. SI 95
Kalwers 11 | Geweeg 5

LOGIX
GENETICS
EBV Analyse 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
79	96	100	103	90	102	100	91
72%	57%	65%	49%	46%	41%	29%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	106	105	101	112	103	95	93	100
50%	42%	15%	51%	45%	41%	24%	27%	24%


VERKOPER OPMERKINGS: This is a feminine granddaughter of the well proven stud sire B 08.-63. Her father, Hercules, has made a great impact on the Bothasberg stud. Heifer calf JVG26-91 at foot from EMD 16-23.

LOT 38 (F)

MOS 210027

MOSDENE TORIE

Herd Book	SP
Birth date	2021-02-15
Age	5y 7m
Inbreeding	11%
DNA	U4141U019
AFC	33m
Calves	3
Weighed	1
Avg. WI	100
ICP	432d


MOSDENE CATTLE RANCH

 Naboomspruit, Limpopo
 0764894769
 mosdeneranch@gmail.com

POSBUS 250, NABOOMSPRUIT, 0560

Last Calf	
Calf ID	MOS 260247 (F)
Birth Date	2026-03-26
Sire ID	MOS 200236

Calvings: 23-11, 25-01, 26-03



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 103	
101	Calving Ease Value
100	Calf Growth Value
100	Milk Value
99	Maintenance Value
105	Fertility Value
GROWTH VALUE 91	
CARCASS VALUE 98	
PRODUCTION VALUE 98	

SELLER REMARKS: 3 in 1!! Linebred to Timmy and Rustin with motherlines GF40T, GF2T, GF4T and KPO21. With heifer calf at foot MOS 26 247 sired by MOS20-236. 3m in calf to BH 18 607 or MOS 21 39.


EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	93	100	100	80	99	109	100
75%	76%	61%	61%	32%	51%	34%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	97	94	99	102	101	102	92	109
41%	31%	22%	50%	31%	30%	29%	30%	29%

MHB 060030 SP

 MOLL'S-HOOP RUSTIN
 Wean Mat. 93

E 080063 SP

 TAMBARAINA E 08 63
 Age 10y | AFC 34m | ICP 360d
 Calves 8 | Weighed 6 | Wean Mat. 135
 Avg. WI 113 | CCB - | CCW 47.9

E 150072 SP

 TAMBARAINA E150072
 Wean Mat. 94

E 080044 SP

 TAMBARAINA E 08 44
 Age 16y | AFC 33m | ICP 370d
 Calves 13 | Weighed 11 | Wean Mat. 112
 Avg. WI 98 | CCB - | CCW 53.2

 25 PBD
 KE MARULA 25
KPO21 PBD
 KE OL PEJETA 21
 Age 33y | Avg. WI -
 Calves 2 | Weighed -
HVT 040018 SP
 OUTSPAN HVT 04 18 - TIMMY
E 060014 SP
 TAMBARAINA E 06 14
 Age 18y | Avg. WI 97
 Calves 12 | Weighed 5
MHB 060030 SP
 MOLL'S-HOOP RUSTIN
TLM 050044 SP
 KETA TLM 05 44
 Age 19y | Avg. WI 99
 Calves 16 | Weighed 11
HVT 040018 SP
 OUTSPAN HVT 04 18 - TIMMY
E 060012 SP
 TAMBARAINA E 06 12
 Age 6y | Avg. WI 93
 Calves 5 | Weighed 1

LOT 39 (F)

KW 230525

KWANARE KW 23 525

Herd Book	SP
Birth date	2023-11-10
Age	2y 10m
Inbreeding	2%
DNA	U261385U026


KWANARE

 Stoffberg, Mpumalanga
 0834567000
 sas@kwanare.com

POSBUS 165, STOFFBERG, 1056



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 89	
109	Calving Ease Value
100	Calf Growth Value
81	Milk Value
83	Maintenance Value
104	Fertility Value
GROWTH VALUE 100	
CARCASS VALUE 103	
PRODUCTION VALUE 90	

SELLER REMARKS: Our pick! Daughter of our most fertile cow and top FN Sire. 6.5m ICT M/S KW 22 008, KW 22 185, KW 23 325, EMD 18 036.


EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	108	100	81	102	93	113	102
73%	62%	48%	47%	32%	46%	31%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	99	97	121	92	97	102	103	108
32%	30%	18%	52%	32%	29%	27%	30%	28%

HVT 970017 SP

 OUTSPAN HVT970017
 Wean Mat. 80

FN 070189 SP

 FONTEINE FN07189
 Age 15y | AFC - | ICP 406d
 Calves 11 | Weighed 2 | Wean Mat. 106
 Avg. WI 93 | CCB - | CCW 33.6

D 140139 SP

 DELBOR D14139 VIKING
 Wean Mat. 67

LUD 130068 SP

 LUD LUD13068
 Age 7y | AFC 33m | ICP 390d
 Calves 3 | Weighed - | Wean Mat. 100
 Avg. WI - | CCB - | CCW -

 6SEG096 PBD
 SEGERA 494
KPO303 PBD
 KE OL PEJETA KPO303
 Age 33y | Avg. WI -
 Calves 1 | Weighed -
TLM 020004 SP
 KETA TLM020004 CAESAR
TLM 010002 SP
 KETA TLM010002
 Age 21y | Avg. WI -
 Calves 10 | Weighed -
1831LXIX PBD
 KE OL PEJETA KPO 1294
F/17780 PBD
 KE OL PEJETA KPO 1299
 Age 22y | Avg. WI -
 Calves - | Weighed -
FN 070184 SP
 FONTEINE FN07184
LUD 110009 SP
 LUD LUD110009
 Age 10y | Avg. WI 101
 Calves 7 | Weighed 2

LOT 40 (F)

LUD 190327

LUD LUD19327

Kuddeboek	SP
Geb. dtm	2019-10-20
Oud.	6j 11m
Inteling	0%
DNS	U548291
OEK	38m
Kalwers	3
Geweeg	0
Gem. SI	-
TKP	535d

KWANARE

 Stoffberg, Mpumalanga
0834567000
sas@kwanare.com

POSBUS 165, STOFFBERG, 1056

Laaste Kalf	
Kalf ID	KW 250241 (M)
Geb. datum	2025-11-12
Vaar ID	EMD 160078

Kalwings: 22-12, 24-10, 25-11


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EBV Analise 2026-09-09

KOEIWAARDE 118

107	Kalfgemak Waarde
120	Kalfgroei Waarde
79	Melk Waarde
96	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 99
KARKAS WAARDE 108
PRODUKSIE WAARDE 115
VERKOPER OPMERKINGS: Deep, full and bont cow! 8.5m ICT M/S KW 22 008, KW 22 185, KW 23 325, EMD 18 036.

1831LXIX PBD

KE OL PEJETA KPO 1294

Spn Mat. 101

F/17780 PBD

KE OL PEJETA KPO 1299

 Oud. 22j | OEK - | TKP (donor)
Kalwers - | Geweeg - | Spn. Mat. 75
Gem. SI - | KKG - | KKS -

HVT 970017 SP

OUTSPAN HVT970017

Spn Mat. 80

KMF 090006 SP

KMF09006

 Oud. 8j | OEK - | TKP 316d
Kalwers 2 | Geweeg - | Spn. Mat. 118
Gem. SI - | KKG - | KKS -

PB/12106 F
KE MOGWONI 3375

PB/12711 PBD

KE OL PEJETA KPO 1211

Oud. 23j | Gem. SI -

Kalwers 1 | Geweeg -

NDA9 PBD

NDAKAINI 8N9

KPO0764 F

KE OL PEJETA KPO 764

Oud. 29j | Gem. SI -

Kalwers 1 | Geweeg -

6SEG096 PBD

SEGERA 494

KPO303 PBD

KE OL PEJETA KPO303

Oud. 33j | Gem. SI -

Kalwers 1 | Geweeg -

MHB 040023 SP

MOLL'S-HOOP KING

Z 060034 SP

HLANZENI Z060034

Oud. 11j | Gem. SI -

Kalwers 5 | Geweeg -

Kalf en Moeder
Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	112	120	79	97	100	118	101
76%	78%	68%	52%	41%	54%	31%	61%

Na-Speen Groei
Raam
Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	103	98	104	109	110	103	100	109
46%	37%	21%	52%	40%	36%	33%	37%	33%

LOT 41 (F)

LE 210036

AMAZING LE210036

Kuddeboek	SP
Geb. dtm	2021-11-05
Oud.	4j 11m
Inteling	0%
DNS	U7225U007
OEK	36m
Kalwers	2
Geweeg	0
Gem. SI	-
TKP	610d

AMAZING BORANS

 Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

 P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	LE 260027 (F)
Geb. datum	2026-07-08
Vaar ID	EMD 170033

Kalwings: 24-11, 26-07


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EBV Analise 2026-09-09

KOEIWAARDE 105

102	Kalfgemak Waarde
98	Kalfgroei Waarde
103	Melk Waarde
102	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 94
KARKAS WAARDE 78
PRODUKSIE WAARDE 102
VERKOPER OPMERKINGS: A well-bred cow selling with deep red heifer calf LE26-27 sired by EMD17-33. She goes back to B01-20, which has truly left a mark on the breed, with dam lines Z98-76 and TLM03-59. Bulls include 786, Koning, TLM02-17, 2738 and some Zambian influence by means of KB32X.

DVB 040003 HH SP

DIAMANT-V 0403

Spn Mat. 79

JH 090064 SP

MARONES JH090064

 Oud. 15j | OEK - | TKP 458d
Kalwers 9 | Geweeg 1 | Spn. Mat. 115
Gem. SI 130 | KKG 6.47 | KKS 36.1

JH 060004 SP

MARONES JH060004

Spn Mat. 116

JH 070024 SP

MARONES JH070024

 Oud. 5j | OEK 33m | TKP (donor)
Kalwers 2 | Geweeg 2 | Spn. Mat. 63
Gem. SI 97 | KKG - | KKS 38.7

KPO786 PBD

KE OL PEJETA 786

KPO818 PBD

KE OL PEJETA 818

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

TLM 050526 HH SP

KETA TLM 05 526 - KONING

CFH 040458 SP

ELANDSPRUIT CFH 04 458

Oud. 13j | Gem. SI 99

Kalwers 9 | Geweeg 5

KB32X SP

KETA KB X 32

TLM 030059 SP

KETA TLM 03 59

Oud. 14j | Gem. SI 109

Kalwers 8 | Geweeg 5

TLM 040505 HH SP

KETA TLM 04 505

B 010020 SP

OUTSPAN B 01 020

Oud. 18j | Gem. SI -

Kalwers 4 | Geweeg -

Kalf en Moeder
Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
96	115	98	103	85	100	107	110
51%	55%	43%	45%	35%	51%	28%	61%

Na-Speen Groei
Raam
Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	97	104	96	92	87	81	92	93
24%	33%	20%	49%	35%	33%	25%	27%	25%

LOT 42 (F)



LE 210005

AMAZING LE21000

Herd Book	SP
Birth date	2021-03-02
Age	5y 7m
Inbreeding	2%
DNA	U5053U001
AFC	40m
Calves	2
Weighed	0
Avg. WI	-
ICP	493d



AMAZING BORANS

Middelburg-Mp, Mpumalanga
0732475819
viljoenap@live.co.za

P/A ANIKA VILJOEN, POS-
BUS 76, LAERSDRIFT, 1065

Last Calf	
Calf ID	(F)
Birth Date	2025-11-04
Sire ID	

Calvings: 24-06, 25-11

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 86

90	Calving Ease Value
103	Calf Growth Value
99	Milk Value
86	Maintenance Value
98	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 101

PRODUCTION VALUE 91

SELLER REMARKS: She 6 months pregnant to EMD17-33 or EMD20-46. She combines bull bloodlines 786, Koning, TLM 02-17, 2459, HVT 95-03, and cow lines Z 98-76, TLM 03-57 and Seger 3606.



EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	96	103	99	100	98	99	101
47%	53%	40%	43%	35%	53%	30%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	108	107	115	95	93	89	101	93
28%	33%	18%	44%	34%	32%	26%	28%	26%

LOT 43 (M)



BAS 220477

BOTHASBERG BAS220477

Herd Book	SP
Birth date	2022-06-25
Age	4y 3m
Inbreeding	0%
DNA	U261895U001



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98

99	Calving Ease Value
105	Calf Growth Value
113	Milk Value
88	Maintenance Value
92	Fertility Value

GROWTH VALUE 87

CARCASS VALUE 96

PRODUCTION VALUE 93

SELLER REMARKS: Bravo" FPL 13 156 wys sy genetiese impak met die kwaliteit op die bul.



EBV Analysis 2026-09-09

FN 060064 SP FONTEINE FN0664 Wean Mat. 118	2812 PBD GIANNI 2812 PB/9831 F KE DELAMERE 304 Age 32y Avg. WI - Calves - Weighed - TLM 020004 SP KETA TLM020004 CAESAR
--	--

FPL 130156 HH SP
BLOODLINE BRAVO
Wean Mat. 111

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 180088 C
BOTHASBERG BLOUDBLOM
Age 8y | AFC 35m | ICP 372d
Calves 6 | Weighed 3 | Wean Mat. 115
Avg. WI 102 | CCB 5.73 | CCW 49.7
Calvings: 21-05, 22-06, 23-06,
24-06, 25-07, 26-06

FN 090397 SP
FONTEINE FN09397
Age 5y | AFC - | ICP (donor)
Calves 2 | Weighed 1 | Wean Mat. 109
Avg. WI 99 | CCB 7.11 | CCW 41

ECC 100020 SP
AFRI-BOR 1020
Wean Mat. 121

BAS 130025 B
BOTHASBERG BLOUDBLOM
Age 6y | AFC 33m | ICP 344d
Calves 3 | Weighed - | Wean Mat. 117
Avg. WI - | CCB - | CCW -

B 020013 SP
BORGEN B 02 13
Age 10y | Avg. WI -
Calves 7 | Weighed -
MULTIPLE SIRES MS
MULTIPLE SIRES
BAS 100018 A
BOTHASBERG BAS10018
Age 7y | Avg. WI -
Calves 1 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
98	99	105	113	87	96	90	98
53%	49%	53%	47%	47%	39%	25%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	85	92	111	99	97	94	90	102
36%	43%	14%	51%	46%	42%	40%	44%	40%

LOT 44 (M)

BAS 230564

BOTHASBERG BAS 230564

Kuddeboek	SP
Geb. dtm	2023-06-17
Oud.	3j 3m
Inteling	0%
DNS	U19245U019

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	92
92	Kalfgemak Waarde
97	Kalfgroei Waarde
103	Melk Waarde
93	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE	103
KARKAS WAARDE	104
PRODUKSIE WAARDE	93

VERKOPER OPMERKINGS: Young gentile Giant. Combined Solio 548, Hercules CHF 13 315 and B05 98. Surely a future stud sire.

CFH 130315 SP
ELANDSPRUIT HERCULES
Spn Mat. 107

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

BAS 200303 SP
BOTHASBERG POP
Oud. 6j | OEK 35m | TKP 431d
Kalwers 2 | Geweeg 1 | Spn. Mat. 99
Gem. SI 115 | KKG - | KKS 39.6
Kalwings: 23-06, 24-08

TLM 030021 SP
KETA TLM030021
Spn Mat. 84

CFH 070145 SP
ELANDSPRUIT CFH07145
Oud. 7j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 105
Gem. SI - | KKG - | KKS -

AAA 080045 SP
TRIPLE A AAA 080045
Spn Mat. 72

B 090011 SP
BORGEN B09011
Oud. 17j | OEK 34m | TKP 356d
Kalwers 14 | Geweeg 4 | Spn. Mat. 125
Gem. SI 110 | KKG - | KKS 48.2

K6K2588 PBD
KE MOGWOONI K6K2588
KPO961 PBD
KE OL PEJETA KPO 961
Oud. 36j | Gem. SI -
Kalwers 1 | Geweeg -
HVT 950021 SP
OUTSPAN HVT950021
HVT 000001 SP
OUTSPAN HVT000001
Oud. 15j | Gem. SI -
Kalwers 2 | Geweeg -
KPO548 F
KE OL PEJETA SOLIO 548/51
V7Y7653 PBD
KISIMA V7Y7653
Oud. 32j | Gem. SI -
Kalwers 1 | Geweeg -
B 050098 SP
BORGEN B05098 - NINETY-EIGHT
B 040016 SP
BORGEN B 04 16
Oud. 11j | Gem. SI 97
Kalwers 6 | Geweeg 2

LOGIX
EBV Analyse 2026-09-09

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
91	98	97	103	89	105	107	90	
54%	48%	51%	44%	45%	41%	26%	51%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	105	103	106	114	115	101	95	107
34%	40%	13%	50%	43%	39%	24%	27%	25%

LOT 45 (M)

EMD 210110

OOSTENWAL BEER

Kuddeboek	SP
Geb. dtm	2021-08-12
Oud.	5j 1m
Inteling	0%
DNS	ZOCA2021-21461

OOSTENWAL BOERDERY

OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoortjrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065


Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	105
114	Kalfgemak Waarde
108	Kalfgroei Waarde
96	Melk Waarde
109	Onderhoudswaarde
80	Vrugbaarheidswaarde

GROEI WAARDE	106
KARKAS WAARDE	105
PRODUKSIE WAARDE	106

VERKOPER OPMERKINGS: Excellent growth indexes (110 Calf Growth and 111 Growth) for producing heavy weaner calves. He carries the top genetics of Koning and 717 behind him. His dam is a hardy herd cornerstone with an excellent, proven ICP.

DVB 100032 SP
DIAMANT-V 1032
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EMD 130013 SP
OOSTENWAL EMD1313
Oud. 13j | OEK 31m | TKP 422d
Kalwers 10 | Geweeg 1 | Spn. Mat. 101
Gem. SI 92 | KKG - | KKS 44.6
Kalwings: 16-03, 17-06, 18-06, 19-07, 20-05, 21-08, 22-07, 24-06, 25-07, 26-07

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Spn Mat. 105

TLM 040017 SP
KETA TLM 04 17
Oud. 11j | OEK 33m | TKP 385d
Kalwers 8 | Geweeg 1 | Spn. Mat. 85
Gem. SI 100 | KKG 5.89 | KKS 36.7

B 060126 SP
BORGEN B060126
Spn Mat. 128

CI 100026 SP
CIRCLE C CI100026
Oud. 12j | OEK 41m | TKP 439d
Kalwers 8 | Geweeg - | Spn. Mat. 84
Gem. SI - | KKG - | KKS -

TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 020017 SP
KETA TLM 02 17
Oud. 12j | Gem. SI 103
Kalwers 9 | Geweeg 4
TLM 000011 SP
KETA TLM000011
TLM 010003 SP
KETA TLM 01 3
Oud. 18j | Gem. SI 101
Kalwers 10 | Geweeg 3
KPO786 PBD
KE OL PEJETA 786
ADC8288 PBD
ADC MUTARA 8288
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
TLM 050534 SP
KETA TLM050534
TLM 020037 SP
KETA TLM020037
Oud. 13j | Gem. SI -
Kalwers 7 | Geweeg -

LOGIX
EBV Analyse 2026-09-09

Kalf en Moeder					Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.	
109	109	108	96	113	78	90	96	
44%	47%	49%	48%	44%	49%	32%	56%	

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	105	102	92	96	95	92	103	97
32%	41%	18%	53%	43%	40%	37%	41%	38%

LOT 46 (M)



EMD 200059

OOSTENWAL WHISKEY



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2020-07-10
Age	6y 2m
Inbreeding	0%
DNA	U2595U063

COW VALUE 84	
109	Calving Ease Value
109	Calf Growth Value
96	Milk Value
92	Maintenance Value
66	Fertility Value
GROWTH VALUE 108	
CARCASS VALUE 114	
PRODUCTION VALUE 89	

DVB 100032 SP
DIAMANT-V 1032
Wean Mat. 91

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CFH 070215 SP
ELANDSPRUIT CFH07215
Age 15y | AFC 36m | ICP 478d
Calves 8 | Weighed - | Wean Mat. 102
Avg. WI - | CCB - | CCW -
Calvings: 10-08, 12-10, 13-12,
15-07, 16-07, 17-07, 18-07, 20-07

LOGIX
EBV Analysis 2026-09-09

TLM 050526 HH SP
KETA TLM 05 526 - KONING
Wean Mat. 105

TLM 040017 SP
KETA TLM 04 17
Age 11y | AFC 33m | ICP 385d
Calves 8 | Weighed 1 | Wean Mat. 85
Avg. WI 100 | CCB 5.89 | CCW 36.7

B 040001 SP
BORGEN B 04001
Wean Mat. 133

HVT 010030 SP
OUTSPAN HVT 01 30
Age 17y | AFC 36m | ICP 490d
Calves 3 | Weighed - | Wean Mat. 72
Avg. WI - | CCB - | CCW -

TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 020017 SP
KETA TLM 02 17
Age 12y | Avg. WI 103
Calves 9 | Weighed 4
TLM 000011 SP
KETA TLM000011
TLM 010003 SP
KETA TLM 01 3
Age 18y | Avg. WI 101
Calves 10 | Weighed 3
KPO1017 PBD
KE OL PEJETA 1017
Z7F2773 PBD
KE WORAGUS Z7F 2773
Age 34y | Avg. WI -
Calves 1 | Weighed -
HVT 980014 SP
OUTSPAN HVT980014
HVT 950007 SP
OUTSPAN HVT 95 07
Age 13y | Avg. WI -
Calves 10 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	110	109	96	99	69	75	91
51%	53%	52%	49%	71%	53%	35%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	102	94	108	106	100	91	135	118
44%	62%	22%	51%	68%	59%	57%	65%	58%

SELLER REMARKS: Strong veldbull with a broad back. Last calf out of CFH 07215.

LOT 47 (F)



BAS 230550

BOTHASBERG BAS 230550



BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-06-03
Age	3y 4m
Inbreeding	2%
DNA	U19245U010

COW VALUE 85	
95	Calving Ease Value
93	Calf Growth Value
95	Milk Value
113	Maintenance Value
84	Fertility Value
GROWTH VALUE 100	
CARCASS VALUE 90	
PRODUCTION VALUE 87	

CFH 130315 SP
ELANDSPRUIT HERCULES
Wean Mat. 107

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

BAS 100022 SP
BOTHASBERG VOORKOMS
Age 13y | AFC 29m | ICP 483d
Calves 9 | Weighed 2 | Wean Mat. 84
Avg. WI 94 | CCB - | CCW 50
Calvings: 12-11, 14-08, 15-07,
16-06, 17-10, 19-05, 20-04, 22-05,
23-06

LOGIX
EBV Analysis 2026-09-09

TLM 030021 SP
KETA TLM030021
Wean Mat. 84

CFH 070145 SP
ELANDSPRUIT CFH07145
Age 7y | AFC - | ICP (donor)
Calves 1 | Weighed - | Wean Mat. 105
Avg. WI - | CCB - | CCW -

HVT 980001 HH SP
OUTSPAN HVT980001
Wean Mat. 79

CFH 060479 SP
ELANDSPRUIT CFH 06 479
Age 18y | AFC 27m | ICP 447d
Calves 11 | Weighed - | Wean Mat. 84
Avg. WI - | CCB - | CCW -

K6K2588 PBD
KE MOGWONI K6K2588
KPO961 PBD
KE OL PEJETA KPO 961
Age 36y | Avg. WI -
Calves 1 | Weighed -
HVT 950021 SP
OUTSPAN HVT950021
HVT 000001 SP
OUTSPAN HVT000001
Age 15y | Avg. WI -
Calves 2 | Weighed -
HVT 950020 SP
OUTSPAN HVT950020
HVT 950013 SP
OUTSPAN HVT950013
Age 19y | Avg. WI -
Calves 9 | Weighed -
TLM 020003 SP
KETA VOORSLAG
Z 990046 SP
HLANZENI Z 99 46
Age 8y | Avg. WI -
Calves 2 | Weighed -

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	102	93	95	88	90	95	75
54%	49%	51%	45%	43%	41%	29%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	109	106	89	117	108	85	95	100
35%	39%	15%	50%	42%	38%	24%	27%	24%

SELLER REMARKS: Deep bodied Hercules daughter. Half sister to lot 44. 8mth's in calf to BAS19-261, BAS22-529, BAS22-505 and BAS22-466.

LOT 48 (F)



BAS 240680

BOTHASBERG BAS 240680

Kuddeboek	SP
Geb. dtm	2024-07-12
Oud.	2j 2m
Inteling	0%
DNS	U22142U022

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 83

89	Kalfgemak Waarde
109	Kalfgroei Waarde
97	Melk Waarde
86	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 96

PRODUKSIE WAARDE 88

VERKOPER OPMERKINGS: Giani 2812, Delamere 304, K6K 2459, K6K 3094, Segera 3089 and KPO 786 just to name a few influencers in the magnificent female. 8 months in calf to BAS19-261, BAS22-529, BAS22-505 and BAS22-466

FPL 130156 HH SP
BLOODLINE BRAVO
Spn Mat. 111

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 100023 HH SP
AFRI-BOR 1023
Oud. 15j | OEK 39m | TKP 634d
Kalwers 8 | Geweeg 2 | Spn. Mat. 83
Gem. SI 99 | KKG - | KKS 33.5
Kalwings: 14-02, 18-05, 19-10,
20-12, 22-05, 23-07, 24-07, 25-11

FN 060064 SP
FONTEINE FN0664
Spn Mat. 118

FN 090397 SP
FONTEINE FN09397
Oud. 5j | OEK - | TKP (donor)
Kalwers 2 | Geweeg 1 | Spn. Mat. 109
Gem. SI 99 | KKG 7.11 | KKS 41

B 040042 SP
BORG B 04 42
Spn Mat. 85

CFH 070152 SP
ELANDSPRUIT CFH07152
Oud. 16j | OEK 29m | TKP 528d
Kalwers 9 | Geweeg - | Spn. Mat. 74
Gem. SI - | KKG - | KKS -

2812 PBD
GIANNI 2812
PB/9831 F
KE DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 040023 SP
FONTEINE FN 04 23
Oud. 14j | Gem. SI -
Kalwers 4 | Geweeg -
KPO786 PBD
KE OL PEJETA 786
8334 F
ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
MHB 040014 SP
MOLL'S-HOOP ESRA
HVT 010030 SP
OUTSPAN HVT 01 30
Oud. 17j | Gem. SI -
Kalwers 3 | Geweeg -

LOGIX
EBV Analyse 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
85	107	109	97	82	84	86	101
54%	48%	66%	48%	47%	42%	28%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	99	106	115	101	97	94	95	95
38%	44%	18%	45%	46%	42%	40%	44%	41%

LOT 49 (F)



BAS 200339

BOTHASBERG BAS200339

**BOTHASBERG
BOERDERY**
BORAN STOET

BOTHASBERG BOERDERY

Middelburg-Mp, Mpumalanga
0824870060
mphbotha@gmail.com

P/A MNR MARIUS BOTHA, POS-
BUS 10, STOFFBERG, 1056



Laaste Kalf

Kalf ID	BAS 260894 (M)
Geb. datum	2026-05-10
Vaar ID	FPL 130156

Kalwings: 23-10, 25-05, 26-05

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 98

101	Kalfgemak Waarde
108	Kalfgroei Waarde
92	Melk Waarde
95	Onderhoudswaarde
95	Vrugbaarheidswaarde

GROEI WAARDE 113

KARKAS WAARDE 110

PRODUKSIE WAARDE 103

VERKOPER OPMERKINGS: Born out of the imported Namibian Herd with a proper bul calf at foot BAS26-894 out of Bravo FPL13-156.

ECC 180020 SP
AFRI-BOR ECC180020
Spn Mat. 91

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 170023 SP
AFRI-BOR ECC170023
Oud. 5j | OEK 40m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -
Kalwings: 20-11

CFH 070279 SP
ELANDSPRUIT CFH07279
Spn Mat. 110

ECC 130005 SP
AFRI-BOR ECC 1305
Oud. 13j | OEK 60m | TKP 583d
Kalwers 5 | Geweeg - | Spn. Mat. 83
Gem. SI - | KKG - | KKS -

LW 090013 SP
NELLO LW913
Spn Mat. 81

ECC 130035 HH SP
AFRI-BOR ECC1335
Oud. 12j | OEK 28m | TKP 526d
Kalwers 8 | Geweeg 1 | Spn. Mat. 111
Gem. SI 107 | KKG 7.05 | KKS 48.6

Z 040061 SP
HLANZENI Z 04 61
Z 980105 SP
HLANZENI Z 98 105
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
B 040042 SP
BORG B 04 42
CFH 050560 SP
ELANDSPRUIT CFH 05 560
Oud. 19j | Gem. SI 100
Kalwers 9 | Geweeg 1
KB20B SP
KETA KB 20 B
Z 060031 SP
HLANZENI MARGAUX
Oud. 13j | Gem. SI 103
Kalwers 8 | Geweeg 2
N 040003 SP
EERSTEGELUK-BAS N 04 03 -YSTE
ECC 070002 SP
AFRI-BOR ECC0702
Oud. 14j | Gem. SI -
Kalwers 10 | Geweeg -

LOGIX
EBV Analyse 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	107	108	92	99	99	93	95
49%	56%	49%	34%	22%	45%	25%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	115	115	104	114	114	101	101	105
24%	21%	10%	34%	22%	20%	17%	19%	17%

LOT 50 (F)



EMD 190107

OOSTENWAL EMD 190107

Herd Book	SP
Birth date	2019-12-03
Age	6y 10m
Inbreeding	2%
DNA	U172U038
AFC	42m
Calves	3
Weighed	0
Avg. WI	-
ICP	558d



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Last Calf	
Calf ID	EMD 260115 (F)
Birth Date	2026-06-21
Sire ID	FN 180076

Calvings: 23-06, 25-05, 26-06



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 74

103	Calving Ease Value
101	Calf Growth Value
88	Milk Value
97	Maintenance Value
67	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 99

PRODUCTION VALUE 80

DVB 100032 SP

DIAMANT-V 1032

Wean Mat. 91

Parentage Sire Dam

DNA ✓ ✓

Genomic

AAA 080049 SP

TRIPLE A DAWN

Age 17y | AFC 32m | ICP 448d
Calves 12 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

Calvings: 11-06, 12-11, 13-12, 15-02,
16-12, 17-12, 19-01, 19-12, 21-04,
22-07, 23-06, 24-11

TLM 050526 HH SP

KETA TLM 05 526 - KONING

Wean Mat. 105

TLM 040017 SP

KETA TLM 04 17

Age 11y | AFC 33m | ICP 385d
Calves 8 | Weighed 1 | Wean Mat. 85
Avg. WI 100 | CCB 5.89 | CCW 36.7

B 020008 SP

BORGEN 02008

Wean Mat. 91

HVT 030003 SP

OUTSPAN HVT 03 03

Age 15y | AFC 37m | ICP 478d
Calves 5 | Weighed - | Wean Mat. 80
Avg. WI - | CCB - | CCW -

TLM 020001 SP

KETA TLM020001 - BUFFEL

TLM 020017 SP

KETA TLM 02 17

Age 12y | Avg. WI 103
Calves 9 | Weighed 4

TLM 000011 SP

KETA TLM000011

TLM 010003 SP

KETA TLM 01 3

Age 18y | Avg. WI 101
Calves 10 | Weighed 3

HVT 950020 SP

OUTSPAN HVT950020

B 960615 SP

BORGEN B 96 615

Age 20y | Avg. WI -
Calves 8 | Weighed -

HVT 980014 SP

OUTSPAN HVT980014

HVT 000016 SP

OUTSPAN HVT 00 16

Age 18y | Avg. WI -
Calves 4 | Weighed -

LOGIX
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	94	101	88	105	60	86	97
47%	49%	47%	45%	43%	54%	32%	63%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	107	102	102	103	95	86	109	105
32%	40%	18%	47%	42%	39%	36%	40%	37%

SELLER REMARKS: Thick bont cow out of DVB 1032. Heifer calf EMD26-115 out of FN 1876.

LOT 51 (F)



EMD 230226

OOSTENWAL EMD 230226

Herd Book	SP
Birth date	2023-11-05
Age	2y 11m
Inbreeding	0%
DNA	ZOCA2024-67279



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 95

88	Calving Ease Value
118	Calf Growth Value
96	Milk Value
85	Maintenance Value
95	Fertility Value

GROWTH VALUE 115

CARCASS VALUE 115

PRODUCTION VALUE 101

ECC 180004 HH SP

AFRI-BOR ECC180004

Wean Mat. 97

Parentage Sire Dam

DNA ✓ ✓

Genomic

EMD 190120 C

OOSTENWAL EMD 190120

Age 6y | AFC 34m | ICP 362d
Calves 4 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -

Calvings: 22-09, 23-11, 24-10,
25-09

CFH 070279 SP

ELANDSPRUIT CFH07279

Wean Mat. 110

ECC 130021 SP

AFRI-BOR ECC1321

Age 6y | AFC 39m | ICP 406d
Calves 3 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -

DVB 100032 SP

DIAMANT-V 1032

Wean Mat. 91

EMD 150001 B

OOSTENWAL EMD 150001

Age 7y | AFC 40m | ICP 535d
Calves 2 | Weighed - | Wean Mat. 98
Avg. WI - | CCB - | CCW -

Z 040061 SP

HLANZENI Z 04 61

Z 980105 SP

HLANZENI Z 98 105

Age 17y | Avg. WI -
Calves 4 | Weighed -

BA 040015 SP

BA BA 04 15

ECC 100017 SP

AFRI-BOR 1017

Age 9y | Avg. WI -
Calves 2 | Weighed -

TLM 050526 HH SP

KETA TLM 05 526 - KONING

TLM 040017 SP

KETA TLM 04 17

Age 11y | Avg. WI 100
Calves 8 | Weighed 1

FN 080217 SP

FONTINE FN08217

CFH 100164 A

ELANDSPRUIT CFH100164

Age 14y | Avg. WI 112
Calves 9 | Weighed 1

LOGIX
EBV Analysis 2026-09-09

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	93	118	96	114	89	102	99
35%	33%	36%	29%	24%	41%	22%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	122	122	117	116	117	103	98	107
24%	22%	10%	30%	24%	22%	20%	22%	20%

SELLER REMARKS: 3 months pregnant from PR1909 (Colt)

LOT 52 (F)



EMD 220145

OOSTENWAL EMD 220145

Kuddeboek	SP
Geb. dtm	2022-10-12
Oud.	3j 11m
Inteling	4%
DNS	ZOCA2022-39100
OEK	35m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Laaste Kalf	
Kalf ID	EMD 250239 (F)
Geb. datum	2025-09-24
Vaar ID	EMD 200150

Kalwings: 25-09

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



AM 150022 SP

DIE WILGE AM 150022

Spn Mat. 92

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ECC 130006 SP

AFRI-BOR 1306

Oud. 13j | OEK 45m | TKP 504d
Kalwers 8 | Geweeg - | Spn. Mat. 88
Gem. SI - | KKG - | KKS -

Kalwings: 16-11, 18-12, 19-10,
20-12, 22-10, 24-06, 25-10, 26-07

FN 090371 SP

FONTEINE FN09371

Spn Mat. 84

FN 090691 SP

FONTEINE FN090691

Oud. 10j | OEK 40m | TKP 354d
Kalwers 7 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -

B 040042 SP

BORGEN B 04 42

Spn Mat. 85

ECC 090023 SP

AFRI-BOR 0923

Oud. 10j | OEK 25m | TKP 1101d
Kalwers 3 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG - | KKS -

HVT 970017 SP

OUTSPAN HVT970017

FN 040017 SP

FONTEINE FN 04 17

Oud. 14j | Gem. SI 115

Kalwers 7 | Geweeg 1

B 040039 SP

BORGEN B 04 39

HMC 990020 SP

ALZU BA 20

Oud. 15j | Gem. SI -

Kalwers 8 | Geweeg -

KPO786 PBD

KE OL PEJETA 786

8334 F

ADC MUTARA 8334

Oud. 30j | Gem. SI -

Kalwers - | Geweeg -

N 040003 SP

EERSTEGELUK-BAAS N 04 03 -YSTE

B 020013 SP

BORGEN B 02 13

Oud. 10j | Gem. SI -

Kalwers 7 | Geweeg -

KOEIWAARDE 97

107	Kalfgemak Waarde
106	Kalfgroei Waarde
90	Melk Waarde
97	Onderhoudswaarde
91	Vrugbaarheidswaarde

GROEI WAARDE 116

KARKAS WAARDE 110

PRODUKSIE WAARDE 103



EBV Analise 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	107	106	90	105	83	95	105
41%	42%	38%	39%	32%	50%	28%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	113	115	102	107	109	111	97	99
30%	30%	17%	40%	32%	30%	26%	28%	26%

VERKOPER OPMERKINGS: Mooi vroulik. 8 mnde dragtig van PYM 17-12. 'n Lang bul met baie vleis.

LOT 53 (F)



EMD 240062

OOSTENWAL PETRA

Kuddeboek	SP
Geb. dtm	2024-06-01
Oud.	2j 4m
Inteling	7%
DNS	ZOCA2024-74961



OOSTENWAL BORAN STOET

Middelburg-Mp, Mpumalanga
0828709574
kantoor.jrdutoit@gmail.com

POSBUS 44, LAERSDRIFT, 1065

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



GD 150001 HH SP

MONDIA GD 150001

Spn Mat. 74

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

LES 180007 SP

DE ROODEPOORT LES180007

Oud. 8j | OEK 34m | TKP 398d
Kalwers 6 | Geweeg - | Spn. Mat. 108
Gem. SI - | KKG - | KKS -

Kalwings: 20-12, 22-02, 23-03,
24-06, 25-06, 26-05

TLM 030021 SP

KETA TLM030021

Spn Mat. 84

B 050018 SP

BORGEN B 05 18

Oud. 17j | OEK 35m | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 91
Gem. SI - | KKG - | KKS -

CFH 090225 SP

ELANDSPRUIT CFH090225

Spn Mat. 99

CFH 100320 SP

ELANDSPRUIT CFH 100320

Oud. 14j | OEK 39m | TKP 382d
Kalwers 9 | Geweeg - | Spn. Mat. 118
Gem. SI - | KKG - | KKS -

K6K2588 PBD

KE MOGWOOINI K6K2588

KPO961 PBD

KE OL PEJETA KPO 961

Oud. 36j | Gem. SI -

Kalwers 1 | Geweeg -

K6K3094 PBD

KE MOGWOOINI 3094 (BMK163)

K6K2228 PBD

KE MOGWOOINI 2228

Oud. 34j | Gem. SI -

Kalwers - | Geweeg -

TLM 030021 SP

KETA TLM030021

HVT 000001 SP

OUTSPAN HVT000001

Oud. 15j | Gem. SI -

Kalwers 2 | Geweeg -

Z 040061 SP

HLANZENI Z 04 61

Z 980105 SP

HLANZENI Z 98 105

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

KOEIWAARDE 79

91	Kalfgemak Waarde
106	Kalfgroei Waarde
91	Melk Waarde
85	Onderhoudswaarde
86	Vrugbaarheidswaarde

GROEI WAARDE 114

KARKAS WAARDE 108

PRODUKSIE WAARDE 86



EBV Analise 2026-09-09

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
95	87	106	91	106	90	86	96
52%	47%	44%	36%	28%	40%	27%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	120	115	117	120	118	107	91	103
26%	26%	15%	37%	28%	25%	21%	23%	21%

VERKOPER OPMERKINGS: Red open heifer with a fertile mother.

LOT 54 (F)



MCS 190356

MAFRED MCS 190356

Herd Book	SP
Birth date	2019-06-25
Age	7y 3m
Inbreeding	1%
DNA	U13415U038
AFC	29m
Calves	4
Weighed	0
Avg. WI	-
ICP	524d

CTM 130060 SP

CHAN-TE-MAR CTM130060

Wean Mat. 104

Parentage Sire Dam

DNA ✓ ✓

Genomic

MCS 160776 SP

MAFRED MCS 160776

Age 10y | AFC 35m | ICP 489d

Calves 5 | Weighed 3 | Wean Mat. 105

Avg. WI 105 | CCB - | CCW 48.7

Calvings: 19-06, 20-06, 21-11,

23-06, 24-10

CFH 090061 SP

ELANDSPRUIT CFH090061 - HAPOR

Wean Mat. 111

CI 100123 SP

CIRCLE C CI100123

Age 8y | AFC 32m | ICP 382d

Calves 6 | Weighed 2 | Wean Mat. 90

Avg. WI 95 | CCB - | CCW 70.1

FN 100709 SP

FONTAINE FNI0709

Wean Mat. 94

FN 100848 SP

FONTAINE FNI0848

Age 8y | AFC 36m | ICP 500d

Calves 4 | Weighed - | Wean Mat. 99

Avg. WI - | CCB - | CCW -

TLM 030021 SP

KETA TLM030021

GF250 SP

GRASMERE 25 O

Age 21y | Avg. WI -

Calves 3 | Weighed -

TLM 050507 SP

KETA TLM050507 - TITAN

KB11A DH SP

KETA KB 11 A

Age 17y | Avg. WI 101

Calves 11 | Weighed 6

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040010 SP

FONTAINE FN 04 10

Age 16y | Avg. WI -

Calves 7 | Weighed -

DVB 040003 HH SP

DIAMANT-V 0403

Z 010035 SP

HLANZENI Z 01 35

Age 13y | Avg. WI -

Calves 7 | Weighed -

KWANARE

Stoffberg, Mpumalanga

0834567000

sas@kwanare.com

POSBUS 165,,STOFFBERG, 1056

Last Calf	
Calf ID	KW 260431 (M)
Birth Date	2026-03-25
Sire ID	DBC 150043

Calvings: 21-12, 23-09, 25-04, 26-03



Myostatin

Q204X Not Tested

NT821 Not Tested

F94L Not Tested

COW VALUE 111

105 Calving Ease Value

106 Calf Growth Value

104 Milk Value

96 Maintenance Value

105 Fertility Value

GROWTH VALUE 118

CARCASS VALUE 105

PRODUCTION VALUE 116

LOGIX
EBV Analysis 2026-09-09

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
101	122	106	104	102	100	111	98
64%	79%	44%	44%	28%	35%	24%	56%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	122	119	102	114	112	108	82	103
26%	26%	14%	48%	28%	25%	22%	25%	22%

SELLER REMARKS: Cherry red cow with top bull calf KW 26 431 at foot from DBC15-43. RW the bont ZIP 19 090 - Rambo

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.37	-0.22	1.1	0.6	4	6	-3		2.0	2.0	1.0						
Auction Average				28	186	7.28	47.0	1.16	325	0.57	-0.21	2.1	0.1	4	9	1	-3	0.8	3	1	100	110	98	101	7.0	95
1	BAS 200106	F	SP	-	-	-	-	-	-	0.61	0.24	5.2	-1.0	7.1	18.5	-10	-3	-2	11	10	-	-	96	100	6	100
2	EMD 170038	F	SP	-	-	-	-	-	-	-0.05	-0.28	-4.3	1.0	-5.2	-11.8	3	-13	.4	4	-2	-	-	97		12	107
3	JVG 220100	F	SP	22	190	-	50	-	-	0.73	0.79	2.4	4.0	3.9	-0.5	2	2	2.9	5	-0	104	-	102	107	5	102
4	MOS 240695	F	SP	29	159	-	46.8	-	-	0.78	-0.11	1.8	-0.3	1.5	-0.8	-21	24	2.9	3	2	90	-	102	94	6	87
5	JH 190023	F	SP	29	162	-	51.1	-	-	-0.33	-0.99	-1.4	-3.6	-1.8	-0.1	3	-26	2.8	1	-4	101	-	101	100	11	104
6	LE 210021	F	SP	-	-	-	-	-	-	0.62	-0.17	2.7	0.4	4.9	14.8	0	4	-2.6	2	-4	-	-	91		4	105
7	RD 240030	F	SP	30	-	-	-	-	-	-0.38	-0.54	0.0	-1.2	1.8	8.3	12	-21	2.9	3	2	-	-	102		3	105
8	FN 170246	F	SP	24	-	-	-	-	-	-0.18	-0.07	0.8	-2.3	1.1	4.5	-13	25	1.1	-7	-3	-	-	98		11	112
9	BAS 220498	M	SP	-	267	-	-	-	-	0.96	-0.37	4.4	2.3	6.6	23.8	3	-16	4.5	3	2	100	-	105	101	14	109
10	EMD 210104	M	SP	-	-	-	-	-	-	0.79	-0.11	2.7	-1.5	5.2	14.3	4	-14	3.3	5	5	-	-	103		5	85
11	MOS 200134	M	SP	28	197	-	-	-	-	1.15	-0.06	7.4	-2.9	8.9	6.7	-20	31	-2.6	3	3	114	-	91	98	8	103
12	DBC 190039	M	SP	32	198	-	61.1	-	-	0.14	-0.46	-0.8	0.3	0.5	3.2	1	13	-.2	-4	-2	97	-	96	98	6	100
13	BAS 180198	F	SP	-	-	-	-	-	-	0.08	-0.39	4.8	6.5	10.6	4.5	-1	-3	9.6	12	14	-	-	115	89	5	52
14	BAS 200296	F	SP	-	-	-	-	-	-	1.30	0.52	4.4	-2.0	8.5	-1.4	-8	20	-1.6	1	2	-	-	93	107	8	76
15	BAS 240684	F	SP	-	168	-	46.3	-	-	1.92	-0.01	7.3	2.7	9.5	19.7	21	-30	-.6	15	13	99	-	95	95	6	110
16	EMD 210145	F	SP	-	-	-	-	-	-	0.43	0.01	7.0	3.8	11.3	33.9	24	-36	3.7	14	9	-	-	103	123	6	103
17	EMD 210148	F	SP	-	-	-	-	-	-	0.91	-0.41	4.7	1.3	8.6	16.6	32	-40	6.3	10	13	-	-	109		4	98
18	EMD 160080	F	SP	-	-	-	-	-	-	0.61	-0.08	-0.4	1.8	2.9	-0.4	-15	32	-2	-3	-2	-	-	92		12	106
19	JVG 230145	F	SP	31	192	6.89	37.3	-	-	0.91	-0.58	-2.0	-2.6	-2.7	-2.4	-18	30	-13.9	-4	-6	98	-	69	102	8	90
20	MOS 240553	F	SP	29	197	-	42	-	-	1.36	-0.50	4.7	2.7	13.9	18.9	19	-38	8.8	2	4	101	-	113	109	2	96
21	KW 200465	F	SP	24	143	-	47.9	-	-	0.10	-0.42	-6.3	-1.3	-7.0	-10.1	-9	6	3.5	-14	-12	94	-	103	95	4	77
22	KW 230492	F	SP	26	-	-	-	-	-	-0.54	0.15	-2.1	-2.8	-2.9	-5.2	-30	52	2.3	0	-0	-	-	101		4	99
23	LE 200038	F	SP	-	-	-	-	-	-	0.95	-0.59	1.0	-0.4	4.1	9.5	-4	-11	-1.6	-2	-7	-	-	93		8	99
24	LE 190110	F	SP	-	-	-	-	-	-	0.32	-0.45	1.0	1.0	3.3	10.1	5	-11	.7	-0	-2	-	-	97		9	111
25	RD 210025	F	SP	34	-	-	-	-	-	1.65	0.05	7.9	-2.6	12.3	6.2	-6	-8	2.6	3	2	-	-	101	103	10	102

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.37	-0.22	1.1	0.6	4	6	-3		2.0	2.0	1.0						
Aanbod Gemiddeld				28	186	7.28	47.0	1.16	325	0.57	-0.21	2.1	0.1	4	9	1	-3	0.8	3	1	100	110	98	101	7.0	95
27	EMD 180008	M	SP	-	-	-	-	-	-	0.15	0.20	-2.4	-0.7	-2.2	-1.8	-6	27	-5.7	-5	-8	-	-	85		7	89
28	BAS 220529	M	SP	-	-	-	-	-	-	0.92	0.01	1.9	0.3	3.4	-5.2	-12	10	-6.3	-5	-5	-	-	83	96	5	95
29	EMD 210112	M	SP	-	-	-	-	-	-	0.43	-0.30	4.4	-0.5	6.0	11.3	10	-10	4.6	-3	-7	-	-	105	107	8	101
30	EMD 170033	M	SP	-	-	-	-	-	-	-0.43	-0.89	-5.9	-1.3	-7.0	-7.6	-30	40	2.1	-16	-16	-	-	100		9	101
31	BAS 230598	V	SP	-	-	-	-	-	-	0.69	-0.07	3.4	4.3	4.2	14.2	-25	16	-4.6	2	-1	-	-	87		3	88
32	BAS 210373	V	SP	-	186	-	45.3	-	-	1.53	-0.22	3.8	3.9	9.4	42.2	7	-16	4.5	3	5	101	-	105	101	4	82
33	BAS 230583	V	SP	-	-	-	-	-	-	1.31	-0.16	3.6	2.8	6.3	14.1	-8	7	-8.2	1	-1	-	-	80	95	6	110
34	EMD 210165	V	SP	-	-	-	-	-	-	-0.35	-0.08	-3.3	-1.6	-4.0	-2.3	-14	13	-.4	-5	-6	-	-	95		9	88
35	EMD 220140	V	SP	-	-	-	-	-	-	0.51	0.15	0.9	3.9	4.4	-0.9	10	-8	4.6	4	7	-	-	105		6	100
36	EMD 230157	V	SP	-	-	-	-	-	-	0.61	0.44	2.7	-1.2	4.7	11.0	26	-40	9.6	12	12	-	-	115		2	92
37	JVG 230071	V	SP	36	190	7.66	40.3	-	-	1.75	-0.12	1.3	1.2	5.1	7.6	5	-9	-3.2	9	3	97	-	90	96	5	109
38	MOS 210027	V	SP	26	-	-	-	-	-	0.16	-0.01	0.9	0.5	-0.4	5.3	-8	13	-8.2	3	1	-	-	80	106	2	85
39	KW 230525	V	SP	28	-	-	-	-	-	0.09	-0.45	1.0	-3.9	0.6	24.9	-4	7	3	-3	-1	-	-	102	113	6	112
40	LUUD 190327	V	SP	25	188	-	57.8	-	-	0.30	-0.58	7.6	-4.3	5.6	9.5	1	5	.4	7	7	113	-	97	99	8	91
41	LE 210036	V	SP	-	-	-	-	-	-	0.65	-0.66	0.5	1.3	2.3	3.2	-8	-7	-5.3	-3	-7	-	-	85	103	12	103
42	LE 210005	V	SP	-	-	-	-	-	-	1.01	-0.10	2.1	0.3	6.0	19.7	8	-13	2.1	-1	-4	-	-	100		10	110
43	BAS 220477	M	SP	-	219	-	51.8	-	-	0.46	-0.20	2.7	3.6	2.9	16.1	-25	16	-4.7	2	-1	100	-	87	102	6	108
44	BAS 230564	M	SP	-	-	-	-	-	-	0.92	-0.16	0.2	1.3	3.1	11.5	5	-5	-3.7	10	10	-	-	89	115	2	80
45	EMD 210110	M	SP	-	-	-	-	-	-	-0.23	-0.49	3.6	-0.4	5.7	-0.6	4	-3	8.6	-0	-2	-	-	113	92	10	104
46	EMD 200059	M	SP	-	-	-	-	1.16	325	0.11	-0.50	4.0	-0.3	7.9	13.1	0	12	1.4	5	0	-	110	99		8	74
47	BAS 230550	V	SP	-	-	-	-	-	-	0.81	-0.28	-1.1	-0.5	-0.3	-3.2	10	-12	-3.9	12	6	-	-	88	94	9	94
48	BAS 240680	V	SP	-	141	-	33.5	-	-	1.35	-0.42	4.2	-0.2	7.6	19.6	-4	-11	-7.2	2	-1	90	-	82	99	8	65
49	BAS 200339	V	SP	-	-	-	-	-	-	0.57	-0.42	3.9	-1.3	6.8	10.1	20	-30	1.5	10	10	-	-	99		1	52
50	EMD 190107	V	SP	-	-	-	-	-	-	0.05	-0.04	1.6	-2.3	3.6	8.0	8	-4	4.7	4	-2	-	-	105		12	95
51	EMD 230226	V	SP	-	-	-	-	-	-	1.00	-0.01	6.9	-0.5	10.0	21.3	30	-44	9.3	12	12	-	-	114		4	109

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.37	-0.22	1.1	0.6	4	6	-3		2.0	2.0	1.0						
Auction Average				28	186	7.28	47.0	1.16	325	0.57	-0.21	2.1	0.1	4	9	1	-3	0.8	3	1	100	110	98	101	7.0	95
52	EMD 220145	F	SP	-	-	-	-	-	-	0.19	-0.42	3.1	-1.9	7.7	8.0	17	-28	4.7	6	6	-	-	105		8	79
53	EMD 240062	F	SP	-	-	-	-	-	-	0.66	0.15	3.1	-1.6	5.6	20.9	26	-29	5.2	14	12	-	-	106		6	105
54	MCS 190356	F	SP	-	-	-	-	-	-	0.29	-0.85	3.2	1.5	6.7	8.2	30	-38	2.9	10	8	-	-	102	105	5	84

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik