

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

MUIRFONTEIN BEEFMASTERS

CEDARVILLE SALE YARDS

20 August 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 11 August 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:


- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 2 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

PM 230025



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-03-24
Age	3y 5m
Inbreeding	0%
DNA	U22443U034

PM 180041	
Wean Mat. 99	
Parentage Sire Dam	
DNA	✓
Genomic	

PM 200641
Age 6y | AFC 36m | ICP 395d
Calves 2 | Weaned 2 | Wean Mat. 109
Avg. WI 100 | CCB 8.68 | CCW 37.4
Calvings: 23-03, 24-04

PD 150273
Wean Mat. 99

PM 060672
Age 13y | AFC - | ICP 412d
Calves 10 | Weaned 9 | Wean Mat. 111
Avg. WI 101 | CCB 9.06 | CCW 42.1

PM 130197
Wean Mat. 121

PM 150141
Age 9y | AFC 36m | ICP 441d
Calves 6 | Weaned 6 | Wean Mat. 116
Avg. WI 108 | CCB 7.53 | CCW 49.7

PD 100075
PD 050196
Age 10y | Avg. WI 95
Calves 7 | Weaned 6

MULTIPLE SIRES
PM 040415
Age 10y | Avg. WI 104
Calves 7 | Weaned 6

MULTIPLE SIRES
PM 040433
Age 13y | Avg. WI 109
Calves 10 | Weaned 10

COW VALUE	85
93	Calving Ease Value
98	Calf Growth Value
106	Milk Value
89	Maintenance Value
93	Fertility Value
GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

LOGIX
GENETIC GENIUS
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
96	91	98	106	99	89	102	93
62%	44%	66%	47%	6%	38%	20%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	95	-	109	107	101	-	-	-
55%	6%		32%	6%	6%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	209kg 103 (29)	219kg 101 (14)	-	-	-	- (B1)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 40cm

LOT 3 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

PM 230183



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-08-31
Age	2y 12m
Inbreeding	0%
DNA	U26716U020

 PB 200056 HH
Wean Mat. 90
Parentage Sire Dam
DNA 
Genomic

PM 170144
Age 8y | AFC 36m | ICP 360d
Calves 6 | Weaned 6 | Wean Mat. 92
Avg. WI 95 | CCB 7.1 | CCW 41.5
Calvings: 20-10, 21-08, 22-09, 23-08, 24-09, 25-09

-M 140016
Wean Mat. 93

PB 160163
Age 7y | AFC - | ICP 361d
Calves 4 | Weaned 4 | Wean Mat. 100
Avg. WI 99 | CCB - | CCW -

MULTIPLE SIRES
Wean Mat. -

PM 090023
Age 10y | AFC 38m | ICP 361d
Calves 8 | Weaned 7 | Wean Mat. 89
Avg. WI 95 | CCB - | CCW 48.7

MULTIPLE SIRES
-M 110002
Age 4y | Avg. WI 112
Calves 1 | Weaned 1

MULTIPLE SIRES
PM 030304
Age 13y | Avg. WI 104
Calves 9 | Weaned 8

COW VALUE	101
97	Calving Ease Value
110	Calf Growth Value
90	Milk Value
100	Maintenance Value
102	Fertility Value
GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

LOGIX
GENETIC GENIUS
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	102	110	90	92	100	110	96
64%	49%	67%	54%	6%	32%	17%	42%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	95	-	98	107	98	-	-	-
62%	6%		24%	6%	6%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	198kg 99 (72)	231kg 95 (42)	353kg 109 (41)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 39cm

LOT 4 (M) BEEFMASTER PM 230337



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-10-16
Oud.	2j 10m
Inteling	0%
DNS	U26716U028

PM 180041
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 190158
Oud. 6j | OEK 35m | TKP 442d
Kalwers 3 | Gespeen 3 | Spn. Mat. 105
Gem. SI 100 | KKG 8.31 | KKS 40.5
Kalwings: 22-10, 23-10, 25-03

PD 150273
Spn Mat. 99

PM 060672
Oud. 13j | OEK - | TKP 412d
Kalwers 10 | Gespeen 9 | Spn. Mat. 111
Gem. SI 101 | KKG 9.06 | KKS 42.1

MULTIPLE SIRES
Spn Mat. -

PM 140031
Oud. 9j | OEK 38m | TKP 394d
Kalwers 5 | Gespeen 5 | Spn. Mat. 108
Gem. SI 98 | KKG - | KKS 45.8

PD 100075
PD 050196
Oud. 10j | Gem. SI 95
Kalwers 7 | Gespeen 6

MULTIPLE SIRES
PM 090191
Oud. 13j | Gem. SI 95
Kalwers 10 | Gespeen 9

KOEIWAARDE	83
99	Kalfgemak Waarde
93	Kalfgroei Waarde
104	Melk Waarde
95	Onderhoudswaarde
89	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS - GENETICS
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	98	93	104	95	85	89	102
62%	44%	65%	47%	6%	36%	21%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	90	-	103	101	95	-	-	-
60%	6%		32%	6%	6%			


Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	172kg 94 (70)	207kg 102 (29)	299kg 95 (28)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 41cm

LOT 10 (M) BEEFMASTER PM 230079



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-08-22
Oud.	3j
Inteling	0%
DNS	U26716U001

PM 200519
Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 190204
Oud. 6j | OEK 34m | TKP 363d
Kalwers 4 | Gespeen 4 | Spn. Mat. 106
Gem. SI 102 | KKG 7.66 | KKS 51
Kalwings: 22-09, 23-08, 24-08, 25-09

PD 130177
Spn Mat. 92

PM 150118
Oud. 10j | OEK 35m | TKP 441d
Kalwers 7 | Gespeen 7 | Spn. Mat. 92
Gem. SI 96 | KKG 7.14 | KKS 44.5

MULTIPLE SIRES
Spn Mat. -

PM 130115
Oud. 11j | OEK 36m | TKP 385d
Kalwers 8 | Gespeen 8 | Spn. Mat. 121
Gem. SI 107 | KKG 7.87 | KKS 44

PD 100075
PD 100203
Oud. 10j | Gem. SI 105
Kalwers 7 | Gespeen 7

MULTIPLE SIRES
PM 060686
Oud. 13j | Gem. SI 109
Kalwers 11 | Gespeen 10

MULTIPLE SIRES
PM 070128
Oud. 10j | Gem. SI 100
Kalwers 8 | Gespeen 7

KOEIWAARDE	92
110	Kalfgemak Waarde
97	Kalfgroei Waarde
95	Melk Waarde
97	Onderhoudswaarde
95	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS - GENETICS
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	98	97	95	105	85	102	101
60%	39%	63%	46%	6%	32%	19%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	102	-	101	113	110	-	-	-
60%	5%		29%	6%	5%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
31kg	203kg 106 (72)	195kg 100 (71)	278kg 100 (71)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 37cm

LOT 11 (M) BEEFMASTER PM 230303



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-10-02
Age	2y 11m
Inbreeding	0%
DNA	U26716U025

PM 200144	Wean Mat. 98
Parentage	Sire Dam
DNA	✓
Genomic	

PM 140014
Age 9y | AFC 38m | ICP 432d
Calves 6 | Weaned 6 | Wean Mat. 109
Avg. WI 100 | CCB - | CCW 40.8
Calvings: 17-10, 18-10, 20-03,
21-02, 22-10, 23-10

MULTIPLE SIRES
Wean Mat. -

PM 170129
Age 6y | AFC 37m | ICP 363d
Calves 3 | Weaned 3 | Wean Mat. 95
Avg. WI 99 | CCB - | CCW 41.4

MULTIPLE SIRES
PM 080150
Age 12y | Avg. WI 89
Calves 9 | Weaned 7

MULTIPLE SIRES
Wean Mat. -

PM 090018
Age 13y | AFC 37m | ICP 380d
Calves 10 | Weaned 7 | Wean Mat. 114
Avg. WI 98 | CCB - | CCW 44.1

MULTIPLE SIRES
PM 020220
Age 9y | Avg. WI 103
Calves 3 | Weaned 3

COW VALUE 79

99	Calving Ease Value
108	Calf Growth Value
80	Milk Value
92	Maintenance Value
88	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	96	108	80	-	82	99	91
63%	47%	67%	57%		49%	24%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
103	-	-	108	-	-	-	-	-
62%			37%					


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	199kg 111 (70)	232kg 109 (29)	334kg 103 (28)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 38cm

LOT 12 (M) BEEFMASTER PM 230082



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-08-14
Age	3y
Inbreeding	0%
DNA	U26716U002

PM 200526	Wean Mat. 77
Parentage	Sire Dam
DNA	✓
Genomic	

PM 150045
Age 10y | AFC 39m | ICP 410d
Calves 7 | Weaned 7 | Wean Mat. 83
Avg. WI 94 | CCB 7.17 | CCW 43.3
Calvings: 18-11, 20-02, 21-07,
22-09, 23-08, 24-08, 25-08

X 110082
Wean Mat. 53

MULTIPLE SIRES
X 070087
Age 9y | Avg. WI 100
Calves 6 | Weaned 5

PM 150176
Age 8y | AFC 34m | ICP 470d
Calves 5 | Weaned 5 | Wean Mat. 112
Avg. WI 108 | CCB 7.8 | CCW 48.7

MULTIPLE SIRES
PM 060630
Age 13y | Avg. WI 97
Calves 10 | Weaned 10

MULTIPLE SIRES
Wean Mat. -

PM 110105
Age 6y | AFC - | ICP 366d
Calves 4 | Weaned 4 | Wean Mat. 80
Avg. WI 90 | CCB - | CCW 44.3

COW VALUE 72

114	Calving Ease Value
96	Calf Growth Value
77	Milk Value
91	Maintenance Value
85	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	89	96	77	94	78	85	102
60%	38%	64%	50%	6%	35%	21%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	88	-	109	103	95	-	-	-
54%	6%		35%	6%	6%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	194kg 100 (72)	-	317kg 98 (41)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 37cm

LOT 13 (M) BEEFMASTER PM 230092



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-08-04
Oud.	3j
Inteling	0%
DNS	U26716U005

PM 200519
Spn Mat. 88

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 180322
Oud. 5j | OEK 34m | TKP 340d
Kalwers 3 | Gespeen 2 | Spn. Mat. 114
Gem. SI 102 | KKG - | KKS 56.7
Kalwings: 21-09, 22-09, 23-08

PD 130177
Spn Mat. 92

PM 150118
Oud. 10j | OEK 35m | TKP 441d
Kalwers 7 | Gespeen 7 | Spn. Mat. 92
Gem. SI 96 | KKG 7.14 | KKS 44.5

MULTIPLE SIRES
Spn Mat. -

PM 080010
Oud. 14j | OEK 24m | TKP 442d
Kalwers 10 | Gespeen 10 | Spn. Mat. 121
Gem. SI 110 | KKG - | KKS 39.3

PD 100075
PD 100203
Oud. 10j | Gem. SI 105
Kalwers 7 | Gespeen 7

MULTIPLE SIRES
PM 060686
Oud. 13j | Gem. SI 109
Kalwers 11 | Gespeen 10

MULTIPLE SIRES
PM 000007
Oud. 12j | Gem. SI 108
Kalwers 5 | Gespeen 4

KOEIWAARDE	88
99	Kalfgemak Waarde
96	Kalfgroei Waarde
103	Melk Waarde
88	Onderhoudswaarde
100	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS GENETICS
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	95	96	103	99	97	105	100
60%	33%	63%	43%	6%	32%	18%	42%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
91	96	-	112	106	103	-	-	-
60%	5%		26%	6%	5%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	190kg 95 (72)	233kg 100 (42)	311kg 97 (41)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 44cm

LOT 14 (M) BEEFMASTER PM 230087



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-07-31
Oud.	3j 1m
Inteling	0%
DNS	U26716U003

PM 200666		
Spn Mat. 84		
Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 180092
Oud. 7j | OEK 38m | TKP 463d
Kalwers 4 | Gespeen 3 | Spn. Mat. 96
Gem. SI 100 | KKG 8.51 | KKS 59.7
Kalwings: 21-10, 22-10, 23-07, 25-08

MULTIPLE SIRES
Spn Mat. -

PM 160215
Oud. 3j | OEK 28m | TKP 358d
Kalwers 2 | Gespeen 2 | Spn. Mat. 88
Gem. SI 103 | KKG - | KKS 55.2

PD 150273
Spn Mat. 99

PM 150244
Oud. 9j | OEK 34m | TKP 509d
Kalwers 5 | Gespeen 5 | Spn. Mat. 83
Gem. SI 87 | KKG - | KKS 48.8

MULTIPLE SIRES
PM 070007
Oud. 12j | Gem. SI 94
Kalwers 9 | Gespeen 7

PD 100075
PD 050196
Oud. 10j | Gem. SI 95
Kalwers 7 | Gespeen 6

MULTIPLE SIRES
PM 090179
Oud. 10j | Gem. SI 98
Kalwers 7 | Gespeen 6

KOEIWAARDE	84
90	Kalfgemak Waarde
109	Kalfgroei Waarde
90	Melk Waarde
94	Onderhoudswaarde
90	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS GENETICS
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	96	109	90	102	80	100	97
59%	34%	63%	42%	6%	32%	20%	40%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	99	-	105	110	106	-	-	-
53%	6%		27%	6%	6%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	199kg 101 (72)	-	336kg 104 (41)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 37cm

LOT 15 (M) BEEFMASTER PM 230192



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-09-05
Age	2y 12m
Inbreeding	0%
DNA	U26716U022

PM 200539 HH
Wean Mat. 112

Parentage	Sire	Dam
DNA	✓	
Genomic		

PM 190165
Age 6y | AFC 36m | ICP 369d
Calves 4 | Weaned 4 | Wean Mat. 122
Avg. WI 99 | CCB 7.18 | CCW 44.5
Calvings: 22-10, 23-09, 24-11, 25-11

PD 130177
Wean Mat. 92

PM 040412
Age 16y | AFC - | ICP 374d
Calves 13 | Weaned 12 | Wean Mat. 123
Avg. WI 99 | CCB 9.44 | CCW 41.4

MULTIPLE SIRES
Wean Mat. -

PM 090026
Age 13y | AFC 37m | ICP 369d
Calves 10 | Weaned 9 | Wean Mat. 127
Avg. WI 104 | CCB - | CCW 41.4

PD 100075
PD 100203
Age 10y | Avg. WI 105
Calves 7 | Weaned 7

MULTIPLE SIRES
PM 020226
Age 9y | Avg. WI 102
Calves 3 | Weaned 3

COW VALUE 102

104	Calving Ease Value
88	Calf Growth Value
119	Milk Value
112	Maintenance Value
93	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	87	88	119	93	96	93	96
61%	39%	64%	46%	6%	32%	17%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	87	-	89	94	92	-	-	-
60%	5%		27%	6%	5%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	191kg 95 (72)	239kg 104 (42)	302kg 94 (41)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 41cm

LOT 23 (M) BEEFMASTER PM 230318



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-10-21
Age	2y 10m
Inbreeding	0%
DNA	U26716U027

PM 210006
Wean Mat. 70

Parentage	Sire	Dam
DNA	✓	
Genomic		

PM 190040
Age 4y | AFC 36m | ICP 415d
Calves 2 | Weaned 1 | Wean Mat. 118
Avg. WI 116 | CCB - | CCW 47.4
Calvings: 22-09, 23-10

BC 171094 HH
Wean Mat. 52

PM 140107
Age 9y | AFC 37m | ICP 429d
Calves 6 | Weaned 6 | Wean Mat. 87
Avg. WI 99 | CCB - | CCW 48.9

MULTIPLE SIRES
Wean Mat. -

PM 080173
Age 11y | AFC 36m | ICP 408d
Calves 8 | Weaned 8 | Wean Mat. 120
Avg. WI 102 | CCB - | CCW 42.7

BC 141089
BC 141122
Age 6y | Avg. WI 94
Calves 4 | Weaned 3

MULTIPLE SIRES
PM 090130
Age 13y | Avg. WI 85
Calves 11 | Weaned 11

MULTIPLE SIRES
PM 040403
Age 7y | Avg. WI 106
Calves 4 | Weaned 4

COW VALUE 87

98	Calving Ease Value
94	Calf Growth Value
111	Milk Value
96	Maintenance Value
88	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	92	94	111	-	89	95	90
58%	32%	62%	40%		32%	16%	40%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	-	-	101	-	-	-	-	-
58%			25%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	206kg 116 (70)	206kg 100 (29)	324kg 103 (28)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 41cm

LOT 24 (M) BEEFMASTER PM 230148



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-09-10
Oud.	2j 11m
Inteling	0%
DNS	U26716U015

PM 200666
Spn Mat. 84

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 190101
Oud. 6j | OEK 34m | TKP 339d
Kalwers 3 | Gespeen 3 | Spn. Mat. 95
Gem. SI 106 | KKG 6.81 | KKS 44.9
Kalwings: 22-10, 23-09, 24-08

MULTIPLE SIRES
Spn Mat. -

PM 160215
Oud. 3j | OEK 28m | TKP 358d
Kalwers 2 | Gespeen 2 | Spn. Mat. 88
Gem. SI 103 | KKG - | KKS 55.2

MULTIPLE SIRES

PM 070007
Oud. 12j | Gem. SI 94
Kalwers 9 | Gespeen 7

MULTIPLE SIRES
Spn Mat. -

PM 160163
Oud. 9j | OEK 37m | TKP 366d
Kalwers 7 | Gespeen 7 | Spn. Mat. 104
Gem. SI 93 | KKG 7.06 | KKS 36.4

MULTIPLE SIRES

PM 070024
Oud. 15j | Gem. SI 105
Kalwers 12 | Gespeen 12

KOEIWAARDE 87
87 Kalfgemak Waarde
126 Kalfgroei Waarde
83 Melk Waarde
80 Onderhoudswaarde
93 Vrugaarheidswaarde
GROEI WAARDE -
KARKAS WAARDE -
PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugg.	Koei Vrugg.	Lanklew.
87	102	126	83	-	74	111	97
59%	33%	62%	39%		28%	14%	34%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
117	-	-	124	-	-	-	-	-
58%			27%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	252kg 133 (72)	252kg 111 (42)	361kg 115 (41)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 42cm

LOT 25 (M) BEEFMASTER PM 240045



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2024-05-03
Oud.	2j 4m
Inteling	0%
DNS	U26716U034



AR 200106 HH

Spn Mat. 109

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 180111
Oud. 7j | OEK 35m | TKP 484d
Kalwers 4 | Gespeen 4 | Spn. Mat. 99
Gem. SI 100 | KKG 8.11 | KKS 48.2
Kalwings: 21-08, 23-02, 24-05, 25-08

BOS 155669
Spn Mat. 108

AR 170080
Oud. 6j | OEK 34m | TKP 381d
Kalwers 3 | Gespeen 3 | Spn. Mat. 116
Gem. SI 109 | KKG - | KKS 54.2

BOS 100172

BOS 100162
Oud. 12j | Gem. SI 100
Kalwers 8 | Gespeen 8

SBM 110616

AR 070039
Oud. 12j | Gem. SI 107
Kalwers 10 | Gespeen 10

MULTIPLE SIRES
Spn Mat. -

PM 140175
Oud. 5j | OEK 34m | TKP 386d
Kalwers 2 | Gespeen 2 | Spn. Mat. 103
Gem. SI 107 | KKG - | KKS 48.3

MULTIPLE SIRES

PM 050563
Oud. 9j | Gem. SI 97
Kalwers 7 | Gespeen 6

KOEIWAARDE 97
87 Kalfgemak Waarde
118 Kalfgroei Waarde
103 Melk Waarde
88 Onderhoudswaarde
94 Vrugaarheidswaarde
GROEI WAARDE -
KARKAS WAARDE -
PRODUKSIE WAARDE -

LOGIX
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugg.	Koei Vrugg.	Lanklew.
87	103	118	103	110	92	105	90
59%	35%	64%	44%	9%	30%	18%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
110	106	-	111	121	114	-	-	-
50%	8%		30%	9%	9%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	218kg 111 (23)	-	307kg 106 (6)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 39cm

LOT 26 (M) BEEFMASTER PM 240046



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2024-04-22
Age	2y 4m
Inbreeding	0%
DNA	U26716U035

PM 220012	Wean Mat. 105
Parentage	Sire Dam
DNA	✓
Genomic	

PM 200561
Age 6y | AFC 37m | ICP 390d
Calves 2 | Weaned 2 | Wean Mat. 104
Avg. WI 97 | CCB 7.47 | CCW 37.3
Calvings: 23-03, 24-04

MULTIPLE SIRES
Wean Mat. -

PM 150177
Age 10y | AFC 37m | ICP 412d
Calves 7 | Weaned 7 | Wean Mat. 111
Avg. WI 99 | CCB 7.49 | CCW 39.8

MULTIPLE SIRES
PM 070128
Age 13y | Avg. WI 100
Calves 8 | Weaned 7

PD 150147
Wean Mat. 102

PD 120124
PD 120194
Age 13y | Avg. WI 104
Calves 10 | Weaned 8

PM 140014
Age 9y | AFC 38m | ICP 432d
Calves 6 | Weaned 6 | Wean Mat. 109
Avg. WI 100 | CCB - | CCW 40.8

MULTIPLE SIRES
PM 090018
Age 13y | Avg. WI 98
Calves 10 | Weaned 7

COW VALUE 86

93	Calving Ease Value
101	Calf Growth Value
104	Milk Value
94	Maintenance Value
89	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
95	95	101	104	-	78	101	96
54%	32%	59%	40%		31%	15%	38%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	-	-	104	-	-	-	-	-
44%			26%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	209kg 105 (23)	-	334kg 121 (10)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 38cm

LOT 28 (M) BEEFMASTER PM 230152



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-08-29
Age	2y 12m
Inbreeding	0%
DNA	U26716U016

PM 200519	Wean Mat. 88
Parentage	Sire Dam
DNA	✓
Genomic	

PM 160189
Age 9y | AFC 34m | ICP 368d
Calves 7 | Weaned 6 | Wean Mat. 117
Avg. WI 102 | CCB 7.21 | CCW 47.7
Calvings: 19-08, 20-11, 21-10, 22-09, 23-08, 24-09, 25-08

PD 130177
Wean Mat. 92

PM 150118
Age 10y | AFC 35m | ICP 441d
Calves 7 | Weaned 7 | Wean Mat. 92
Avg. WI 96 | CCB 7.14 | CCW 44.5

PD 100075
PD 100203
Age 10y | Avg. WI 105
Calves 7 | Weaned 7

MULTIPLE SIRES
PM 060686
Age 13y | Avg. WI 109
Calves 11 | Weaned 10

MULTIPLE SIRES
Wean Mat. -

PM 060672
Age 13y | AFC - | ICP 412d
Calves 10 | Weaned 9 | Wean Mat. 111
Avg. WI 101 | CCB 9.06 | CCW 42.1

COW VALUE 93

105	Calving Ease Value
98	Calf Growth Value
101	Milk Value
93	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	101	98	101	101	89	100	104
61%	40%	64%	49%	6%	34%	19%	44%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	97	-	105	109	104	-	-	-
61%	5%		30%	6%	5%			


Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	205kg 105 (72)	264kg 113 (42)	334kg 103 (41)	-	-	- (B2)	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 39cm

LOT 33 (M) BEEFMASTER PM 230161



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-09-01
Oud.	2j 12m
Inteling	0%
DNS	U26716U019

PM 200616
Spn Mat. 118

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 210035
Oud. 5j | OEK 31m | TKP 570d
Kalwers 2 | Gespeen 2 | Spn. Mat. 135
Gem. SI 119 | KKG 8.54 | KKS 58.6
Kalwings: 23-09, 25-03

MULTIPLE SIRES
Spn Mat. -

PM 160090
Oud. 8j | OEK 30m | TKP 374d
Kalwers 5 | Gespeen 5 | Spn. Mat. 132
Gem. SI 108 | KKG 7.79 | KKS 46.9

PD 120177

PM 110108
Oud. 8j | Gem. SI 108
Kalwers 6 | Gespeen 6

MULTIPLE SIRES
Spn Mat. -

PM 160331
Oud. 7j | OEK 32m | TKP 465d
Kalwers 3 | Gespeen 3 | Spn. Mat. 119
Gem. SI 97 | KKG - | KKS 48.3

MULTIPLE SIRES

PM 130196
Oud. 4j | Gem. SI 107
Kalwers 2 | Gespeen 2

KOEIWAARDE	101
103	Kalngemak Waarde
89	Kalngroei Waarde
124	Melk Waarde
110	Onderhoudswaarde
88	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
104	93	89	124	-	89	93	91
59%	32%	62%	38%		28%	13%	35%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	-	-	90	-	-	-	-	-
56%			31%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	223kg 116 (72)	228kg 104 (42)	331kg 109 (41)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 40cm

LOT 35 (M) BEEFMASTER PM 230357



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-10-01
Oud.	2j 11m
Inteling	0%
DNS	U26716U030

PM 180041
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 190190
Oud. 4j | OEK 34m | TKP 397d
Kalwers 2 | Gespeen 1 | Spn. Mat. 120
Gem. SI 114 | KKG - | KKS 44.4
Kalwings: 22-08, 23-10

PD 150273
Spn Mat. 99

PM 060672
Oud. 13j | OEK - | TKP 412d
Kalwers 10 | Gespeen 9 | Spn. Mat. 111
Gem. SI 101 | KKG 9.06 | KKS 42.1

PD 100075

PD 050196
Oud. 10j | Gem. SI 95
Kalwers 7 | Gespeen 6

MULTIPLE SIRES
Spn Mat. -

PM 120201
Oud. 10j | OEK 36m | TKP 362d
Kalwers 7 | Gespeen 7 | Spn. Mat. 123
Gem. SI 100 | KKG - | KKS 41.3

MULTIPLE SIRES

PM 030302
Oud. 10j | Gem. SI 101
Kalwers 5 | Gespeen 4

KOEIWAARDE	87
96	Kalngemak Waarde
101	Kalngroei Waarde
108	Melk Waarde
86	Onderhoudswaarde
91	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	98	101	108	103	85	94	100
60%	40%	64%	43%	6%	35%	19%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	99	-	113	112	106	-	-	-
60%	6%		27%	6%	6%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
35kg	201kg 114 (70)	247kg 124 (29)	343kg 111 (28)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 39cm Polled

LOT 36 (M) BEEFMASTER PM 230105



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-08-07
Age	3y
Inbreeding	0%
DNA	U26716U008

DR 175307
Wean Mat. 121

Parentage	Sire	Dam
DNA	✓	
Genomic		

PM 200055
Age 5y | AFC 34m | ICP 385d
Calves 3 | Weaned 3 | Wean Mat. 117
Avg. WI 104 | CCB 7.57 | CCW 46.9
Calvings: 23-08, 24-09, 25-09

WO 140072
Wean Mat. 113

MDN 080002
Age 11y | AFC 41m | ICP 430d
Calves 6 | Weaned 6 | Wean Mat. 114
Avg. WI 110 | CCB - | CCW 36.9

MULTIPLE SIRES
Wean Mat. -

PM 100116
Age 10y | AFC - | ICP 360d
Calves 8 | Weaned 8 | Wean Mat. 94
Avg. WI 93 | CCB - | CCW 43.2

WO 120232

WO 040077
Age 10y | Avg. WI 111
Calves 9 | Weaned 8

MDN 030183

MDN 020205
Age 12y | Avg. WI 101
Calves 7 | Weaned 7

MULTIPLE SIRES

PM 070123
Age 7y | Avg. WI 113
Calves 4 | Weaned 4

COW VALUE 107

93	Calving Ease Value
97	Calf Growth Value
118	Milk Value
102	Maintenance Value
105	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 91

PRODUCTION VALUE 103

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	203kg 103 (72)	248kg 112 (42)	336kg 109 (41)	-	-	-(B2)	-

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	101	97	118	100	108	110	95
62%	46%	66%	52%	37%	45%	21%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	94	86	96	92	91	82	95	95
62%	32%	11%	38%	37%	36%	11%	10%	10%



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 44cm

LOT 37 (M) BEEFMASTER PM 230143



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-08-28
Age	2y 12m
Inbreeding	0%
DNA	U26716U013

PM 200666
Wean Mat. 84

Parentage	Sire	Dam
DNA	✓	
Genomic		

PM 150238
Age 10y | AFC 35m | ICP 365d
Calves 8 | Weaned 7 | Wean Mat. 118
Avg. WI 111 | CCB 7.34 | CCW 50.7
Calvings: 18-09, 19-09, 20-08, 21-09, 22-09, 23-08, 24-08, 25-09

MULTIPLE SIRES
Wean Mat. -

PM 160215
Age 3y | AFC 28m | ICP 358d
Calves 2 | Weaned 2 | Wean Mat. 88
Avg. WI 103 | CCB - | CCW 55.2

MULTIPLE SIRES
Wean Mat. -

PM 040416
Age 13y | AFC - | ICP 366d
Calves 10 | Weaned 10 | Wean Mat. 118
Avg. WI 104 | CCB 8.11 | CCW 35.6

MULTIPLE SIRES

PM 070007
Age 12y | Avg. WI 94
Calves 9 | Weaned 7

COW VALUE 93

89	Calving Ease Value
111	Calf Growth Value
102	Milk Value
91	Maintenance Value
92	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	196kg 98 (72)	256kg 108 (42)	374kg 116 (41)	-	-	-(B2)	-

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	91	111	102	-	82	107	93
59%	34%	63%	44%	-	27%	11%	39%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
106	-	-	107	-	-	-	-	-
58%	-	-	26%	-	-	-	-	-



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 35cm

LOT 38 (M) BEEFMASTER PM 230144



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720


Kuddeboek	C
Geb. dtm	2023-09-20
Oud.	2j 11m
Inteling	0%
DNS	U26716U014

PM 200666

Spn Mat. 84

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 170042
Oud. 8j | OEK 38m | TKP 352d
Kalwers 6 | Gespeen 6 | Spn. Mat. 110
Gem. SI 114 | KKG 6.98 | KKS 46.9
Kalwings: 20-11, 21-10, 22-11,
23-09, 24-10, 25-08



MULTIPLE SIRES
PM 070007
Oud. 12j | Gem. SI 94
Kalwers 9 | Gespeen 7

MULTIPLE SIRES
PM 030327
Oud. 8j | Gem. SI 102
Kalwers 4 | Gespeen 4

KOEIWAARDE	103
86	Kalagemak Waarde
126	Kalfgroei Waarde
93	Melk Waarde
86	Onderhoudswaarde
102	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	103	126	93	-	77	122	103
59%	34%	63%	44%		29%	17%	37%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	-	-	114	-	-	-	-	-
58%			28%					

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	232kg 134 (70)	252kg 120 (29)	382kg 120 (28)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 39cm

LOT 43 (M) BEEFMASTER PM 230160



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za


SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Kuddeboek	C
Geb. dtm	2023-09-01
Oud.	2j 12m
Inteling	0%
DNS	U26716U018

PM 180041
Spn Mat. 99

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

PM 190119
Oud. 6j | OEK 35m | TKP 385d
Kalwers 4 | Gespeen 4 | Spn. Mat. 89
Gem. SI 92 | KKG 8.33 | KKS 50.5
Kalwings: 22-09, 23-09, 24-10,
25-11



PD 100075
PD 050196
Oud. 10j | Gem. SI 95
Kalwers 7 | Gespeen 6

MULTIPLE SIRES
PM 090059
Oud. 10j | Gem. SI 107
Kalwers 7 | Gespeen 7

KOEIWAARDE	94
96	Kalagemak Waarde
102	Kalfgroei Waarde
93	Melk Waarde
106	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	-
PRODUKSIE WAARDE	-

LOGIX
GENETICS CENTRA
EBV Analyse 2026-07-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
97	99	102	93	100	88	101	101
63%	45%	65%	48%	6%	35%	22%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
99	97	-	94	108	103	-	-	-
61%	6%		31%	6%	6%			

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
37kg	208kg 106 (72)	241kg 105 (42)	324kg 102 (41)	-	-	- (B2)	-



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Scrotum: 40cm

LOT 44 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

PM 230350



MUIRFONTEIN TRUST

Cedarville, Kwazulu Natal
0827708002
pgmuir@muirfontein.co.za

SPRINGFONTEIN FARM, P.O.
BOX 4, CEDARVILLE, 4720

Herd Book	C
Birth date	2023-11-20
Age	2y 9m
Inbreeding	0%
DNA	U26716U029

DR 175307
Wean Mat. 121

Parentage	Sire	Dam
DNA	✓	
Genomic		

PM 140057
Age 11y | AFC 38m | ICP 365d
Calves 9 | Weaned 9 | Wean Mat. 109
Avg. WI 97 | CCB 7.16 | CCW 37.5
Calvings: 17-11, 18-11, 19-10, 20-08,
21-08, 22-09, 23-11, 24-11, 25-11

WO 140072
Wean Mat. 113

MDN 080002
Age 11y | AFC 41m | ICP 430d
Calves 6 | Weaned 6 | Wean Mat. 114
Avg. WI 110 | CCB - | CCW 36.9

MULTIPLE SIRES
Wean Mat. -

PM 070165
Age 12y | AFC - | ICP 363d
Calves 10 | Weaned 9 | Wean Mat. 115
Avg. WI 102 | CCB - | CCW 41.7

WO 120232

WO 040077
Age 10y | Avg. WI 111
Calves 9 | Weaned 8

MDN 030183

MDN 020205
Age 12y | Avg. WI 101
Calves 7 | Weaned 7

MULTIPLE SIRES

COW VALUE 92

99	Calving Ease Value
96	Calf Growth Value
111	Milk Value
95	Maintenance Value
93	Fertility Value

GROWTH VALUE 103

CARCASS VALUE 95

PRODUCTION VALUE 89

LOGIX
EBV Analysis 2026-07-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	100	96	111	104	86	104	93
63%	49%	68%	57%	37%	47%	22%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
92	98	91	103	97	96	87	93	91
62%	32%	11%	38%	37%	36%	11%	10%	10%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	224kg 129 (70)	220kg 103 (29)	324kg 100 (28)	-	-	- (B2)	-

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS: Scrotum: 41cm

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.35	-0.06	12.1	-1.4	19	7	72	-40	11.0	1.0	13.0						
Auction Average				36	206	8.26	50.5	-	-	0.50	0.07	13.6	-1.2	20	13	57	-28	10.9	5	14	108	-	100	103	4.0	99
2	PM 230025	M	C	38	209	8.68	41.1	-	-	0.68	0.28	10.8	0.3	19.6	18.0	52	0	10.5	6	14	103	-	99	100	2	78
3	PM 230183	M	C	38	198	-	49.5	-	-	0.61	-0.13	17.8	-4.3	21.9	5.4	54	0	6.2	5	12	99	-	92	95	6	109
4	PM 230337	M	C	35	172	-	39.3	-	-	0.36	0.04	8.2	-0.4	15.5	10.5	35	0	7.9	2	9	94	-	95	100	3	92
10	PM 230079	M	C	31	203	-	58	-	-	-0.44	0.01	10.2	-2.7	11.1	8.4	81	0	13.7	9	23	106	-	105	102	4	108
11	PM 230303	M	C	38	199	-	44.2	-	-	0.34	0.10	17.0	-7.1	23.2	16.7	0	0		0	0	111	-	-	100	6	96
12	PM 230082	M	C	33	194	-	50.5	-	-	-0.97	0.36	9.7	-7.8	15.5	17.5	30	0	7.6	3	8	100	-	94	94	7	99
13	PM 230092	M	C	37	190	-	53	-	-	0.34	0.13	9.6	-0.6	12.7	20.7	57	0	10.3	5	16	95	-	99	102	3	109
14	PM 230087	M	C	36	199	-	73.9	-	-	0.98	0.12	17.3	-4.3	25.4	12.7	69	0	12.3	8	19	101	-	102	100	4	90
15	PM 230192	M	C	37	191	-	48.2	-	-	-0.30	0.46	5.0	3.9	9.6	-5.0	26	0	7.3	-2	6	95	-	93	99	4	104
23	PM 230318	M	C	37	206	-	47.4	-	-	0.31	0.27	8.7	1.7	10.4	8.9	0	0		0	0	116	-	-	116	2	95
24	PM 230148	M	C	37	252	-	53.8	-	-	1.42	-0.14	26.9	-6.0	36.6	35.0	0	0		0	0	133	-	-	106	3	94
25	PM 240045	M	C	35	218	8.27	50.3	-	-	1.42	-0.17	22.3	-0.6	30.9	19.4	93	0	16.7	14	26	111	-	110	100	4	90
26	PM 240046	M	C	36	209	7.83	38.9	-	-	0.74	0.15	12.6	-0.3	19.2	11.3	0	0		0	0	105	-	-	97	2	77
28	PM 230152	M	C	36	205	-	47.9	-	-	0.01	-0.11	11.0	-1.1	16.9	13.0	63	0	11.4	6	18	105	-	101	102	7	111
33	PM 230161	M	C	35	223	-	63.1	-	-	-0.01	0.22	5.7	5.3	10.3	-3.7	0	0		0	0	116	-	-	119	2	92
35	PM 230357	M	C	35	201	-	44.4	-	-	0.60	0.03	12.7	0.8	22.3	21.9	70	0	12.7	8	20	114	-	103	114	2	101
36	PM 230105	M	C	36	203	-	55.8	-	-	0.95	-0.11	10.4	3.7	15.5	2.1	49	-25	11.3	-3	5	103	-	100	104	3	103
37	PM 230143	M	C	38	196	-	48.7	-	-	0.94	0.29	18.5	-0.8	27.8	15.5	0	0		0	0	98	-	-	111	8	111
38	PM 230144	M	C	38	232	-	54	-	-	1.45	-0.16	27.3	-3.5	35.5	23.7	0	0		0	0	134	-	-	114	6	108
43	PM 230160	M	C	37	208	-	58.9	-	-	0.63	-0.01	13.6	-3.5	20.2	0.3	59	0	11.2	6	16	106	-	100	92	4	103
44	PM 230350	M	C	37	224	-	39.3	-	-	0.45	-0.07	9.9	1.5	13.9	10.4	65	-30	13.4	-0	10	129	-	104	97	9	109

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik