

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

STOCKMAN'S ELITE BORAN AUCTION

Airborn, Emoya Estate, Bloemfontein

31 October 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 30 September 2026





RULES FOR SALES HELD UNDER THE AUSPICES OF THE BORAN CATTLE BREEDERS' SOCIETY OF SOUTH AFRICA

1	Introduction	3
2	Application to hold a sale under the auspices of the Boran Society	3
3	Requirements for animals, embryos, and semen on offer	4
4	Catalogue	5
5	Screening	6
6	Duties of the auctioneer	7
7	Dispersal Sales	8
8	Commissions and Fees	8
9	Buyers	8
10	Sellers	8
11	General Rules	9
12	Requirements for Internet/Online Auctions	9

1 Introduction

1.1 Definitions

- 1.1.1 Registered Boran means a Boran that has been entered and accepted onto the BCBS herd database (Logix). A Boran will be accepted into the calf book section (SP/No CLB) on receipt of the calf birth notification. A Boran will be promoted to Studbook Proper (SP/No REG) on passing inspection. A Boran that has been birth notified but registration is pending resolution of an outstanding issue is not a registered Boran in terms of these sale rules. Examples could include the following:- Parentage not Verified (PNV), Parents not Inspected (PNI), MS (Multi Sire requiring verification), Sire requiring verification (PES) and Dam requiring verification (PED).
- 1.1.2 Inspection is a visual appraisal of a Boran by BCBS approved inspectors to ensure compliance with the society's standards of excellence. A Boran must pass inspection to be promoted to the Studbook Proper (SP/No REG) section of the society's herd database within the stipulated timeline. A Boran that fails inspection will be deregistered and removed from the herd database.
- 1.1.3 Screening at sales is an appraisal of a Boran for functional faults and compliance with Society norms and minimum breed standards. In the case of Boran still registered in the calf book section of the herd book, screening does not qualify as an inspection.
- 1.1.4 A Dispersal Sale will be held by a Breeder who is permanently discontinuing the business of breeding and farming with registered Boran, and consequentially needs to sell all his registered animals to facilitate deregistration as an active breeder with the society. This sale will be deemed to be a dispersal sale and hence trigger breeder deregistration if:
 - 1.1.4.1 the breeder uses the word "dispersal" or similar words or phrases in their advertising and/or marketing of the sale.
 - 1.1.4.2 the member informs the society it is a dispersal sale.
- 1.2 Members of the Society are encouraged to sell registered Borans under the auspices of the Society. This will ensure that:
 - 1.2.1 the Boran comply with the Society's minimum standards of purity and functionality by verifying the pedigree and performance data,
 - 1.2.2 the Boran is of a consistent quality and high standard by screening each animal on offer,
 - 1.2.3 your clients are protected in that all animals on offer meet the breed standard,
 - 1.2.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.2.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.2.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.2.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.3 The Society will approve any production sale of registered Boran cattle provided that:
 - 1.3.1 Prior to the announcement of such sale, the seller must contact the Society with the details of the sale.
 - 1.3.2 Both the Sellers and the Society will sign a written agreement
 - 1.3.3 The Seller adheres to the requirements detailed further in this document.
 - 1.3.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.3.4.1 renegotiate the requirements
 - 1.3.4.2 withdraw permission that the sale be presented under the auspices of the Society
 - 1.3.4.3 if warranted, suspend the membership of the relevant member.

2 Application to hold a sale under the auspices of the Boran Society

- 2.1 All sellers' accounts may not be outstanding with the Society, for more than 60 days.
- 2.2 The seller may only sell animals at auction that have been in their possession for no less than 12 months. Only applicable for Boran National Auctions.

- 2.3 The Society and the appointed organizer will handle all communication pertaining to the sale. The organizer will be responsible for the communication with other sellers involved with the sale.
- 2.4 On approval of the application the Society office will furnish the organizer with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organizers of both sales agree to such an arrangement.
- 2.8 Only one auction under the auspices of the society can be held on any one day
- 2.9 No other sale may be held three (3) weeks prior to the National sale. However, it is the Council's prerogative to grant permission to hold an auction under the auspices within the three weeks.
- 2.10 Existing sales history will be taken into consideration when sale dates are allocated by the Society. If an auction with history is booked for two years in a row and the auction does not take place in these two years, the seller forfeits the date and the date can be allocated to another seller. If a date is booked and the date change or the auction is cancelled, a fee of R1000 will be charged. If there is a valid reason for the change of the date or the cancellation of the auction, the motivation must be submitted to the council for exemption.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 Requirements for animals, embryos, and semen on offer

3.1 Society and Legislative Requirements

- 3.1.1 All Boran on offer must be registered with the Boran Cattle Breeders' Society. The birth notification of calves born up to the day of sale must be submitted to the Society by the seller. Calves born on sale day will be registered by the new owner.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Bye-laws of the Society.
- 3.1.4 No female may be offered that is knowingly in calf to any bull other than a registered Boran bull.
- 3.1.5 Embryos offered for sale, donated, included in a lot, or linked to a sale of a lot must be:
 - 3.1.5.1 flushed from Boran cows registered with the Society.
 - 3.1.5.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
- 3.1.6 All females older than 30 months on the date of the sale, must be certified in calf by a registered veterinarian.
- 3.1.7 A cow may be sold with her calf at foot provided that the calf is not older than eight months of age at the date of sale.
- 3.1.8 If the calf is younger than eight months, then the cow does not have to be confirmed in calf.
- 3.1.9 Should a seller retain semen straws or a semen share in a bull it must be declared as part of the information that appears in the sale catalogue.
- 3.1.10 When an animal that is jointly owned is offered for sale:
 - 3.1.10.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.10.2 The progeny of the said animal, as recorded and shown on Logix, must be included in the catalogue.

- 3.1.11 It is important for buyers to note that all Boran registered in the Societies calf book section (SP CLB), which are offered for sale under the auspices, are subject to inspection by the buyer. The screening prior to the sale does not constitute an inspection.
- 3.1.12 Cattle that are not "auction worthy" may under no circumstances be offered at the auction.

3.2 Animal Health

- 3.2.1 All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.
- 3.2.2 Calves sold at foot with their dams are exempt from TB and CA tests.
- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Within three months prior to the sale, bulls twenty-four (24) months and older, must:
- 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA, and TB.
- 3.2.6 Only semen from bulls registered and inspected with the Society, registered in accordance with the Animal Improvement Act No.62 of 1998, have DNA parental verification, and collected by a registered semen collector at a registered quarantine station, may be offered for sale, donated, included in any lot or linked to a sale of a lot. These bulls must be genomically tested and also test free of Pompies mutation and double muscling. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The health and pregnancy certificates must be submitted by the seller to the auctioneer prior to offloading the Boran at the sale. No animals will be off loaded at the sale facility if the certificates are not presented to the auctioneer or his responsible official prior to offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council administered hormones/steroids to an animal, which is regarded as unethical and a misrepresentation of such animal.

4 Catalogue

The catalogue is key to a successful sale and to the sellers marketing program. For this reason, it is important that sellers plan their sales well in advance. To provide the required service to seller's deadlines have to be strictly enforced by the society so as to meet the objectives outlined in this document.

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale. Example: If the auction is on the 30th July, the latest submission time and date would be at 17:00 on the 2nd July.
- 4.1.1 Only animals that meet the following requirements can be included in the catalogue:
- 4.1.1.1 appear on the Logix report titled "Selection/Admin" or Kraal Kaart and have the status "Reg" at the submission date. The exception is where the calf is older than 8 months, but younger than 15 months the calf can be included in the catalogue with the CLB status, as a lot B.
 - 4.1.1.2 and in the case of females on the day of sale will:
 - 4.1.1.2.1 have an average ICP less than 730 days (Inter Calf Periods of female animals offered at the National Auction(s) may not exceed 500 days maximum.)
 - 4.1.1.2.2 have calved before 42 months (Female animals offered at the National Auction(s) may not exceed 39 months of age at first calving.
 - 4.1.1.2.3 have been certified in calf by a veterinarian if older than 30 months
 - 4.1.1.2.4 Must have a calf at foot since her last embryo program.

- 4.1.2 If a breeder submits an entry that has been promoted from CLB to REG in the Selection/Admin report within 4 days after the cutoff time in 4.1, a late entry fee of R500 will be charged per lot to cover administration costs. If an animal is substituted (replaced) with another animal after the cutoff date, a fee of R500 will be charged per lot to cover administration costs.
- 4.1.2.1 The late entry request form will need to be completed and submitted to the office.
- 4.1.2.2 The fee will be invoiced and charged to the breeders account and will be payable even if the animal is screened off at the sale.
- 4.1.3 The seller must provide all the relevant information required on the entry form.
- 4.1.4 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organizer for approval. A period of 5 (five) working days will be granted to the organizer to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.1.5 Should any information, provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening of such changes prior to screening.
- 4.1.6 The sale catalogue will conform to the SA Studbook design.
- 4.1.7 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.1.8 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.1.9 No changes to the catalogue can be made after the entry date has expired.
- 4.1.10 The sale catalogues provide an annexure per seller. This annexure will be used by the inspectors for the screening of the animals offered at the auction.
- 4.1.11 The following applies to the breeder comments on the catalogue:
- 4.1.11.1 The comments box is limited to a certain number of characters. Where relevant, the information below must be displayed and takes precedence over general comments.
- 4.1.11.2 Pregnancy must be recorded in months.
- 4.1.11.3 If a cow is sold with the calf, the calf's number and its sire must be recorded.
- 4.1.11.4 If the cow is pregnant, it must be recorded who the possible sire of the calf will be and how far she is pregnant. The possible sire's ID must be recorded.
- 4.1.11.5 If the heifer or cow is running with a bull/s, the bull must be in possession of the seller or a loan bull to him. The bull/s ID must also be recorded.
- 4.1.11.6 After that, further comments from breeder can be recorded

5 Screening

- 5.1 The purpose of the screening is:
- 5.1.1 to verify the identification of the animals on offer
- 5.1.2 to inspect them for functional faults and compliance with Society norms and minimum breed standards.
- 5.1.3 to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 The inspectors officiating at a sale screening **may not** sell Boran registered in their name on that same sale.
- 5.3 All animals (SP, CLB and Appendix A, B & C.) presented at the sale will be screened. Boran marked Not for Registration (NFR) will not be subject to screening. CLB (Calf book) animals that pass screening on the day of the sale, are still subject to inspection at the required age.
- 5.4 Sale animals must be available for screening at 12:00 the day before the sale. The Boran office will appoint three senior (3) inspectors for screening animals as sale worthy for the National sale and two (2) senior inspectors for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the sellers of animals that have been screened off the sale.

- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening. The findings of the inspectors will be final.
- 5.9 A breeder of a Boran (both bulls and females) that fail screening shall have either of the following two options:
 - 5.9.1 Sell the Boran that has been screened off as a commercial animal, at a commercial sale held not under the auspices of the society that takes place on the same day. The Boran will be deregistered (lose its SP/No REG status) and will lose the right to reinstatement.
 - 5.9.2 Remove the Boran screened off immediately from the sale area / sales pens. This Boran will retain its SP REG status on condition that the Boran is immediately returned to its farm of origin.
- 5.10 If either the cow or the calf fails screening, then the entire lot will be deemed to have failed the screening and 5.9 will apply. Lot A and B, where the calf (Lot B) is between 8 and 15 months old and still calf book, will be considered as one lot.
- 5.11 No other type of inspection may be carried out during sale screening.
- 5.12 At least one of the inspectors involved in the screening, or another official appointed by the Society, will be available on the day of the sale to provide a marketing presence for the seller and the Society, to act in an advisory capacity to buyers and to ensure that the auction is conducted in compliance with the above rules.
- 5.13 After the auction (within three days after the sale), the inspector must send the signed screening list to the office for record keeping and transfers.

6 Duties of the auctioneer

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copies must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising as well as the words "Sale held under the auspices of the Boran Cattle Breeders' Society of SA".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals on the catalogue may be sold.
- 6.5 No animals will be allowed to be off loaded at the sale venue if the required veterinary certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide one (1) person to assist the inspectors with the screening of sale animals.
- 6.7 The senior inspector is responsible for submitting the signed screening report to the Society within two (2) weeks of the sale.
- 6.8 The auctioneer is responsible for collecting the health, fertility and pregnancy certificates for each animal on the sale. The auctioneer is responsible for distributing these certificates to the new owners after the sale.
- 6.9 The membership numbers of buyers that are registered Boran breeders must be obtained and included with the detail of animals purchased by such buyers in the vendor role.
- 6.10 Before commencement of a sale under the auspices of the Society:
 - 6.10.1 the Auctioneer will explain the meaning thereof,
 - 6.10.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.10.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.10.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.11 The contracted Auctioneer is responsible for ensuring, that between his organization and the sellers, adequate public liability insurance cover is in place for the auction.

7 Dispersal Sales

- 7.1 All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:
- 7.1.1 If a breeder intends to hold the dispersal sale in two parts, he may request in writing that Council extend his membership for the agreed upon period.
 - 7.1.2 It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.
 - 7.1.3 One year after the dispersal sale, the breeders' active membership of the Society and membership of SA Studbook will be cancelled and all animals not sold will be transferred to a nonmember number. Such person may remain as a nonactive ordinary member. After a lapse of five (5) years he may reapply for active membership of the Society and SA Studbook.
 - 7.1.4 All Boran registered with the Society on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the dispersal sale.
 - 7.1.5 Boran animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organization (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.
 - 7.1.6 A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Studbook cession form.
 - 7.1.7 The Society and SA Studbook membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the nonactive member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only reapply for registered breeder membership upon the lapse of 5 (five) years.

8 Commissions and Fees

- 8.1 The Society will receive a commission, as fixed from time to time by Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.
- 8.3 Should a bid be accepted during an auction under the auspices of the Society (regardless of who the buyer is), commission of 1% will be levied on the transaction as per Society's sales agreement.
- 8.4 Commission will be applicable on semen and embryo sales.

9 Buyers

- 9.1 Should a problem arise with an animal that a buyer has purchased on the sale, the buyer has 90 days from the sale date to raise the issue with the seller and / or council.

10 Sellers

- 10.1 For all entries the animal's sire's must, be verified by DNA (compulsory sire verification). However, both Sire and Dam verification is encouraged.
- 10.2 Sellers are expected to take the necessary remedial action in the event that the parentage of unborn calves of females sold under the auspices is not as stated in the catalogue when the calf is born after the sale. The onus is on the seller to reach an amicable solution with the buyer. Failing which the seller will refund the buyer and the buyer will return the Boran cow and calf to the seller.

- 10.3 Where females are in calf to "multi-sires", the identity numbers of the possible sires used must be supplied and each possible sire must have a DNA profile (Lab number) recorded.
- 10.4 All registered bulls used in the herd must have a DNA profile recorded on Logix

11 General Rules

- 11.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal
- 11.2 All applications for other forms of sale (e.g. internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

12 Requirements for Internet/Online Auctions

- 12.1 There must be a time span of one day between the closing dates of Internet/Online sales and the next auction's starting date.
- 12.2 All applications for internet/online auctions should be submitted timeously and in writing to the Council with the view to the practical application of the principles contained in the rules for sales held under the auspices of the Boran Cattle Breeders' Society of South Africa. The sale screening costs for internet/online auctions will be direct costs for the seller. Screenings of animals before an internet/online auction, must be done within two weeks prior to the auction. Please submit your request for a screening in writing to the Technical advisor (Christopher Havenga) and a screening will be arranged accordingly.
- 12.3 All veterinary documents for Internet/Online auctions must be received by the office two weeks before the beginning of the auction. This documentation includes: Breeding soundness (external genitalia, internal genitalia (rectal examination), macro-and microscopic evaluation of semen sample) in bulls and certificates for the testing of Trichomoniasis, Vibriose, CA and TB (males and females). Animals will not be sold if the documentation is not submitted in time. The same requirements apply as stated in the requirements for auctions held under the auspices (3.2 Animal Health)
- 12.4 In the event of a disease outbreak, such as Foot-and-Mouth, that prevents auctions from being held, the following procedures will be implemented regarding the screening of animals:
- 12.4.1 All screenings of animals intended for the online auction will take place on the farm of the seller, prior to the auction.
- 12.4.2 In the event that an auction is successfully concluded, the relocation of animals from the seller's farm to the buyer's premises will be subject to agreement between the seller and the buyer. The Boran Society will not be a party to these agreement, and the Society do not guarantee the relocation of animals in any way.
- 12.4.3 The seller and buyer must agree on a timeline for the relocation of animals that is both fair and safe, taking into account the prevailing disease conditions and any relevant regulatory requirements.
- 12.5 All other rules in this document also apply to internet/online auctions


The successful marketing of Boran stud animals is an important aspect of our members' economic success. For this reason, all steps must be taken to ensure that the Boran we sell meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the Society. Please contact the Society or a council member should you have any suggestions on how to improve sales under the auspices of the Society. Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

14 VPLAN Membership

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%
10	11	12	13	16	14	15	17	18	19	20	21	22	23	25	26	27

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (F)



TZ 240022

FAURZYL TZ240022

FAURZYL

Herd Book	SP
Birth date	2024-05-26
Age	2y 5m
Inbreeding	1%
DNA	U262013U003

W 180226 HH SP
MODEL W 180226
Wean Mat. 89

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TZ 200006 SP
FAURZYL TZ200006
Age 6y | AFC 26m | ICP 464d
Calves 4 | Weighed 3 | Wean Mat. 92
Avg. WI 110 | CCB - | CCW -
Calvings: 22-03, 23-03, 24-05, 25-12

W 110036 SP
MODEL MADOT
Wean Mat. 90

CTM 140153 SP
CHAN-TE-MAR CTM140153
Age 8y | AFC 34m | ICP 404d
Calves 4 | Weighed 1 | Wean Mat. 111
Avg. WI 106 | CCB - | CCW -

BU 150073 HH SP
BOSIU XENOX
Wean Mat. 103

TZ 170036 SP
FAURZYL TZ170036
Age 9y | AFC 27m | ICP 377d
Calves 6 | Weighed 4 | Wean Mat. 89
Avg. WI 95 | CCB - | CCW -

CI 070034 SP
CIRCLE C C1070034 - JUNIOR
B 040069 SP
BORBEN B 04 69
Age 10y | Avg. WI -
Calves 4 | Weighed -
CFH 090061 SP
ELANDSPRUIT CFH090061 - HAPPOOR
KB11A DH SP
KETA KB 11 A
Age 17y | Avg. WI 101
Calves 11 | Weighed 6
KB56X SP
KETA KB 56 X
GF 100032 HH SP
WALT RULE
Age 15y | Avg. WI 100
Calves 13 | Weighed 12
VST 110003 SP
TRAP ZAPPA
CI 090090 SP
CIRCLE C C1090090
Age 9y | Avg. WI 98
Calves 6 | Weighed 3

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theoanzy@vodamail.co.za

POSBUS 1642, LADYBRAND, 9745



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 94

88	Calving Ease Value
132	Calf Growth Value
89	Milk Value
81	Maintenance Value
81	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 121

PRODUCTION VALUE 102

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
84	123	132	89	112	82	78	106
72%	54%	59%	49%	52%	37%	25%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	122	119	123	128	123	126	99	104
42%	48%	17%	34%	51%	48%	22%	24%	22%

SELLER REMARKS: Madot W11 36 granddaughter combined with the winning combination of Khan MHB04 27 and Zelma HOT07 09. A phenomenal young female for the breeder looking for that something special! 6M in calf to BWS 22-87.

LOT 2 (F)



WS 240470

JABEA WS240470



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2024-12-03
Age	1y 11m
Inbreeding	8%
DNA	ZOCA2025-10422

WS 180092 SP
JABEA Potberg
Wean Mat. 102

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 210087 SP
JABEA WS210087
Age 4y | AFC 22m | ICP 384d
Calves 3 | Weighed - | Wean Mat. 115
Avg. WI - | CCB 7.23 | CCW -
Calvings: 23-10, 24-12, 25-11

TR 120030 SP
THREE RIVERS MR FEDERER
Wean Mat. 110

WS 120043 SP
JABEA WS120043
Age 12y | AFC 30m | ICP 410d
Calves 8 | Weighed 2 | Wean Mat. 107
Avg. WI 114 | CCB 5.69 | CCW 48.8

WS 160017 SP
JABEA WS160017
Wean Mat. 119

WS 160088 HH SP
JABEA WS160088
Age 9y | AFC 24m | ICP 440d
Calves 6 | Weighed - | Wean Mat. 112
Avg. WI - | CCB 6.18 | CCW -

E 080036 SP
TAMBARAINE E 08 36
B 100036 SP
BORBEN B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 070102 P SP
CIRCLE C C1070102
WS 100007 C
JABEA 100007
Age 7y | Avg. WI -
Calves 5 | Weighed -
CFH 110186 SP
ELANDSPRUIT CFH110186
WS 130066 C
JABEA WS130066
Age 9y | Avg. WI 104
Calves 6 | Weighed 3
TR 120030 SP
THREE RIVERS MR FEDERER
WS 130064 HH C
JABEA WS130064
Age 12y | Avg. WI 101
Calves 10 | Weighed 1

COW VALUE 82

103	Calving Ease Value
83	Calf Growth Value
108	Milk Value
88	Maintenance Value
99	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 93

PRODUCTION VALUE 87

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	100	83	108	105	94	103	104
70%	55%	37%	31%	20%	39%	20%	46%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	112	113	112	93	102	94	81	88
22%	22%	12%	32%	23%	22%	21%	23%	21%

SELLER REMARKS: Very well balanced open heifer. Bred from sire side out of Tambaraine and dam side Elandspruit. Served on 10/09/2026 by WS230323 silver merit winner 2024 phase C test at Glen. Mother ICP 386 days.

LOT 3 (F)



NP 200021

BLONDIE CHERI



Kuddeboek	SP
Geb. dtm	2020-09-09
Oud.	6j 2m
Inteling	3%
DNS	U260425U056
OEK	27m
Kalwers	4
Geweeg	3
Gem. SI	108
TKP	439d

D.J. PRETORIUS

Luckhoff, Free State

0827884082

niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700

Laaste Kalf

Kalf ID	NP 260032 (F)
Geb. datum	2026-07-25
Vaar ID	GB 210016

Kalwings: 22-12, 24-06, 25-08, 26-07

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



GB 140001 HH SP

KOLSKOOT GB 140001

Spn Mat. 78

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

EG 150048 HH SP

ADELSON CHERI

Oud. 11j | OEK 29m | TKP 441d
Kalwers 8 | Geweeg 6 | Spn. Mat. 105
Gem. SI 96 | KKG 8.41 | KKS 52.4

Kalwings: 18-02, 19-07, 20-09,
21-10, 22-09, 23-11, 25-01, 26-07

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

Spn Mat. 66

HVT 110027 SP

HEAVITREE HVT 110027

Oud. 15j | OEK 27m | TKP 452d
Kalwers 10 | Geweeg 6 | Spn. Mat. 102
Gem. SI 101 | KKG 9.3 | KKS 59.1

EG 110039 SP

ADELSON BOERKLONG

Spn Mat. 122

EG 110019 HH SP

ADELSON CHERI

Oud. 15j | OEK 27m | TKP 433d
Kalwers 11 | Geweeg 7 | Spn. Mat. 84
Gem. SI 96 | KKG 7.24 | KKS 47.6

PM14R SP

LILAYI PM14R

B 020004 SP

BORGEN B 02 04

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

B 050075 SP

BORGEN B 05 75

HVT 080003 SP

HEAVITREE HVT0803

Oud. 18j | Gem. SI -

Kalwers 6 | Geweeg -

TLM 050526 HH SP

KETA TLM 05 526 - KONING

EG 050006 SP

ADELSON EG 05 06 BLOMME

Oud. 10j | Gem. SI 104

Kalwers 7 | Geweeg 4

B 050074 SP

BORGEN B 05 74

EG 080002 SP

ADELSON 0802 MY CHERI

Oud. 13j | Gem. SI 103

Kalwers 9 | Geweeg 4

KOEIWAARDE 82

92	Kalfgemak Waarde
114	Kalfgroei Waarde
97	Melk Waarde
85	Onderhoudswaarde
76	Vrugbaarheidswaarde

GROEI WAARDE 107

KARKAS WAARDE 96

PRODUKSIE WAARDE 86



EBV Analise 2026-09-23

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
91	100	114	97	119	75	81	101
77%	81%	73%	70%	55%	39%	27%	60%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
115	111	114	116	117	112	117	94	72
34%	50%	15%	73%	53%	48%	47%	52%	47%

Raam

Karkas

VERKOPER OPMERKINGS: Selling with a beautiful heifer, NP2632 out of Jasper GB2116. Running with GB2311.

LOT 4 (F)



GB 240024

KOLSKOOT TESSA



Kuddeboek	SP
Geb. dtm	2024-04-23
Oud.	2j 6m
Inteling	1%
DNS	ZOCA2026-10954

G.D. BOTHA

Luckhoff, Free State

0823867724

kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



GB 200011 HH SP

KOLSKOOT ETSEBETH

Spn Mat. 126

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 210026 HH SP

KOLSKOOT TESSA

Oud. 5j | OEK 32m | TKP 502d
Kalwers 2 | Geweeg 1 | Spn. Mat. 97
Gem. SI 112 | KKG - | KKS -

Kalwings: 24-04, 25-09

CI 080130 SP

CIRCLE C CI080130

Spn Mat. 143

ZA 150017 SP

ZAWADI ZA 150017

Oud. 10j | OEK 41m | TKP 450d
Kalwers 7 | Geweeg 4 | Spn. Mat. 96
Gem. SI 102 | KKG 9.01 | KKS 57

FS 090005 SP

KROMSPRUIT FS 090005

Spn Mat. 77

GB 150035 SP

KOLSKOOT GB 150035

Oud. 5j | OEK 26m | TKP 432d
Kalwers 4 | Geweeg 4 | Spn. Mat. 105
Gem. SI 95 | KKG - | KKS 58.3

KB12B SP

KETA KB 12 B - VULCAN

GF74P D SP

GRASMER GF 74P

Oud. 15j | Gem. SI 100

Kalwers 5 | Geweeg 1

MXM100484 HH SP

MAMBUSHI 10-0484MXM

MXM100048 SP

MAMBUSHI 10-0048MXM

Oud. 8j | Gem. SI -

Kalwers 3 | Geweeg -

B 040050 SP

BORGEN B 04 50

HVT 950012 SP

OUTSPAN HVT950012

Oud. 21j | Gem. SI -

Kalwers 8 | Geweeg -

CC 100044 SP

SUPERIOR GENETICS CC100044

GB 120010 SP

KOLSKOOT GB 120010

Oud. 5j | Gem. SI -

Kalwers 1 | Geweeg -

KOEIWAARDE 105

102	Kalfgemak Waarde
85	Kalfgroei Waarde
111	Melk Waarde
117	Onderhoudswaarde
106	Vrugbaarheidswaarde

GROEI WAARDE 85

KARKAS WAARDE 97

PRODUKSIE WAARDE 98



EBV Analise 2026-09-23

Kalf en Moeder

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
109	82	85	111	119	104	106	112
69%	50%	48%	40%	41%	33%	21%	45%

Vrugbaarheid

Na-Speen Groei

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
94	82	78	85	71	79	113	128	97
30%	37%	11%	39%	40%	36%	34%	38%	34%

Raam

Karkas

VERKOPER OPMERKINGS: 6.5 months in calve to GB2304/ NP2214. One of our best to date! A Stunning Etsebeth daughter out of a combination of FS0905 , Umvubu, 494 and 3094 and Keizer.

LOT 5 (F)



NCT 190001
THUYN SMA BALLENTINE



KLIP HARDE VELDBEESTE

Herd Book	SP
Birth date	2019-01-06
Age	7y 10m
Inbreeding	0%
DNA	U17874U002
AFC	30m
Calves	5
Weighed	4
Avg. WI	98
ICP	386d

CI 080079 SP
CIRCLE C C1080079
Wean Mat. 77

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

CI 120016 SP
CIRCLE C C120016
Age 10y | AFC 32m | ICP 372d
Calves 7 | Weighed 6 | Wean Mat. 90
Avg. WI 96 | CCB - | CCW 51.6
Calvings: 14-12, 15-11, 17-01, 18-02, 19-01, 20-02, 21-01

KB14A SP
KETA KB 14 A - EXCALIBUR
Wean Mat. 69

TLM 020036 DH SP
KETA TLM020036
Age 18y | AFC 36m | ICP 409d
Calves 6 | Weighed - | Wean Mat. 67
Avg. WI - | CCB - | CCW -

CI 060011 DH SP
CIRCLE C C1060011
Wean Mat. 99

CI 060010 DH SP
CIRCLE C C1060010
Age 8y | AFC 27m | ICP 543d
Calves 5 | Weighed 1 | Wean Mat. 88
Avg. WI 100 | CCB - | CCW -

PM05L SP
PM 05L
GF39T D SP
GRASMERE GF 39T
Age 18y | Avg. WI -
Calves 9 | Weighed -
K6K2738 PBD
KE MOGWONI K6K2738
ZF279 F
SEGERA 279
Age 36y | Avg. WI -
Calves - | Weighed -
KB32X SP
KETA KB X 32
GF40R D SP
GRASMERE GF 40R
Age 16y | Avg. WI 100
Calves 7 | Weighed 1
TLM 020012 SP
KETA TLM 02 12
KB27X D SP
KETA KB 27 X
Age 15y | Avg. WI 100
Calves 8 | Weighed 3

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 250083 (M)
Birth Date	2025-09-19
Sire ID	NCT 180004

Calvings: 21-06, 22-08, 23-10, 24-09, 25-09

FMD VAC 03-SEP-26 (EXP 04-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 112

124	Calving Ease Value
76	Calf Growth Value
89	Milk Value
123	Maintenance Value
120	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 75

PRODUCTION VALUE 107

LOGIX
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	113	76	89	90	122	122	99
75%	91%	71%	75%	39%	37%	29%	60%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
76	95	100	80	90	87	79	95	95
46%	35%	9%	75%	38%	33%	32%	36%	32%

SELLER REMARKS: With fertility bred into a cow family like this, this feminine, well-balanced female is set to be one of the most proven females on auction. 8 Months in calf to NCT2110(Kontant) or NCT2203(Brand).



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 6 (F)



ENJ 220093
VAALKAMDOR ENJ 220093



VAALKAMDOR BORANE

Herd Book	SP
Birth date	2022-11-04
Age	3y 12m
Inbreeding	2%
DNA	U262237U001
AFC	26m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

TV 140002 SP
VALLEYRANCH TV 140002
Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 160035 SP
VAALKAMDOR ENJ 160035
Age 9y | AFC 38m | ICP 367d
Calves 7 | Weighed - | Wean Mat. 91
Avg. WI - | CCB - | CCW -
Calvings: 20-01, 20-12, 21-11, 22-11, 23-12, 25-01, 26-01

TLM 050503 SP
KETA TLM 05 503
Wean Mat. 100

TV 100007 SP
VALLEYRANCH AVA
Age 15y | AFC 30m | ICP 369d
Calves 13 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -

EG 110042 SP
ADELSON EG 110042
Wean Mat. 105

TV 130016 SP
VALLEYRANCH TV 130016
Age 13y | AFC 30m | ICP 369d
Calves 11 | Weighed - | Wean Mat. 71
Avg. WI - | CCB - | CCW -

K6K2459 PBD
KE MOGWONI K6K2459
KPO1680 F
KE OL PEJETA 1680
Age 34y | Avg. WI -
Calves - | Weighed -
KPO1017 PBD
KE OL PEJETA 1017
KPO1062 PBD
KE OL PEJETA KPO 1062
Age 26y | Avg. WI -
Calves 1 | Weighed -
CI 070075 SP
CIRCLE C C1070075
EG 090009 SP
ADELSON 0909 EDEN
Age 13y | Avg. WI 100
Calves 6 | Weighed 5
N 040007 SP
EERSTEGELUK-BAA N 04 07
TV 100009 SP
VALLEYRANCH MIA
Age 16y | Avg. WI -
Calves 10 | Weighed -

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730

Last Calf	
Calf ID	ENJ 250007 (M)
Birth Date	2025-01-15
Sire ID	KCTL180239

Calvings: 25-01

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 115

124	Calving Ease Value
72	Calf Growth Value
96	Milk Value
118	Maintenance Value
129	Fertility Value

GROWTH VALUE 93

CARCASS VALUE 96

PRODUCTION VALUE 110

LOGIX
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
128	92	72	96	86	139	118	101
74%	70%	40%	38%	26%	54%	28%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
80	91	88	85	91	89	98	112	109
26%	26%	13%	41%	28%	25%	22%	25%	22%

SELLER REMARKS: Rooijan TV14 02 daughter. She is one of a kind . She is feminine with lots of capacity going back to *Nitro , Voorslag,N04 07 Bronzen. She is 8 months in calf to *Duke ENJ 21 84 / Sweeper ENJ 20 53/ ENJ 23 01



LOT 7 (M)



ZIP 220037

BLOODLINE BUKS

Kuddeboek	SP
Geb. dtm	2022-09-10
Oud.	4j 2m
Inteling	0%
DNS	U14507U036

BORAN

BLOODLINE BORANE

Dewetsdorp, Free State

0823969071

bloodlineboran@gmail.com

POSBUS 57, DEWETSDORP, 9940

KOEIWAARDE	114
120	Kalfgemak Waarde
106	Kalfgroei Waarde
94	Melk Waarde
97	Onderhoudswaarde
103	Vrugbaarheidswaarde
GROEI WAARDE	137
KARKAS WAARDE	122
PRODUKSIE WAARDE	125

GROEI WAARDE	137
KARKAS WAARDE	122
PRODUKSIE WAARDE	125



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS: Buks is a large framed polled bull with some special genetics. On his father side he is a combination of Molls Hoop, Hope and Famous 42. On his mother's side he is a combination of rare Kakuzi, 3534 and 622 genetics. Just look at those outstanding figures. FMD Vaccinated.

WJ 100032 SP
JANSON WJ100032

Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

C 140044 SP
BYRNE VALLEY C140044

Oud. 9j | OEK 33m | TKP 380d
Kalwers 6 | Geweeg 2 | Spn. Mat. 101
Gem. SI 113 | KKG 7.04 | KKS 55.5
Kalwings: 17-06, 18-11, 19-10,
20-08, 21-09, 22-09

B 040042 SP
BORGEN B 04 42

Spn Mat. 85

MHB 050007 SP
MOLL'S-HOOP HOPE
Oud. 14j | OEK - | TKP 341d
Kalwers 8 | Geweeg - | Spn. Mat. 103
Gem. SI - | KKG - | KKS -

D 090008 SP
DELBOR D09008

Spn Mat. 71

D 120072 SP
DELBOR D12072
Oud. 14j | OEK 28m | TKP 521d
Kalwers 8 | Geweeg - | Spn. Mat. 104
Gem. SI - | KKG 6.14 | KKS -

KPO786 PBD
KE OL PEJETA 786

8334 F

ADC MUTARA 8334
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
KPO786 PBD
KE OL PEJETA 786
K6K2205 PBD
KE MOGWONI 2205
Oud. 34j | Gem. SI -
Kalwers - | Geweeg -
K6K3534 PBD
KE MOGWONI K6K3534
J5C1401 PBD
KE KAKUZI 1401
Oud. 26j | Gem. SI -
Kalwers - | Geweeg -
KPO622 PBD
KE OL PEJETA 622
KPO1073 PBD
KE OL PEJETA KPO1073
Oud. 33j | Gem. SI -
Kalwers 2 | Geweeg -

LOGIX
GENETICS CENTRALE
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
114	116	106	94	104	95	107	98
73%	62%	63%	49%	69%	44%	30%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	138	137	102	156	143	84	87	63
41%	59%	15%	49%	66%	56%	53%	62%	54%

LOT 8 (F)



PB 210012

PALMYRA PB 210012

Kuddeboek	SP
Geb. dtm	2021-01-28
Oud.	5j 9m
Inteling	1%
DNS	U15280U020
OEK	33m
Kalwers	3
Geweeg	1
Gem. SI	121
TKP	401d



J. JANSEN VAN VUUREN

Petrusburg, Free State

jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 260003 (M)
Geb. datum	2026-01-10
Vaar ID	JRS 170036

Kalwings: 23-11, 24-12, 26-01

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	100
94	Kalfgemak Waarde
104	Kalfgroei Waarde
125	Melk Waarde
84	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE	100
KARKAS WAARDE	99
PRODUKSIE WAARDE	99

GROEI WAARDE	100
KARKAS WAARDE	99
PRODUKSIE WAARDE	99



PT 140007 SP
PRATOS CHOBE

Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 150014 SP
PALMYRA PB 150014

Oud. 7j | OEK 30m | TKP 520d
Kalwers 4 | Geweeg 3 | Spn. Mat. 131
Gem. SI 106 | KKG 5.21 | KKS 45.9
Kalwings: 18-03, 19-10, 21-01,
22-06

CI 070127 SP
CIRCLE C 070127 - MAGNUM

Spn Mat. 119

BA 080086 SP
BA BA 080086
Oud. 15j | OEK - | TKP 389d
Kalwers 10 | Geweeg - | Spn. Mat. 67
Gem. SI - | KKG 5.61 | KKS -

PB 070037 SP
PALMYRA PB0737

Spn Mat. 134

PB 120052 SP
PALMYRA PB1252
Oud. 7j | OEK 34m | TKP 388d
Kalwers 4 | Geweeg 3 | Spn. Mat. 116
Gem. SI 102 | KKG 7.39 | KKS 49.2

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
TLM 020038 SP
KETA TLM020038
BA 050030 SP
BA SHAKIRA
Oud. 16j | Gem. SI 99
Kalwers 9 | Geweeg 2
25 PBD
KE MARULA 25
KPO936 PBD
KE OL PEJETA 936
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
TLM 020003 SP
KETA VOORSLAG
PB 070042 SP
PALMYRA PB0742
Oud. 12j | Gem. SI 98
Kalwers 8 | Geweeg 7

LOGIX
GENETICS CENTRALE
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
101	82	104	125	102	100	96	96
75%	77%	69%	61%	34%	44%	30%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
106	112	104	116	104	115	113	81	89
32%	33%	17%	71%	35%	32%	30%	33%	30%

VERKOPER OPMERKINGS: Excellent cow from proven genetics. Maternal lineage traces to Marula 25 and Voorslag, with Shakira, Buster and Magnum on the paternal side. Calf growth 104, milk value 125. 7.5 months in calf to Etosha (JRS17-36) or his son (PB23-30).

LOT 9 (F)



TZ 240084

FAURZYL TZ 240084

FAURZYL

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theoanzy@vodamail.co.za

POSBUS 1642,,LADYBRAND, 9745



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 95	
65	Calving Ease Value
123	Calf Growth Value
103	Milk Value
89	Maintenance Value
98	Fertility Value
GROWTH VALUE 118	
CARCASS VALUE 131	
PRODUCTION VALUE 102	

SELLER REMARKS: Genetics don't lie! Khan MHB04 27, Ambassador FN09 443, Mr Million CI08 30 as sire lines and Latika BA09 113, Ginger MHB06 48 dam lines. 383 over 5 calves - dam ICP! Ek sê niks! 2M in calf to BWS 22-87

VST 200150 SP
TRAP VST20150
Wean Mat. 104

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TZ 170037 SP
FAURZYL TZ170037
Age 9y | AFC 34m | ICP 383d
Calves 5 | Weighed 5 | Wean Mat. 98
Avg. WI 103 | CCB - | CCW -
Calvings: 20-08, 21-11, 22-11, 23-11, 24-11

PRB 140044 SP
PEINKE PRB140044
Wean Mat. 96

AH 160016 HH SP
BASHA HANNAH
Age 10y | AFC 35m | ICP 442d
Calves 6 | Weighed 3 | Wean Mat. 110
Avg. WI 101 | CCB 7.42 | CCW 44.7

TZ 140004 HH SP
FAURZYL FAURZYL TZ14004
Wean Mat. 93

TZ 130005 SP
FAURZYL TZ 130005
Age 9y | AFC 30m | ICP 331d
Calves 5 | Weighed 4 | Wean Mat. 113
Avg. WI 101 | CCB - | CCW -

Z 060051 SP
HLANZENI 20651 - MR MILLION
BA 090113 SP
BA LATIKA
Age 12y | Avg. WI 107
Calves 7 | Weighed 3
FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
AH 130072 HH SP
BASHA HANNAH
Age 12y | Avg. WI 107
Calves 8 | Weighed 7
CI 080030 SP
CIRCLE C COJACK
HOT 070008 HH SP
HOTSPOT BIANCA
Age 18y | Avg. WI 100
Calves 14 | Weighed 8
MHB 040027 SP
MOLLS-HOOP KHAN
MHB 060048 SP
MOLLS-HOOP GINGER
Age 15y | Avg. WI 91
Calves 10 | Weighed 1

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
70	78	123	103	132	93	98	111
72%	52%	68%	49%	52%	36%	25%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
126	126	122	110	121	128	119	135	106
40%	47%	16%	38%	50%	46%	36%	39%	36%

LOT 10 (F)



WS 240429

JABEA WS240429



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-,KROONSTAD, 9500



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 98	
109	Calving Ease Value
102	Calf Growth Value
83	Milk Value
96	Maintenance Value
102	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 98	
PRODUCTION VALUE 100	

SELLER REMARKS: A beautiful open heifer with exceptional breeding Sire BOS17004 Jackpot out of Jackie VST130084, granddaughter of WS120015 one of the best cows we ever had with an ICP of 362 days in veld conditions , 10 calves when she was 12 years old. Served by WS230323 Silver Merit winner phase C.

BOS 170045 HH SP
BOS-BLANCO BOS 170045
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 170038 SP
JABEA WS170038
Age 9y | AFC 25m | ICP 447d
Calves 6 | Weighed 1 | Wean Mat. 85
Avg. WI 115 | CCB 5.75 | CCW 54.4
Calvings: 19-09, 21-04, 22-03, 23-03, 24-10, 25-11

VST 130084 HH SP
TRAP JACKIE
Wean Mat. 87

BOS 120071 HH SP
BOS-BLANCO BOS BLANCO
Age 14y | AFC 30m | ICP 454d
Calves 9 | Weighed 1 | Wean Mat. 95
Avg. WI 103 | CCB - | CCW -

CFH 110504 SP
ELANDSPRUIT CFH 110504
Wean Mat. 96

WS 120015 C
JABEA WS120015
Age 12y | AFC 23m | ICP 362d
Calves 10 | Weighed 4 | Wean Mat. 66
Avg. WI 83 | CCB 5.76 | CCW 36.1

MHB 040027 SP
MOLLS-HOOP KHAN
MHB 090020 SP
MOLLS-HOOP JACKIE
Age 13y | Avg. WI 98
Calves 8 | Weighed 3
B 040042 SP
BORGEN B 04 42
BOS 080016 HH SP
BOS-BLANCO BOS0816
Age 18y | Avg. WI -
Calves 10 | Weighed -
E 060005 HH SP
TAMBARAINE E 06 05
CFH 080022 SP
ELANDSPRUIT CFH 08 0022
Age 18y | Avg. WI -
Calves 4 | Weighed -
CI 070030 SP
CIRCLE C C1070030
TYS 070418 B
DB TYS0741B
Age 9y | Avg. WI -
Calves 6 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	120	102	83	88	104	100	103
72%	54%	48%	42%	25%	37%	24%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	101	105	103	102	97	92	94	91
28%	24%	14%	37%	25%	23%	22%	23%	22%

LOT 11 (F)



NP 230018

BLONDIE ABBY



BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State

0827884082

niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700

Kuddeboek	SP
Geb. dtm	2023-08-26
Oud.	3j 2m
Inteling	1%
DNS	U260425U010

FMD ENT 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 110

105	Kalfgemak Waarde
99	Kalfgroei Waarde
89	Melk Waarde
99	Onderhoudswaarde
119	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 93

PRODUKSIE WAARDE 106

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MXM100484 HH SP
MAMBUSHI 10-0484MXM
Spn Mat. 76

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

AB 170072 HH SP
ABBA ABBY

Oud. 9j | OEK 27m | TKP 400d
Kalwers 7 | Geweeg 3 | Spn. Mat. 99
Gem. SI 92 | KKG 6.97 | KKS 41.8

Kalwings: 19-12, 21-10, 22-07,
23-08, 24-07, 25-07, 26-07

CB04507A
CHULU CB04507A
Spn Mat. 102

GF020129W SP
GRASMERE GF02129W
Oud. 24j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -

MXM110737 SP
MAMBUSHI 11-0737MXM
Spn Mat. 87

AB 100227 SP
ABBA BO AB100227
Oud. 15j | OEK 33m | TKP 395d
Kalwers 11 | Geweeg - | Spn. Mat. 107
Gem. SI - | KKG 6.6 | KKS -

PM94005L SP
LILAYI PM94005L
GF27R
GRASMERE 27R
Oud. 28j | Gem. SI -
Kalwers - | Geweeg -
GF95123M SP
GRASMERE GF95123M
GF96124O SP
GRASMERE GF96124O
Oud. 17j | Gem. SI -
Kalwers 4 | Geweeg -
PM02031W
LILAYI PM02031W
KB02027W
CHULU KB02027W
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
B 030019 DH SP
BORGEN B 03 19
TLM 050054 SP
KETA TLM050054
Oud. 10j | Gem. SI -
Kalwers 4 | Geweeg -

LOGIX
EBV Analyse 2026-09-23

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
99	115	99	89	108	113	116	112
72%	63%	66%	51%	48%	43%	27%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	98	94	99	97	96	105	94	111
29%	45%	12%	54%	47%	44%	43%	47%	44%

VERKOPER OPMERKINGS: 8 months in calf to Jasper, GB2116 A Long bodied white heifer out of our trusted AB1772 Abby motherline.

LOT 12 (F)



GB 240001

KOLSKOOT BEANKE



G.D. BOTHA

Luckhoff, Free State

0823867724

kolskootborane@gmail.com

POSBUS 46, LUCKHOFF, 9982

Kuddeboek	SP
Geb. dtm	2024-01-07
Oud.	2j 10m
Inteling	1%
DNS	ZOCA2026-10953

FMD ENT 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 93

93	Kalfgemak Waarde
85	Kalfgroei Waarde
119	Melk Waarde
116	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 92

PRODUKSIE WAARDE 93

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



GB 180007 HH SP
KOLSKOOT KAROOLUS
Spn Mat. 148

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 190009 HH SP
KOLSKOOT BEANKE

Oud. 7j | OEK 29m | TKP 413d
Kalwers 5 | Geweeg 5 | Spn. Mat. 87
Gem. SI 99 | KKG 8.38 | KKS 53.9

Kalwings: 21-07, 22-12, 24-01,
25-03, 26-01

EG 080001 SP
ADELSON KEISER 801
Spn Mat. 129

EG 050006 SP
ADELSON EG 05 06 BLOMME
Oud. 10j | OEK - | TKP 415d
Kalwers 7 | Geweeg 4 | Spn. Mat. 123
Gem. SI 104 | KKG 6 | KKS 44.7

WO 150001 SP
WILD OLIVE INVEST WO150001
Spn Mat. 102

GB 150029 HH SP
KOLSKOOT NOZZY
Oud. 11j | OEK 30m | TKP 360d
Kalwers 9 | Geweeg 5 | Spn. Mat. 63
Gem. SI 93 | KKG 6.95 | KKS 42.3

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
HVT 950003 SP
OUTSPAN HVT950003
Z 000510 SP
HLANZENI Z 00 51 KOLJANDER
Oud. 15j | Gem. SI 122
Kalwers 11 | Geweeg 1
BAR 110053 SP
BAR-CIRCLE BAR 110053
CFH 080260 SP
ELANDSPRUIT CFH08260
Oud. 12j | Gem. SI -
Kalwers 4 | Geweeg -
CFH 080063 SP
ELANDSPRUIT CFH 08 0063
GB 080002 HH SP
KOLSKOOT FRANCI
Oud. 14j | Gem. SI 100
Kalwers 9 | Geweeg 4

LOGIX
EBV Analyse 2026-09-23

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	95	85	119	91	94	86	104
71%	56%	65%	48%	46%	35%	22%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	101	96	85	109	104	100	103	90
30%	42%	12%	48%	45%	41%	40%	44%	40%

VERKOPER OPMERKINGS: 6 months in calf to GB2304/NP2214 A Thickset, feminine polled heifer that won't disappoint. Combining 494 x Forrester x PM14R x 1603 and Keizer.

LOT 13 (F)



NCT 220011

THUYN SMA ADIRA



KLIP HARDE VELDBEESTE

Herd Book	SP
Birth date	2022-05-18
Age	4y 5m
Inbreeding	4%
DNA	U262647U002
AFC	38m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 250040 (M)
Birth Date	2025-07-16
Sire ID	NCT 160021

Calvings: 25-07

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



FMD VAC 03-SEP-26 (EXP 04-MAR-27)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

COW VALUE 81

120	Calving Ease Value
77	Calf Growth Value
92	Milk Value
93	Maintenance Value
98	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 94

PRODUCTION VALUE 86

SELLER REMARKS: A highly feminine second-calving cow with exceptional length and hair quality. She possesses a presence and class that few females can match. A cow that immediately catches the eye. 7 Months in calf to NCT2110 (Kontant) or NCT2203 (Brand).

NCT 160053 SP

THUYN SMA OBELIX

Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NCT 180003 HH SP

THUYN SMA VALENTINE

Age 8y | AFC 34m | ICP 429d
Calves 5 | Weighed 4 | Wean Mat. 87
Avg. WI 103 | CCB 6.93 | CCW 41.5

Calvings: 20-12, 22-05, 23-07,
24-07, 25-08

ELS 110041 SP

ELS ELS1141

Wean Mat. 75

BS 120020 HH SP

MOUNTAIN VIEW 1220
Age 13y | AFC 39m | ICP 465d
Calves 8 | Weighed 8 | Wean Mat. 127
Avg. WI 114 | CCB 6.29 | CCW 41

CI 090072 SP

CIRCLE C CI090072

Wean Mat. 81

CI 120016 SP

CIRCLE C CI120016

Age 10y | AFC 32m | ICP 372d
Calves 7 | Weighed 6 | Wean Mat. 90
Avg. WI 96 | CCB - | CCW 51.6

MHB 040027 SP

MOLL'S-HOOP KHAN

CI 070123 SP

CIRCLE C CI070123

Age 17y | Avg. WI 100

Calves 12 | Weighed 5

TLM 050526 HH SP

KETA TLM 05 526 - KONING

WRA 050013 SP

RODS LUCKY 13

Age 19y | Avg. WI 97

Calves 14 | Weighed 1

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB5X P SP

KETA KB 5 X

Age 21y | Avg. WI 104

Calves 11 | Weighed 4

CI 060011 DH SP

CIRCLE C CI060011

CI 060010 DH SP

CIRCLE C CI060010

Age 8y | Avg. WI 100

Calves 5 | Weighed 1



EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
121	97	77	92	86	93	98	103
73%	66%	52%	47%	34%	43%	23%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
79	106	100	106	97	91	109	107	97
41%	31%	14%	49%	33%	30%	28%	31%	28%

LOT 14 (M)



ENJ 200040

VAALKAMDOR ENJ 200040



VAALKAMDOR BORANE

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730

Herd Book	SP
Birth date	2020-09-05
Age	6y 2m
Inbreeding	2%
DNA	U4449U038

TV 140002 SP

VALLEYRANCH TV 140002

Wean Mat. 106

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ENJ 170025 SP

VAALKAMDOR ENJ 170025

Age 9y | AFC 35m | ICP 387d
Calves 6 | Weighed - | Wean Mat. 85
Avg. WI - | CCB - | CCW -

Calvings: 20-09, 21-10, 22-11,
23-11, 24-11, 25-12

TLM 050503 SP

KETA TLM 05 503

Wean Mat. 100

TV 100007 SP

VALLEYRANCH AVA

Age 15y | AFC 30m | ICP 369d
Calves 13 | Weighed - | Wean Mat. 97
Avg. WI - | CCB - | CCW -

TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 80

HJ 090018 SP

HESSI HJ090018

Age 15y | AFC 29m | ICP 406d
Calves 11 | Weighed - | Wean Mat. 94
Avg. WI - | CCB 7.82 | CCW -

K6K2459 PBD

KE MOGWONI K6K2459

KPO1680 F

KE OL PEJETA 1680

Age 34y | Avg. WI -

Calves - | Weighed -

KPO1017 PBD

KE OL PEJETA 1017

KPO1062 PBD

KE OL PEJETA KPO 1062

Age 26y | Avg. WI -

Calves 1 | Weighed -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Age 18y | Avg. WI 95

Calves 12 | Weighed 3

TLM 050526 HH SP

KETA TLM 05 526 - KONING

CFH 060880 SP

ELANDSPRUIT CFH06880

Age 3y | Avg. WI -

Calves 1 | Weighed -



EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	111	85	95	91	111	96	100
73%	62%	42%	41%	30%	49%	31%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	93	91	94	89	87	95	118	107
30%	30%	16%	44%	32%	29%	24%	27%	24%

SELLER REMARKS: This is one rock of a bull. Long bodied with very good depth and capacity. Some old genetics like Nitro, Koning, Voorslag, B04 42 and going back to Z95 25 wick is a 494 daughter . His dam has an ICP of 387 over 6 calfs



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 15A (F)



ZIP 220058 BLOODLINE LITTLE PUNCH

Kuddeboek	SP
Geb. dtm	2022-09-30
Oud.	4j 1m
Inteling	1%
DNS	U262675U002
OEK	37m
Kalwers	1
Geweeg	1
Gem. SI	90
TKP	-

EP 140008 SP
EMBRIO PLUS EP 140008
Spn Mat. 71

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ZIP 190207 HH SP
BLOODLINE LITTLE PUNCH
Oud. 6j | OEK 33m | TKP 525d
Kalwers 3 | Geweeg 1 | Spn. Mat. 109
Gem. SI 98 | KKG 6.53 | KKS 55.6
Kalwings: 22-09, 24-08, 25-08

10-0010KG SP
KG-BORAN 10-0010KG (ET)
Spn Mat. 75

09-0015KG SP
KG-BORAN XEKO (ET)
Oud. 11j | OEK - | TKP 735d
Kalwers 5 | Geweeg - | Spn. Mat. 78
Gem. SI - | KKG - | KKS -

CFH 140100 SP
ELANDSPRUIT CFH 140100
Spn Mat. 138

FPL 150034 HH C
BLOODLINE LITTLE PUNCH
Oud. 11j | OEK 29m | TKP 412d
Kalwers 7 | Geweeg 5 | Spn. Mat. 83
Gem. SI 100 | KKG 7.81 | KKS 46.5

K6K3534 PBD
KE MOGWONI K6K3592 (IMK13)
Oud. 25j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3460 PBD
KE MOGWONI K6K3460
K6K2742 PBD
KE MOGWONI K6K2742
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
CFH 080073 SP
ELANDSPRUIT CFH 08 0073
CFH 080268 SP
ELANDSPRUIT CFH08268
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -
BAR 120128 SP
BAR-CIRCLE BAR-CIRCLE
FPL 070030 B
BLOODLINE FPL0730
Oud. 9j | Gem. SI 105
Kalwers 7 | Geweeg 6

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com
POSBUS 57,,DEWETSDORP, 9940

Laaste Kalf	
Kalf ID	ZIP 250114 (M)
Geb. datum	2025-10-24
Vaar ID	DDC 210198

Kalwings: 25-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 103

111	Kalfgemak Waarde
78	Kalfgroeie Waarde
84	Melk Waarde
137	Onderhoudswaarde
107	Vrugbaarheidswaarde

GROEI WAARDE 79

KARKAS WAARDE	76
PRODUKSIE WAARDE	94

VERKOPER OPMERKINGS: A 3in1 with a good looking bull calf at foot. Mr. Mogwooni linebred to R14 and rare Kakuzigenetics. She is already 7 months pregnant to our Bont bull Decade ZIP20-02. The type of cow that will be a great investment. FMD Vaccinated.

LOGIX
GENETICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
113	135	78	84	104	116	100	102
74%	66%	69%	58%	48%	49%	20%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
73	84	87	61	101	83	84	100	69
60%	44%	14%	70%	47%	43%	42%	46%	42%

LOT 15B (M)



ZIP 250114 BLOODLINE SHORTY

Kuddeboek	SP
Geb. dtm	2025-10-24
Oud.	1j
Inteling	1%
DNS	U25617U014

DDC 210198 SP
DDC DDC 210198
Spn Mat. 103

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ZIP 220058 SP
BLOODLINE LITTLE PUNCH
Oud. 4j | OEK 37m | TKP -
Kalwers 1 | Geweeg 1 | Spn. Mat. 84
Gem. SI 90 | KKG - | KKS 55.7
Kalwings: 25-10

FPL 130156 HH SP
BLOODLINE BRAVO
Spn Mat. 110

FPL 110044 SP
BLOODLINE SNOWFLAKE
Oud. 14j | OEK 25m | TKP 472d
Kalwers 10 | Geweeg 7 | Spn. Mat. 100
Gem. SI 104 | KKG 6.91 | KKS 36.9

EP 140008 SP
EMBRIO PLUS EP 140008
Spn Mat. 71

ZIP 190207 HH SP
BLOODLINE LITTLE PUNCH
Oud. 6j | OEK 33m | TKP 525d
Kalwers 3 | Geweeg 1 | Spn. Mat. 109
Gem. SI 98 | KKG 6.53 | KKS 55.6

FN 060064 SP
FONTEINE FN0664
FN 090397 SP
FONTEINE FN09397
Oud. 5j | Gem. SI 99
Kalwers 2 | Geweeg 1
HVT 950022 SP
OUTSPAN HVT950022
CFH 060009 SP
ELANDSPRUIT CFH 06 09
Oud. 18j | Gem. SI 100
Kalwers 12 | Geweeg 1
10-0010KG SP
KG-BORAN 10-0010KG (ET)
09-0015KG SP
KG-BORAN XEKO (ET)
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -
CFH 140100 SP
ELANDSPRUIT CFH 140100
FPL 150034 HH C
BLOODLINE LITTLE PUNCH
Oud. 11j | Gem. SI 100
Kalwers 7 | Geweeg 5

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com
POSBUS 57,,DEWETSDORP, 9940

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 104

116	Kalfgemak Waarde
82	Kalfgroeie Waarde
93	Melk Waarde
122	Onderhoudswaarde
104	Vrugbaarheidswaarde

GROEI WAARDE 92

KARKAS WAARDE	79
PRODUKSIE WAARDE	100

VERKOPER OPMERKINGS: Adding Bravo(Gianni X Delamere X 3094 X Caesar X Seg3089) and old 494 genetics to this Mr. Mogwooni daughter is a combination that continues to work. Will be inspected when of age. FMD Vaccinated.

LOGIX
GENETICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
110	115	82	93	92	110	100	103
69%	44%	64%	40%	43%	32%	16%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
80	86	84	80	93	79	104	91	72
38%	38%	10%	43%	41%	36%	36%	40%	36%

LOT 16 (M)



DBC 200037 HH

NIEKERKSHEK MOKALA

Herd Book	SP
Birth date	2020-10-28
Age	6y
Inbreeding	2%
DNA	U8179U006



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.comPIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 93011 CO-USER(S)
USED IN HERD (44)

Myostatin

Q204X	Free
NT821	Free
F94L	Free

FMD VAC 13-JUN-26 (EXP 12-DEC-26)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 104

99	Calving Ease Value
109	Calf Growth Value
93	Milk Value
86	Maintenance Value
112	Fertility Value

GROWTH VALUE 119

CARCASS VALUE 109

PRODUCTION VALUE 110

SELLER REMARKS: Herd sire par excellence! Mokala is a proven, powerful breeding bull with top genetics. Maternal: Ninety-Eight, Koning, Big Red, Hanna Montana. Paternal: Big Mama Cybelle, Alison, Buffel, Red Bull. Proven Palmyra progeny. Semen share retained.

DBC 140028 SP
NIEKERKSHEK HILUX
Wean Mat. 90

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

DBC 170047 SP
NIEKERKSHEK DBC 170047
Age 8y | AFC 35m | ICP 363d
Calves 6 | Weighed 5 | Wean Mat. 118
Avg. WI 104 | CCB 7.94 | CCW 45
Calvings: 20-10, 21-10, 22-10,
23-10, 24-11, 25-10LOGIX
GENETICS LIMITED
EBV Analysis 2026-09-23TLM 060506 SP
KETA TLM 6 506
Wean Mat. 82DLV 120005 SP
DE LA VIDA ALISON
Age 14y | AFC - | ICP 463d
Calves 9 | Weighed 2 | Wean Mat. 100
Avg. WI 103 | CCB - | CCW -SS 120056 SP
SANDSONIA FRED
Wean Mat. 116DBC 150015 SP
NIEKERKSHEK HANA
Age 11y | AFC 33m | ICP 351d
Calves 7 | Weighed 2 | Wean Mat. 111
Avg. WI 103 | CCB - | CCW 48.9TLM 020001 SP
KETA TLM020001 - BUFFEL
TLM 000010 SP
KETA TLM 00 10
Age 15y | Avg. WI 94
Calves 11 | Weighed 4
DLV 080002 SP
DE LA VIDA RED BULL DLV 0802
B 060099 SP
BORGEN ALISON
Age 19y | Avg. WI 97
Calves 12 | Weighed 1
CI 080115 SP
CIRCLE C C1080115
SS 090183 SP
SANDSONIA SS9183
Age 16y | Avg. WI -
Calves 13 | Weighed -
BS 090023 SP
MOUNTAIN VIEW BIG RED
DLV 100002 SP
DE LA VIDA HANA MONTANA
Age 15y | Avg. WI 107
Calves 8 | Weighed 3

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	75	109	93	108	106	118	100
93%	84%	91%	83%	82%	81%	80%	85%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
110	126	118	116	114	110	94	92	91
80%	81%	80%	83%	82%	81%	81%	81%	81%

LOT 17 (F)



TZ 240001

FAURZYL TZ240001

Herd Book	SP
Birth date	2024-01-10
Age	2y 10m
Inbreeding	1%
DNA	U262013U006

FAURZYL

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theoanzy@vodamail.co.za

POSBUS 1642,,LADYBRAND, 9745



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 117

116	Calving Ease Value
101	Calf Growth Value
107	Milk Value
96	Maintenance Value
110	Fertility Value

GROWTH VALUE 96

CARCASS VALUE 103

PRODUCTION VALUE 113

SELLER REMARKS: One of the Top Top heifers in her 2024 Group.Sired by Bolt BU17- 3 and with dam ICP of 388 over 4 calves this exceptional female will add value to any herd! 96 615, KPO21 and Bianca HOT07 08 make up a proven and solid dam line! 6M in calf to BWS 22-87.

BU 170003 HH SP
BOSIU BOLT
Wean Mat. 118

Parentage	Sire	Dam
DNA	✓	
Genomic		

TZ 190025 SP
FAURZYL TZ190025
Age 7y | AFC 27m | ICP 388d
Calves 4 | Weighed 1 | Wean Mat. 97
Avg. WI 111 | CCB - | CCW -
Calvings: 21-12, 22-12, 24-01,
25-02LOGIX
GENETICS LIMITED
EBV Analysis 2026-09-23B 070052 SP
BORGEN BONT
Wean Mat. 110CI 110076 HH SP
CIRCLE C LINDA
Age 15y | AFC - | ICP 466d
Calves 10 | Weighed 9 | Wean Mat. 117
Avg. WI 110 | CCB 6.06 | CCW 47.3BU 150073 HH SP
BOSIU XENOX
Wean Mat. 103TZ 140015 SP
FAURZYL FAURZYL BORTZ 14-15
Age 6y | AFC 33m | ICP 428d
Calves 3 | Weighed 2 | Wean Mat. 82
Avg. WI 87 | CCB - | CCW -B 030029 SP
BORGEN B03029
B 960615 SP
BORGEN B 96 615
Age 20y | Avg. WI -
Calves 8 | Weighed -
TLM 020001 SP
KETA TLM020001 - BUFFEL
GF77R D DH SP
GRASMERE GF 77 R
Age 18y | Avg. WI 91
Calves 8 | Weighed 2
KB56X SP
KETA KB 56 X
GF 100032 HH SP
WALT RULE
Age 15y | Avg. WI 100
Calves 13 | Weighed 12
MHB 060030 SP
MOLLS-HOOP RUSTIN
HOT 070008 HH SP
HOTSPOT BIANCA
Age 18y | Avg. WI 100
Calves 14 | Weighed 8

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	121	101	107	94	113	110	102
72%	60%	59%	52%	54%	45%	27%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	91	90	102	102	97	104	114	101
46%	50%	18%	40%	53%	50%	26%	28%	26%

LOT 18 (F)



WS 240458

JABEA WS240458



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, KROONSTAD, 9500

Kuddeboek	SP
Geb. dtm	2024-12-05
Oud.	1j 11m
Inteling	2%
DNS	ZOCA2025-10422

WS 190020 SP
JABEA WS190020
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

WS 200061 HH SP
JABEA WS200061
Oud. 6j | OEK 32m | TKP 427d
Kalwers 3 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG 6.4 | KKS -
Kalwings: 23-06, 24-12, 25-10

AH 130039 SP
BASHA AH1339
Spn Mat. 96

WS 120015 C
JABEA WS120015
Oud. 12j | OEK 23m | TKP 362d
Kalwers 10 | Geweeg 4 | Spn. Mat. 66
Gem. SI 83 | KKG 5.76 | KKS 36.1

CFH 130475 HH SP
ELANDSPRUIT CFH130475
Spn Mat. 103

WS 160026 C
JABEA WS160026
Oud. 9j | OEK 26m | TKP 364d
Kalwers 8 | Geweeg 2 | Spn. Mat. 93
Gem. SI 103 | KKG 5.17 | KKS 44.4

FN 090433 SP
FONTEINE FN090433 - AMBASSADOR
KB8A DH SP
KETA KB 8 A
Oud. 13j | Gem. SI -
Kalwers 8 | Geweeg -
CI 070030 SP
CIRCLE C CI070030
TYS 07041B B
DB TYS0741B
Oud. 9j | Gem. SI -
Kalwers 6 | Geweeg -
CI 080034 HH SP
CIRCLE C CI080034
FN 090479 SP
FONTEINE FN090479
Oud. 17j | Gem. SI -
Kalwers 12 | Geweeg -
CFH 110504 SP
ELANDSPRUIT CFH 110504
WS 100001 B
JABEA 100001
Oud. 9j | Gem. SI 97
Kalwers 9 | Geweeg 2

KOEIWAARDE	90
113	Kalfgemak Waarde
64	Kalfgroei Waarde
97	Melk Waarde
124	Onderhoudswaarde
107	Vrugbaarheidswaarde
GROEI WAARDE	-
KARKAS WAARDE	77
PRODUKSIE WAARDE	-

LOGIX
GENETICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
112	101	64	97	89	111	104	106
69%	51%	41%	34%	18%	35%	22%	43%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
71	84	86	78	76	74	87	110	102
21%	17%	10%	36%	17%	16%	15%	16%	15%

VERKOPER OPMERKINGS: Going back to Basha and Keta on sire side. Out of fertile line on mother's side. Walking with 2024 silver merit phase C winner bull WS230323 a young open heifer with great potential.



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 19 (F)



NP 240013

BLONDIE NP 240013



BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390, MARAISBURG, 1700

Kuddeboek	SP
Geb. dtm	2024-03-18
Oud.	2j 7m
Inteling	1%
DNS	U260425U011

GLB 150008 HH SP
GROEN LAND GLB 150008
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

NP 180007 SP
BLONDIE BEANKE
Oud. 8j | OEK 33m | TKP 409d
Kalwers 5 | Geweeg 5 | Spn. Mat. 92
Gem. SI 104 | KKG 9.12 | KKS 50.7
Kalwings: 21-06, 22-09, 24-03, 25-02, 25-12

FN 040024 SP
FONTEINE FN 04 24
Spn Mat. 106

FN 120036 SP
FONTEINE FN 12 36
Oud. 9j | OEK 36m | TKP 485d
Kalwers 6 | Geweeg 4 | Spn. Mat. 99
Gem. SI 109 | KKG 7.01 | KKS 44.3

EG 110034 SP
ADELSON EG 110034
Spn Mat. 81

GB 120037 SP
KOLSKOOT GB 120037
Oud. 8j | OEK 27m | TKP 332d
Kalwers 7 | Geweeg 3 | Spn. Mat. 68
Gem. SI 84 | KKG 5.17 | KKS -

K6K3094 PBD
KE MOGWONI 3094 (BMK163)
ISEG PBD
SEGERA 3089
Oud. 35j | Gem. SI -
Kalwers 1 | Geweeg -
CI 070001 DH SP
CIRCLE C CI070001
FN 080254 SP
FONTEINE FN08254
Oud. 9j | Gem. SI -
Kalwers 5 | Geweeg -
TLM 050526 HH SP
KETA TLM 05 526 - KONING
EG 070003 SP
ADELSON 703 SNEEUTJIE
Oud. 5j | Gem. SI 98
Kalwers 3 | Geweeg 1
CFH 080063 SP
ELANDSPRUIT CFH 08 0063
GB 080002 HH SP
KOLSKOOT FRANCHI
Oud. 14j | Gem. SI 100
Kalwers 9 | Geweeg 4

KOEIWAARDE	87
108	Kalfgemak Waarde
94	Kalfgroei Waarde
92	Melk Waarde
94	Onderhoudswaarde
92	Vrugbaarheidswaarde
GROEI WAARDE	101
KARKAS WAARDE	99
PRODUKSIE WAARDE	89

LOGIX
GENETICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	101	94	92	134	87	97	103
71%	58%	56%	50%	53%	30%	21%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	102	105	105	109	95	108	104	71
37%	50%	13%	51%	52%	49%	48%	52%	48%

VERKOPER OPMERKINGS: 8 months in calf to GB2116, Jasper. A Feminine heifer out of Markus , Koning, Forrester, PM14R and 494.



Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

LOT 20 (F)



GB 200005

KOLSKOOT SILVIA



G.D. BOTHA

Luckhoff, Free State

0823867724

kolskootborane@gmail.com

POSBUS 46,,LUCKHOFF, 9982

Last Calf

Calf ID	GB 260032 (F)
Birth Date	2026-03-15
Sire ID	GB 200011

Calvings: 22-08, 23-11, 25-03, 26-03

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



Herd Book	SP
Birth date	2020-01-26
Age	6y 9m
Inbreeding	0%
DNA	ZOCA2022-31302
AFC	31m
Calves	4
Weighed	2
Avg. WI	101
ICP	435d

FMD VAC 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

COW VALUE 110

112	Calving Ease Value
100	Calf Growth Value
88	Milk Value
90	Maintenance Value
121	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 95

PRODUCTION VALUE 110

SELLER REMARKS: 3 in 1! Selling with GB2632 from GB20-11, an exceptional heifer out of Etsebeth and 7 months pregnant again to Etsebeth. GB2011. Out of 1 of our most fertile damlines with MXM10484 as sire.

MXM100484 HH SP

MAMBUSHI 10-0484MXM

Wean Mat. 76

Parentage Sire Dam

DNA ✓ ✓

Genomic

GB 13019C C

KOLSKOOT SILVIA

Age 13y | AFC 27m | ICP 369d
Calves 11 | Weighed 8 | Wean Mat. 84
Avg. WI 99 | CCB 8.32 | CCW 59.6
Calvings: 15-11, 16-11, 17-12, 19-01,
20-01, 20-12, 21-11, 22-10, 24-02,
25-01, 25-12

CB04507A

CHULU CB04507A

Wean Mat. 102

GF020129W SP

GRASMER GF02129W

Age 24y | AFC - | ICP -
Calves - | Weighed - | Wean Mat. 99
Avg. WI - | CCB - | CCW -

GB 090011 SP

KOLSKOOT 0911

Wean Mat. 107

KT 100028 B

KT KT 100028

Age 13y | AFC 32m | ICP 374d
Calves 10 | Weighed 5 | Wean Mat. 77
Avg. WI 90 | CCB 7.77 | CCW 50.5

PM94005L SP

LILAYI PM94005L

GF27R

GRASMER 27R
Age 28y | Avg. WI -
Calves - | Weighed -
GF95123M SP
GRASMER GF95123M

GF961240 SP

GRASMER GF961240
Age 17y | Avg. WI -
Calves 4 | Weighed -
FE 960075 SP
FORRESTER 96/75

EG 060027 SP

ADELSON 627
Age 16y | Avg. WI -
Calves 13 | Weighed -
JAA 060009 C
ATJAN 0609

GB 07005A A

KOLSKOOT GB0705A
Age 4y | Avg. WI -
Calves 1 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	115	100	88	89	115	117	115
75%	80%	71%	68%	50%	42%	28%	60%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	106	104	111	117	108	93	97	111
31%	47%	12%	70%	49%	46%	45%	48%	45%

LOT 21 (M)



NCT 230053

THUYNSMA GAUCHO



CJ THUYNSMA BOERDERY

Hoopstad, Free State

0828682858

nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-09-08
Age	3y 2m
Inbreeding	1%
DNA	U262648U003

FMD VAC 03-SEP-26 (EXP 04-MAR-27)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

COW VALUE 88

100	Calving Ease Value
94	Calf Growth Value
91	Milk Value
110	Maintenance Value
88	Fertility Value

GROWTH VALUE 92

CARCASS VALUE 93

PRODUCTION VALUE 86

SELLER REMARKS: A distinguished young sire, backed by proven dam-line fertility and a striking pedigree combination. Exceptional length, short-legged and beautifully balanced for just 37 months.

NCT 160021 HH SP

THUYNSMA TEXAN

Wean Mat. 84

Parentage Sire Dam

DNA ✓ ✓

Genomic

NCT 180142 P SP

THUYNSMA GUCCI

Age 8y | AFC 27m | ICP 422d
Calves 5 | Weighed 4 | Wean Mat. 104
Avg. WI 103 | CCB 7.96 | CCW 49.2

Calvings: 21-01, 22-06, 23-09,
24-09, 25-08

ELS 110041 SP

ELS ELS1141

Wean Mat. 75

W 120019 HH SP

MODEL W120019

Age 14y | AFC 34m | ICP 498d
Calves 9 | Weighed 10 | Wean Mat. 111
Avg. WI 101 | CCB 7.49 | CCW 44.2

CI 080130 SP

CIRCLE C CI080130

Wean Mat. 143

BS 120034 HH SP

MOUNTAIN VIEW 1234

Age 14y | AFC 29m | ICP 364d
Calves 12 | Weighed 8 | Wean Mat. 73
Avg. WI 103 | CCB 6.68 | CCW 48.2

MHB 040027 SP

MOLL'S-HOOP KHAN

CI 070123 SP

CIRCLE C CI070123
Age 17y | Avg. WI 100
Calves 12 | Weighed 5

E 060005 HH SP

TAMBARINE E 06 05

AAA 080001 SP

TRIPLE A SIMONE
Age 15y | Avg. WI -
Calves 5 | Weighed -
KB12B SP

KETA KB 12 B - VULCAN

GF74P D SP

GRASMER GF 74P
Age 15y | Avg. WI 100
Calves 5 | Weighed 1

MHB 030006 SP

MOLL'S-HOOP CHICO

Z 010203 SP

HLANZENI Z 01 203

Age 16y | Avg. WI -
Calves 9 | Weighed -

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	112	94	91	137	88	91	102
72%	59%	68%	53%	71%	41%	25%	52%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
94	100	104	92	83	93	118	87	81
53%	62%	14%	55%	68%	59%	58%	66%	59%

LOT 22 (F)



ENJ 230047

VAALKAMDOR ENJ 230047

Kuddeboek	SP
Geb. dtm	2023-09-01
Oud.	3j 2m
Inteling	2%
DNS	U25123U005
OEK	34m
Kalwers	1
Geweeg	0
Gem. SI	-
TKP	-



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730

Laaste Kalf	
Kalf ID	ENJ 260068 (M)
Geb. datum	2026-07-15
Vaar ID	ENJ 220091

Kalwings: 26-07

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



ENJ 140011 HH SP
VAALKAMDOR ENJ14011
Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 110409 SP
FONTEINE FN110409
Oud. 15j | OEK 30m | TKP 418d
Kalwers 11 | Geweeg - | Spn. Mat. 96
Gem. SI - | KKG - | KKS -
Kalwings: 14-05, 15-03, 16-03,
17-02, 18-03, 19-06, 20-07, 21-09,
22-08, 23-09, 25-10

TV 100005 SP
VALLEYRANCH NICOLAI
Spn Mat. 80

TV 100004 SP
VALLEYRANCH ZINDZI
Oud. 16j | OEK 28m | TKP 391d
Kalwers 13 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

PM14R SP
LILAYI PM14R
Spn Mat. 104

FN 070142 SP
FONTEINE FN07142
Oud. 5j | OEK - | TKP (donor)
Kalwers 1 | Geweeg - | Spn. Mat. 93
Gem. SI - | KKG - | KKS -

B 040042 SP
BORGEN B 04 42
B 040017 SP
BORGEN B 04 17
Oud. 18j | Gem. SI 95
Kalwers 12 | Geweeg 3
B 040042 SP
BORGEN B 04 42
B 960615 SP
BORGEN B 96 615
Oud. 20j | Gem. SI -
Kalwers 8 | Geweeg -
NN85003A
BARAGOI FALCON NN85003A
J100
LILAYI PM92100J
Oud. 36j | Gem. SI -
Kalwers - | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
FN 030014 SP
FONTEINE FN 03 0014
Oud. 9j | Gem. SI -
Kalwers 3 | Geweeg -

KOEIWAARDE 85

125	Kalfgemak Waarde
78	Kalfgroei Waarde
96	Melk Waarde
92	Onderhoudswaarde
96	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE	108
PRODUKSIE WAARDE	88

LOGIX
GENETICS ONLINE
EBV Analyse 2026-09-23

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
124	103	78	96	111	75	107	106
75%	69%	40%	39%	36%	54%	32%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
83	96	96	107	101	95	113	121	92
32%	33%	24%	39%	35%	33%	28%	31%	29%

VERKOPER OPMERKINGS: If you want bont, a direct Boesman ENJ 14 11 daughter. She is long deep and feminine, line bred to the Winnie cow 96 615. Her grand dam Zindzi on sire side is the half suster to Zelma, Frieda, Tanya and Bianca. Sells with bont bull calf at foot ENJ 26 68. Running with bulls ENJ 20 40/ ENJ 21 110

LOT 23A (F)



ZIP 220045

BLOODLINE TOP CLASS

Kuddeboek	SP
Geb. dtm	2022-09-21
Oud.	4j 1m
Inteling	0%
DNS	U262675U001
OEK	37m
Kalwers	1
Geweeg	1
Gem. SI	106
TKP	-



BLOODLINE BORANE

Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57,,DEWETSDORP, 9940

Laaste Kalf	
Kalf ID	ZIP 250105 (M)
Geb. datum	2025-10-16
Vaar ID	DDC 210198

Kalwings: 25-10

Miostation	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



EP 140008 SP
EMBRIO PLUS EP 140008
Spn Mat. 71

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ZIP 190068 C
BLOODLINE TOP CLASS
Oud. 5j | OEK 36m | TKP 696d
Kalwers 2 | Geweeg 1 | Spn. Mat. 122
Gem. SI 111 | KKG 6.47 | KKS 69.4
Kalwings: 22-09, 24-08

10-0010KG SP
KG-BORAN 10-0010KG (ET)
Spn Mat. 75

09-0015KG SP
KG-BORAN XEKO (ET)
Oud. 11j | OEK - | TKP 735d
Kalwers 5 | Geweeg - | Spn. Mat. 78
Gem. SI - | KKG - | KKS -

CFH 140100 SP
ELANDSPRUIT CFH 140100
Spn Mat. 138

FPL 090076 B
BLOODLINE FPL 090076
Oud. 11j | OEK 25m | TKP 353d
Kalwers 9 | Geweeg 8 | Spn. Mat. 98
Gem. SI 99 | KKG 8.49 | KKS 48.3

K6K3534 PBD
KE MOGWOOINI K6K3534
3592 PBD
KE MOGWOOINI K6K3592 (IMK13)
Oud. 25j | Gem. SI -
Kalwers 1 | Geweeg -
K6K3460 PBD
KE MOGWOOINI K6K3460
K6K2742 PBD
KE MOGWOOINI K6K2742
Oud. 30j | Gem. SI -
Kalwers - | Geweeg -
CFH 080073 SP
ELANDSPRUIT CFH 08 0073
CFH 080268 SP
ELANDSPRUIT CFH08268
Oud. 8j | Gem. SI -
Kalwers 4 | Geweeg -
CDH 040006 C
MASAI CDH 04 06
CFH 050450 A
ELANDSPRUIT CFH05450
Oud. 9j | Gem. SI 99
Kalwers 8 | Geweeg 7

LOGIX
GENETICS ONLINE
EBV Analyse 2026-09-23

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
79	117	119	101	110	115	99	98
74%	66%	69%	58%	48%	49%	20%	53%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	105	113	93	133	112	105	98	85
60%	44%	14%	70%	47%	42%	41%	45%	41%

VERKOPER OPMERKINGS: A 3in1 with an amazing bull calf at foot. Mr. Mogwooni linebred to R14. She is already 7 months pregnant to our Bont bull Decade ZIP20-02. Once again some exceptional figures for you to consider. FMD Vaccinated.

LOT 23B (M)



ZIP 250105

BLOODLINE Q-MAN

Herd Book	SP
Birth date	2025-10-16
Age	1y
Inbreeding	1%
DNA	U25617U013

DDC 210198 SP
DDC DDC 210198
Wean Mat. 103

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

ZIP 220045 SP
BLOODLINE TOP CLASS
Age 4y | AFC 37m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 101
Avg. WI 106 | CCB - | CCW 56.7
Calvings: 25-10

FPL 130156 HH SP
BLOODLINE BRAVO
Wean Mat. 110

FPL 110044 SP
BLOODLINE SNOWFLAKE
Age 14y | AFC 25m | ICP 472d
Calves 10 | Weighed 7 | Wean Mat. 100
Avg. WI 104 | CCB 6.91 | CCW 36.9

EP 140008 SP
EMBRIO PLUS EP 140008
Wean Mat. 71

ZIP 190068 C
BLOODLINE TOP CLASS
Age 5y | AFC 36m | ICP 696d
Calves 2 | Weighed 1 | Wean Mat. 122
Avg. WI 111 | CCB 6.47 | CCW 69.4

FN 060064 SP
FONTEINE FN0664
FN 090397 SP
FONTEINE FN09397
Age 5y | Avg. WI 99
Calves 2 | Weighed 1
HVT 950022 SP
OUTSPAN HVT950022
CFH 060009 SP
ELANDSPRUIT CFH 06 09
Age 18y | Avg. WI 100
Calves 12 | Weighed 1
10-0010KG SP
KG-BORAN 10-0010KG (ET)
09-0015KG SP
KG-BORAN XEKO (ET)
Age 11y | Avg. WI -
Calves 5 | Weighed -
CFH 140100 SP
ELANDSPRUIT CFH 140100
FPL 090076 B
BLOODLINE FPL 090076
Age 11y | Avg. WI 99
Calves 9 | Weighed 8

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57,,DEWETSDORP, 9940

COW VALUE	105
79	Calving Ease Value
121	Calf Growth Value
102	Milk Value
92	Maintenance Value
102	Fertility Value
GROWTH VALUE	109
CARCASS VALUE	98
PRODUCTION VALUE	108

LOGIX
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
74	108	121	102	98	107	99	101
69%	44%	64%	40%	43%	32%	16%	41%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
117	102	101	106	115	101	121	90	80
38%	38%	10%	43%	41%	36%	35%	40%	36%

SELLER REMARKS: Adding Bravo(Gianni X Delamere X 3094 X Caesar X Seg3089) and old 494 genetics to this Mr. Mogwooni daughter really worked well. Stud bull in the making. Will be inspected when of age. FMD Vaccinated.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 24 (F)



PB 200035

PALMYRA PB 200035

Herd Book	SP
Birth date	2020-06-22
Age	6y 4m
Inbreeding	1%
DNA	U8175U021
AFC	27m
Calves	4
Weighed	2
Avg. WI	113
ICP	430d

PT 140007 SP
PRATOS CHOBE
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	
Genomic		

PB 150050 C
PALMYRA PB 150050
Age 5y | AFC 24m | ICP 476d
Calves 3 | Weighed 3 | Wean Mat. 121
Avg. WI 101 | CCB 9.14 | CCW 42.3
Calvings: 17-11, 19-01, 20-06

CI 070127 SP
CIRCLE C 070127 - MAGNUM
Wean Mat. 119

BA 080086 SP
BA BA 080086
Age 15y | AFC - | ICP 389d
Calves 10 | Weighed - | Wean Mat. 67
Avg. WI - | CCB 5.61 | CCW -

PB 100028 SP
PALMYRA BUKS
Wean Mat. 83

PB 090037 B
PALMYRA PB090037
Age 8y | AFC 33m | ICP 388d
Calves 6 | Weighed 5 | Wean Mat. 144
Avg. WI 105 | CCB 6.99 | CCW 43.7

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Age 15y | Avg. WI -
Calves 6 | Weighed -
TLM 020038 SP
KETA TLM020038
BA 050030 SP
BA SHAKIRA
Age 16y | Avg. WI 99
Calves 9 | Weighed 2
TLM 020004 SP
KETA TLM020004 CAESAR
PB 070015 SP
PALMYRA PB0715
Age 11y | Avg. WI 96
Calves 5 | Weighed 1
KB9A SP
KETA KB 9 A
PB 070025 A
PALMYRA PB0725
Age 6y | Avg. WI 102
Calves 6 | Weighed 5

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Last Calf	
Calf ID	PB 260025 (F)
Birth Date	2026-04-20
Sire ID	JRS 170036

Calvings: 22-10, 23-12, 25-01, 26-04

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE	95
84	Calving Ease Value
101	Calf Growth Value
119	Milk Value
91	Maintenance Value
100	Fertility Value
GROWTH VALUE	96
CARCASS VALUE	97
PRODUCTION VALUE	93

LOGIX
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
91	83	101	119	109	105	101	98
76%	80%	70%	67%	34%	49%	31%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	106	107	107	104	111	106	81	80
30%	33%	18%	73%	35%	31%	30%	33%	30%

SELLER REMARKS: Solid, proven cow with excellent progeny. Maternal line traces to Ceaser, KB 9A and BUKS, with Shakira, Buster and Magnum on the paternal side. A productive cow offering strong breeding value and possible 3-in-1. Heifer calf PB2625 at foot from Etosha (JRS17-36) Running with Mokala (DBC20-37).



LOT 25 (M)



TZ 230004
FAURZYL TZ230004

FAURZYL

Kuddeboek	SP
Geb. dtm	2023-02-11
Oud.	3j 9m
Inteling	0%
DNS	U23459U007

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theoanzy@vodamail.co.za

POSBUS 1642, LADYBRAND, 9745

GEBRUIK IN KUDDE (7)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE	111
118	Kalfgemak Waarde
124	Kalfgroei Waarde
88	Melk Waarde
84	Onderhoudswaarde
88	Vrugbaarheidswaarde
GROEI WAARDE	130
KARKAS WAARDE	116
PRODUKSIE WAARDE	120

VERKOPER OPMERKINGS: Top class Madot W11 36 grandson. His dam ICP 362 over 4 calves! Dam line royalty, Bianca HOT07 08 and the one and only Jackie MHB05 08! Used in the Herd... EBV'S to match!

LOGIX
GENETICS & GENOMICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
118	128	124	88	127	84	82	114
79%	54%	75%	47%	70%	36%	25%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	144	139	118	127	131	125	96	106
46%	48%	16%	34%	68%	60%	22%	24%	22%

LOT 26 (F)



WS 240436 HH

JABEA WS240436

Kuddeboek	SP
Geb. dtm	2024-09-29
Oud.	2j 1m
Inteling	0%
DNS	USC068694



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN, KROONSTAD, 9500



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

KOEIWAARDE	104
94	Kalfgemak Waarde
101	Kalfgroei Waarde
110	Melk Waarde
112	Onderhoudswaarde
96	Vrugbaarheidswaarde
GROEI WAARDE	105
KARKAS WAARDE	107
PRODUKSIE WAARDE	105

VERKOPER OPMERKINGS: Fertile 5 months pregnant from either BH200081 or WS235125. Genomics tested, sire NBOR 180016 her genetics going back to Borgen and Khan

LOGIX
GENETICS & GENOMICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
92	100	101	110	114	100	83	116
86%	82%	81%	81%	80%	80%	80%	82%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	110	110	90	101	109	117	108	98
80%	80%	79%	81%	80%	80%	79%	79%	79%

LOT 27 (F)



WS 240408

JABEA WS240408



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-,KROONSTAD, 9500



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2024-11-03
Age	1y 12m
Inbreeding	0%
DNA	ZOCA2025-10420

AH 160037 HH SP
BASHA AH 160037
Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 180069 SP
JABEA WS180069
Age 8y | AFC 25m | ICP 457d
Calves 5 | Weighed - | Wean Mat. 105
Avg. WI - | CCB 6.35 | CCW -
Calvings: 20-10, 22-02, 23-08, 24-11, 25-10

B 040001 SP
BORGEN B 04001
Wean Mat. 132

CDH 090054 SP
MASAI OULIK
Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 80
Avg. WI 102 | CCB 5.94 | CCW 45.9

TR 120030 SP
THREE RIVERS MR FEDERER
Wean Mat. 110
WS 140009 C
JABEA WS140009
Age 11y | AFC 28m | ICP 357d
Calves 10 | Weighed 3 | Wean Mat. 97
Avg. WI 99 | CCB 5.76 | CCW 43.1

KPO1017 PBD
KE OL PEJETA 1017
Z7F2773 PBD
KE WORAGUS Z7F 2773
Age 34y | Avg. WI -
Calves 1 | Weighed -
KB39X SP
KETA KB 39 X
CDH 060003 C
MASAI KENDRA
Age 17y | Avg. WI -
Calves - | Weighed -
E 080036 SP
TAMBARAINE E 08 36
B 100036 SP
BORGEN B 100036
Age 5y | Avg. WI 104
Calves 3 | Weighed 2
CI 080150 SP
CIRCLE C CI080150
WS 110009 B
JABEA WS110009
Age 8y | Avg. WI 111
Calves 6 | Weighed 4

COW VALUE 91	
81	Calving Ease Value
109	Calf Growth Value
110	Milk Value
90	Maintenance Value
94	Fertility Value
GROWTH VALUE 110	
CARCASS VALUE 109	
PRODUCTION VALUE 96	

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
80	97	109	110	110	99	86	106
72%	61%	49%	41%	35%	46%	27%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
114	119	116	109	112	119	95	93	105
32%	34%	26%	41%	36%	33%	31%	34%	31%

SELLER REMARKS: Fertile heifer 6 months pregnant from either BH200081 or WS235125 . Going back to Basha and Pejeta on sire side and Tambarraine on dam side, grandmother had ICP of 357 days.

LOT 28 (F)



NP 240023

BLONDIE CHERI



BLONDIE BORANE

D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com

POSBUS 390,,MARAISBURG, 1700



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2024-07-05
Age	2y 4m
Inbreeding	3%
DNA	U262405U004

GLB 150008 HH SP
GROEN LAND GLB 150008
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NP 190001 SP
BLONDIE CHERI
Age 7y | AFC 30m | ICP 477d
Calves 5 | Weighed 2 | Wean Mat. 84
Avg. WI 106 | CCB 8.07 | CCW -
Calvings: 21-07, 22-09, 24-07, 25-06, 26-09

FN 040024 SP
FONTEINE FN 04 24
Wean Mat. 106

FN 120036 SP
FONTEINE FN 12 36
Age 9y | AFC 36m | ICP 485d
Calves 6 | Weighed 4 | Wean Mat. 99
Avg. WI 109 | CCB 7.01 | CCW 44.3

GB 140001 HH SP
KOLSKOOT GB 140001
Wean Mat. 78

EG 110019 HH SP
ADELSON CHERI
Age 15y | AFC 27m | ICP 433d
Calves 11 | Weighed 7 | Wean Mat. 84
Avg. WI 96 | CCB 7.24 | CCW 47.6

K6K3094 PBD
KE MOGWONI 3094 (BMK163)
ISEG PBD
SEGERA 3089
Age 35y | Avg. WI -
Calves 1 | Weighed -
CI 070001 DH SP
CIRCLE C CI070001
FN 080254 SP
FONTEINE FN08254
Age 9y | Avg. WI -
Calves 5 | Weighed -
CFH 080063 SP
ELANDSPRUIT CFH 08 0063
HVT 110027 SP
HEAVITREE HVT 110027
Age 15y | Avg. WI 101
Calves 10 | Weighed 6
B 050074 SP
BORGEN B 05 74
EG 080002 SP
ADELSON 0802 MY CHERI
Age 13y | Avg. WI 103
Calves 9 | Weighed 4

FMD VAC 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 89	
108	Calving Ease Value
104	Calf Growth Value
88	Milk Value
90	Maintenance Value
88	Fertility Value
GROWTH VALUE 112	
CARCASS VALUE 104	
PRODUCTION VALUE 95	

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
105	106	104	88	136	92	89	98
72%	57%	58%	47%	53%	30%	20%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
108	112	118	110	111	107	120	96	86
36%	50%	11%	45%	52%	48%	48%	51%	48%

SELLER REMARKS: 8 months in calf to Jasper, GB2116. An excellent heifer with capacity out of our Cheri (3094) motherline combined with a linebred 494 bull, FN2048.

LOT 29 (F)



GB 240002

KOLSKOOT SYLVIA

Kuddeboek	SP
Geb. dtm	2024-01-07
Oud.	2j 10m
Inteling	0%
DNS	ZOCA2026-10953

KOLSKOOT
BORANE

G.D. BOTHA

Luckhoff, Free State

0823867724

kolskootborane@gmail.com

POSBUS 46,,LUCKHOFF, 9982

FMD ENT 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

KOEIWAARDE 89

109	Kalfgemak Waarde
100	Kalfgroei Waarde
92	Melk Waarde
88	Onderhoudswaarde
92	Vrugbaarheidswaarde

GROEI WAARDE 114

KARKAS WAARDE 107

PRODUKSIE WAARDE 95

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



GLB 150008 HH SP

GROEN LAND GLB 150008

Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 160022 C
KOLSKOOT SYLVIA

Oud. 10j | OEK 35m | TKP 410d
Kalwers 6 | Geweeg 5 | Spn. Mat. 90
Gem. SI 103 | KKG 7.86 | KKS 53.8

Kalwings: 19-06, 20-10, 21-10,
22-11, 24-01, 25-01

FN 040024 SP

FONTINE FN 04 24

Spn Mat. 106

FN 120036 SP

FONTINE FN 12 36

Oud. 9j | OEK 36m | TKP 485d
Kalwers 6 | Geweeg 4 | Spn. Mat. 99
Gem. SI 109 | KKG 7.01 | KKS 44.3

EG 100046 SP

ADELSON EG 100046

Spn Mat. 106

KT 100028 B

KT KT 100028

Oud. 13j | OEK 32m | TKP 374d
Kalwers 10 | Geweeg 5 | Spn. Mat. 77
Gem. SI 90 | KKG 7.77 | KKS 50.5

K6K3094 PBD
KE MOGWONI 3094 (BMK163)

ISEG PBD

SEGERA 3089

Oud. 35j | Gem. SI -

Kalwers 1 | Geweeg -

CI 070001 DH SP

CIRCLE C C1070001

FN 080254 SP

FONTINE FN08254

Oud. 9j | Gem. SI -

Kalwers 5 | Geweeg -

EG 080001 SP

ADELSON KEISER 801

EG 050002 SP

ADELSON EG 05 02 LIEFIE

Oud. 21j | Gem. SI 103

Kalwers 13 | Geweeg 4

JAA 060009 C

ATJAN 0609

GB 07005A A

KOLSKOOT GB0705A

Oud. 4j | Gem. SI -

Kalwers 1 | Geweeg -

LOGIX
GENETICS CENTRA
EBV Analyse 2026-09-23

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	111	100	92	136	93	91	101
71%	61%	67%	52%	51%	26%	20%	51%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	116	119	112	112	112	117	97	90
34%	47%	10%	51%	50%	46%	45%	49%	46%

VERKOPER OPMERKINGS: 8 months in calf to GB2011, Etsebeth. A feminine Markus daughter out of our Sylvia line.

LOT 30 (F)



GB 240011

KOLSKOOT ANJA

Kuddeboek	SP
Geb. dtm	2024-02-27
Oud.	2j 8m
Inteling	2%
DNS	ZOCA2026-10954

KOLSKOOT
BORANE

G.D. BOTHA

Luckhoff, Free State

0823867724

kolskootborane@gmail.com

POSBUS 46,,LUCKHOFF, 9982

FMD ENT 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

KOEIWAARDE 111

111	Kalfgemak Waarde
98	Kalfgroei Waarde
87	Melk Waarde
111	Onderhoudswaarde
110	Vrugbaarheidswaarde

GROEI WAARDE 90

KARKAS WAARDE 92

PRODUKSIE WAARDE 106

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



MXM100484 HH SP

MAMBUSHI 10-0484MXM

Spn Mat. 76

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

GB 140015 C
KOLSKOOT ANJA

Oud. 12j | OEK 31m | TKP 379d
Kalwers 10 | Geweeg 6 | Spn. Mat. 91
Gem. SI 101 | KKG 6.64 | KKS 45.2

Kalwings: 16-10, 17-11, 18-11, 19-11,
20-10, 21-10, 22-09, 24-02, 25-01,
26-02

CB04507A

CHULU CB04507A

Spn Mat. 102

GF020129W SP

GRASMER GF02129W

Oud. 24j | OEK - | TKP -
Kalwers - | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -

CFH 080063 SP

ELANDSPRUIT CFH 08 0063

Spn Mat. 66

GB 11015B B

KOLSKOOT GB 11015B

Oud. 5j | OEK 27m | TKP -
Kalwers 1 | Geweeg - | Spn. Mat. 111
Gem. SI - | KKG - | KKS -

PM94005L SP

LILAYI PM94005L

GF27R

GRASMER 27R

Oud. 28j | Gem. SI -

Kalwers - | Geweeg -

GF95123M SP

GRASMER GF95123M

GF961240 SP

GRASMER GF961240

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

PM14R SP

LILAYI PM14R

B 020004 SP

BORGEN B 02 04

Oud. 17j | Gem. SI -

Kalwers 4 | Geweeg -

CDH 050001 C

MASAI CDH 05 01

GB 10018A A

KOLSKOOT GB10018A

Oud. 16j | Gem. SI -

Kalwers 3 | Geweeg -

LOGIX
GENETICS CENTRA
EBV Analyse 2026-09-23

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
105	111	98	87	101	107	111	102
72%	65%	67%	56%	53%	44%	29%	56%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	97	97	91	115	104	99	98	112
34%	50%	14%	54%	52%	48%	48%	51%	48%

VERKOPER OPMERKINGS: 6 months in calf to GB2304. A feminine MXM10484 daughter combining well with PM14R, Forrester and 494.

LOT 31 (F)



NCT 230004

THUYN SMA PORTIA



KLIPHARDE VELDBEESTE

Herd Book	SP
Birth date	2023-02-07
Age	3y 9m
Inbreeding	1%
DNA	U2287IU005
AFC	41m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 260031 (F)
Birth Date	2026-07-02
Sire ID	NCT 210010

Calvings: 26-07

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



FMD VAC 03-SEP-26 (EXP 04-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 93	
96	Calving Ease Value
105	Calf Growth Value
94	Milk Value
94	Maintenance Value
96	Fertility Value
GROWTH VALUE 111	
CARCASS VALUE 99	
PRODUCTION VALUE 98	

SELLER REMARKS: A beautifully full-bodied, deep red first-calving heifer with heifer calf NCT2631, from NCT2110 (Kontant). Exceptional depth, outstanding femininity, and a head of true distinction set her apart. A quality young female worthy of serious consideration.

NCT 190011 HH SP
THUYN SMA MUFASA
Wean Mat. 88

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NCT 200004 SP
THUYN SMA PORSCHE
Age 6y | AFC 36m | ICP 648d
Calves 2 | Weighed 2 | Wean Mat. 104
Avg. WI 106 | CCB 9.43 | CCW 49.6
Calvings: 23-02, 24-11

CI 080079 SP
CIRCLE C CI080079
Wean Mat. 77

W 130158 SP
MODEL W130158
Age 13y | AFC 30m | ICP 384d
Calves 11 | Weighed 7 | Wean Mat. 118
Avg. WI 99 | CCB 6.74 | CCW 50.9

CI 090026 HH SP
CIRCLE C CI090026
Wean Mat. 103

NCT 150026 C
THUYN SMA NCT 150026
Age 7y | AFC 36m | ICP 475d
Calves 4 | Weighed 3 | Wean Mat. 106
Avg. WI 104 | CCB 7.83 | CCW 38.5

KB14A SP
KETA KB 14 A - EXCALIBUR
TLM 020036 DH SP
KETA TLM020036
Age 18y | Avg. WI -
Calves 6 | Weighed -
Z 060051 SP
HLANZENI Z0651 - MR MILLION
AAA 080008 SP
TRIPLE A MIA
Age 15y | Avg. WI -
Calves 10 | Weighed -
TLM 050519 SP
KETA TLM050519 - SAREGA
HVT 040024 DH SP
OUTSPAN HVT040024
Age 21y | Avg. WI -
Calves 7 | Weighed -
ELS 110041 SP
ELS ELS1141
NCT 130007 B
THUYN SMA NCT 130007
Age 3y | Avg. WI 100
Calves 2 | Weighed 2

LOGIX
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
102	83	105	94	98	88	99	104
70%	63%	63%	45%	40%	43%	21%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	110	114	105	119	115	107	90	86
41%	35%	11%	47%	39%	33%	32%	37%	33%

LOT 32 (F)



NCT 230078

THUYN SMA JURIA



KLIPHARDE VELDBEESTE

Herd Book	SP
Birth date	2023-10-06
Age	3y 1m
Inbreeding	1%
DNA	U2287IU033
AFC	35m
Calves	1
Weighed	0
Avg. WI	-
ICP	-

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680

Last Calf	
Calf ID	NCT 260082 (M)
Birth Date	2026-09-20
Sire ID	NCT 210010

Calvings: 26-09

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



FMD VAC 03-SEP-26 (EXP 04-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

COW VALUE 107	
113	Calving Ease Value
86	Calf Growth Value
104	Milk Value
114	Maintenance Value
105	Fertility Value
GROWTH VALUE 94	
CARCASS VALUE 92	
PRODUCTION VALUE 104	

SELLER REMARKS: A highly feminine first-calving heifer with exceptional udder development and teat placement. Beautifully marked, with black pigmentation in all the right places. Bull Calf NCT2682 out of NCT2110/Kontant or NCT2203/Brand.

NCT 190002 P SP
THUYN SMA SHAKA
Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

NCT 150010 HH SP
THUYN SMA JULIET
Age 11y | AFC 33m | ICP 403d
Calves 8 | Weighed 7 | Wean Mat. 96
Avg. WI 99 | CCB 7.6 | CCW 52.3
Calvings: 18-04, 19-06, 20-07, 21-08, 22-08, 23-10, 24-11, 26-01

CI 080130 SP
CIRCLE C CI080130
Wean Mat. 143

C 090087 HH C
BYRNE VALLEY C090087
Age 14y | AFC - | ICP 448d
Calves 10 | Weighed 7 | Wean Mat. 83
Avg. WI 96 | CCB 8.26 | CCW 50.8

HOT 110003 SP
HOTSPOT LABOLA
Wean Mat. 77

W 130158 SP
MODEL W130158
Age 13y | AFC 30m | ICP 384d
Calves 11 | Weighed 7 | Wean Mat. 118
Avg. WI 99 | CCB 6.74 | CCW 50.9

KB12B SP
KETA KB 12 B - VULCAN
GF74P D SP
GRASMEER GF 74P
Age 15y | Avg. WI 100
Calves 5 | Weighed 1
HVT 970017 SP
OUTSPAN HVT970017
FN 060709 B
FONTEINE FN06709
Age 9y | Avg. WI -
Calves 6 | Weighed -
B 040042 SP
BORGEB B 04 42
HOT 070009 SP
HOTSPOT ZELMA
Age 13y | Avg. WI 83
Calves 8 | Weighed 1
Z 060051 SP
HLANZENI Z0651 - MR MILLION
AAA 080008 SP
TRIPLE A MIA
Age 15y | Avg. WI -
Calves 10 | Weighed -

LOGIX
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
116	91	86	104	97	108	98	111
71%	58%	69%	52%	39%	37%	26%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	89	89	88	101	95	93	106	85
44%	36%	15%	48%	38%	34%	32%	36%	32%

LOT 33 (M)



ENJ 210110

VAALKAMDOR ENJ 210110

Kuddeboek	SP
Geb. dtm	2021-10-14
Oud.	5j 1m
Inteling	3%
DNS	U26223U001

VAALKAMDOR
BORANE

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730

1 MEDE-GEbruiker(S)



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 96

119	Kalfgemak Waarde
90	Kalfgroei Waarde
86	Melk Waarde
95	Onderhoudswaarde
105	Vrugbaarheidswaarde

GROEI WAARDE 123

KARKAS WAARDE 107

PRODUKSIE WAARDE 105

VERKOPER OPMERKINGS: Another *Boesman ENJ 14 11* son. A solid bull with lots of depth and capacity. Going back to *TV 10 04 Zindzie, and the old cow KB 5 X* to put the cherry on top, he is also linebred to the Winnie cow 96 615. Do not miss out on a top bull.

ENJ 140011 HH SP

VAALKAMDOR ENJ14011

Spn Mat. 96

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

FN 110442 SP

FONTEINE FN110442

Oud. 14j | OEK 29m | TKP 462d
Kalwers 10 | Geweeg - | Spn. Mat. 77
Gem. SI - | KKG - | KKS -

Kalwings: 14-04, 15-06, 16-10,
18-01, 19-02, 20-09, 21-10, 22-12,
24-01, 25-09

TV 100005 SP

VALLEYRANCH NICOLAI

Spn Mat. 80

TV 100004 SP

VALLEYRANCH ZINDZI

Oud. 16j | OEK 28m | TKP 391d
Kalwers 13 | Geweeg - | Spn. Mat. 100
Gem. SI - | KKG - | KKS -

CI 070115 HH SP

CIRCLE C C1070115 - ATILLA

Spn Mat. 65

FN 030014 SP

FONTEINE FN 03 0014

Oud. 9j | OEK 30m | TKP (donor)
Kalwers 3 | Geweeg - | Spn. Mat. 90
Gem. SI - | KKG - | KKS -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Oud. 18j | Gem. SI 95

Kalwers 12 | Geweeg 3

B 040042 SP

BORGEN B 04 42

B 960615 SP

BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -

TLM 040507 DH SP

KETA TLM040507 - BUSTER

KB5X P SP

KETA KB 5 X

Oud. 21j | Gem. SI 104

Kalwers 11 | Geweeg 4

HVT 950002 SP

OUTSPAN HVT 95 02

B 960615 SP

BORGEN B 96 615

Oud. 20j | Gem. SI -

Kalwers 8 | Geweeg -



EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
121	95	90	86	116	96	108	103
74%	62%	39%	38%	33%	47%	30%	54%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	113	111	104	108	103	115	115	109
30%	31%	21%	39%	33%	30%	26%	29%	27%

LOT 34 (F)



ENJ 230102

VAALKAMDOR ENJ 230102

Kuddeboek	SP
Geb. dtm	2023-10-03
Oud.	3j 1m
Inteling	0%
DNS	U24851U037

VAALKAMDOR
BORANE

J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 93

112	Kalfgemak Waarde
85	Kalfgroei Waarde
93	Melk Waarde
104	Onderhoudswaarde
102	Vrugbaarheidswaarde

GROEI WAARDE 103

KARKAS WAARDE 99

PRODUKSIE WAARDE 95

VERKOPER OPMERKINGS: A direct Skotepetoors daughter with excellent capacity and length. Her dam has an ICP of 409 days over 6 calvings. She comes from old, proven genetics that will be an asset to any herd. 6 plus months pregnant to ENJ 22-91 / ENJ 23-33.

ENJ 170031 HH SP

VAALKAMDOR ENJ 170031

Spn Mat. 93

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ENJ 160023 SP

VAALKAMDOR ENJ 160023

Oud. 10j | OEK 30m | TKP 409d
Kalwers 7 | Geweeg - | Spn. Mat. 95
Gem. SI - | KKG - | KKS -

Kalwings: 19-03, 20-02, 21-09,
22-10, 23-10, 24-11, 25-12

TV 100005 SP

VALLEYRANCH NICOLAI

Spn Mat. 80

FN 090609 SP

FONTEINE FN090609

Oud. 10j | OEK - | TKP 466d
Kalwers 6 | Geweeg - | Spn. Mat. 99
Gem. SI - | KKG - | KKS -

EG 110042 SP

ADELSON EG 110042

Spn Mat. 105

MC 120069 C

MCS MC1269

Oud. 14j | OEK 37m | TKP 387d
Kalwers 10 | Geweeg - | Spn. Mat. 97
Gem. SI - | KKG - | KKS -

B 040042 SP

BORGEN B 04 42

B 040017 SP

BORGEN B 04 17

Oud. 18j | Gem. SI 95

Kalwers 12 | Geweeg 3

TLM 020004 SP

KETA TLM020004 CAESAR

FN 040023 SP

FONTEINE FN 04 23

Oud. 14j | Gem. SI -

Kalwers 6 | Geweeg -

CI 070075 SP

CIRCLE C C1070075

EG 090009 SP

ADELSON 0909 EDEN

Oud. 13j | Gem. SI 100

Kalwers 6 | Geweeg 5

CI 080072 SP

CIRCLE C C1080072

M 080039 B

MCS M0839

Oud. 10j | Gem. SI -

Kalwers 8 | Geweeg -



EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
107	109	85	93	109	101	103	100
73%	61%	34%	30%	24%	42%	25%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	95	98	95	87	88	102	100	92
22%	23%	12%	31%	24%	22%	18%	20%	18%

LOT 35 (F)



ZIP 230252
BLOODLINE KLEIN KOL

Herd Book	SP
Birth date	2023-11-21
Age	2y 11m
Inbreeding	7%
DNA	U262675U003

ZIP 200002 HH SP
BLOODLINE DECADE
Wean Mat. 114

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

ZIP 200055 SP
BLOODLINE KLEIN KOL
Age 4y | AFC 38m | ICP -
Calves 1 | Weighed 1 | Wean Mat. 90
Avg. WI 72 | CCB - | CCW 46.5
Calvings: 23-11

FPL 130036 SP
BLOODLINE GELUK
Wean Mat. 131

B 060003 SP
BORGES B 06 03
Age 17y | AFC - | ICP 352d
Calves 14 | Weighed 10 | Wean Mat. 88
Avg. WI 92 | CCB 6.35 | CCW 36.5

FPL 130033 SP
BLOODLINE VRYSTAAT
Wean Mat. 128

FPL 170159 HH C
BLOODLINE KLEIN KOL
Age 7y | AFC 33m | ICP 409d
Calves 5 | Weighed 5 | Wean Mat. 80
Avg. WI 94 | CCB - | CCW 46.8

FPL 090055 SP
BLOODLINE DE LA REY
HOT 070007 SP
HOTSPOT TANYA
Age 19y | Avg. WI 105
Calves 8 | Weighed 3
K6K3094 PBD
KE MOGWONI 3094 (BMK163)

F3243 PBD
SEGERA 3243
Age 33y | Avg. WI -
Calves - | Weighed -
FPL 090055 SP
BLOODLINE DE LA REY
HOT 070007 SP
HOTSPOT TANYA
Age 19y | Avg. WI 105
Calves 8 | Weighed 3
FPL 130162 SP
BLOODLINE PAMFLET
FPL 150074 B
BLOODLINE FPL 150074
Age 4y | Avg. WI 93
Calves 2 | Weighed 2

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57,,DEWETSDORP, 9940

COW VALUE 74

116	Calving Ease Value
50	Calf Growth Value
105	Milk Value
131	Maintenance Value
90	Fertility Value

GROWTH VALUE 107

CARCASS VALUE 81

PRODUCTION VALUE 80

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
147	110	50	105	107	98	86	104
71%	47%	66%	44%	48%	33%	20%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
52	102	106	67	82	83	105	120	138
57%	44%	14%	45%	47%	43%	42%	45%	42%

SELLER REMARKS: A bont Dekade daughter that is thick. Combining De La Rey, Tanya and 3094 with more De La Rey and Tanya. 8 months pregnant to DDC21-135 a Bravo son. FMD Vaccinated.



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 36 (M)



ZIP 220128 HH
BLOODLINE CLIMAX

Herd Book	SP
Birth date	2022-11-08
Age	3y 12m
Inbreeding	1%
DNA	WSC073587

ZIP 190054 HH SP
BLOODLINE MUSTANG
Wean Mat. 99

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

FPL 120110 SP
BLOODLINE LOVE LETTER
Age 13y | AFC 34m | ICP 375d
Calves 11 | Weighed 10 | Wean Mat. 96
Avg. WI 98 | CCB 7.74 | CCW 38.7
Calvings: 15-10, 17-01, 17-11, 18-10,
19-10, 20-10, 21-10, 22-11, 23-11,
24-12, 26-01

FPL 150070 SP
BLOODLINE BLADE
Wean Mat. 88

FPL 160039 HH SP
BLOODLINE MUSTANG SALLY
Age 10y | AFC 35m | ICP 497d
Calves 4 | Weighed 2 | Wean Mat. 88
Avg. WI 101 | CCB - | CCW 46.8

CI 070115 HH SP
CIRCLE C C1070115 - ATILLA
Wean Mat. 65

FN 090393 SP
FONTEINE FN090393
Age 17y | AFC - | ICP 388d
Calves 12 | Weighed 9 | Wean Mat. 119
Avg. WI 103 | CCB 7.01 | CCW 43

FN 070149 SP
FONTEINE FN07149
FN 120541 SP
FONTEINE FN12541
Age 4y | Avg. WI 100
Calves 2 | Weighed 1
FPL 130033 SP
BLOODLINE VRYSTAAT
CI 080214 SP
CIRCLE C C1080214
Age 17y | Avg. WI 89
Calves 15 | Weighed 8
TLM 040507 DH SP
KETA TLM040507 - BUSTER

KB5X P SP
KETA KB 5 X
Age 21y | Avg. WI 104
Calves 11 | Weighed 4
FE 960075 SP
FORRESTER 96/75
FN 040010 SP
FONTEINE FN 04 10
Age 16y | Avg. WI -
Calves 7 | Weighed -

BLOODLINE BORANE

Dewetsdorp, Free State
0823969071
bloodlineboran@gmail.com

POSBUS 57,,DEWETSDORP, 9940

COW VALUE 103

76	Calving Ease Value
95	Calf Growth Value
102	Milk Value
116	Maintenance Value
119	Fertility Value

GROWTH VALUE 115

CARCASS VALUE 95

PRODUCTION VALUE 108

LOGIX
GENETICS
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
86	75	95	102	106	115	115	111
88%	85%	87%	84%	87%	82%	81%	84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	115	111	86	88	94	145	112	130
84%	85%	81%	84%	87%	85%	85%	86%	85%

SELLER REMARKS: A polled Mustang son out of our best cow Love Letter. This is the 6th son of this cow retained back into stud breeding. A combination of 494, De La Rey, Tanya, Atilla and Forrester. FMD Vaccinated.



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

LOT 37 (F)



PB 190093

PALMYRA PB 190093

Kuddeboek	SP
Geb. dtm	2019-12-11
Oud.	6j 11m
Inteling	3%
DNS	U8175U014
OEK	36m
Kalwers	3
Geweeg	3
Gem. SI	101
TKP	523d

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 250067 (F)
Geb. datum	2025-10-09
Vaar ID	PB 200060

Kalwings: 22-11, 24-08, 25-10

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 13-JUN-26 (EXP 12-DEC-26)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

KOEIWAARDE 70

96	Kalfgemak Waarde
82	Kalfgroei Waarde
100	Melk Waarde
122	Onderhoudswaarde
67	Vrugbaarheidswaarde

GROEI WAARDE 93

KARKAS WAARDE 88

PRODUKSIE WAARDE 71

VERKOPER OPMERKINGS: Proven brood cow with excellent progeny. Maternal line includes Serengeti, Buffel and Savuti; Paternal side traces back to Ceazar, Buster, Kaizer and Polled Double Impact. A strong genetic package with proven breeding values. Heifer calf PB 2655 at foot from JRS 17-36 or PB 23-30.

PB 130028 HH SP

PALMYRA DOUBLE IMPACT

Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 170024 SP

PALMYRA PB 170024

Oud. 9j | OEK 27m | TKP 675d
Kalwers 2 | Geweeg 2 | Spn. Mat. 104
Gem. SI 107 | KKG 6.34 | KKS 57.6
Kalwings: 19-12, 21-10

EG 080001 SP

ADELSON KEISER 801

Spn Mat. 129

PB 100052 SP

PALMYRA PB1052

Oud. 15j | OEK - | TKP 422d
Kalwers 3 | Geweeg 1 | Spn. Mat. 82
Gem. SI 100 | KKG 6.34 | KKS -

SEN 120002 SP

SIMMCHRIS SAVUTI

Spn Mat. 100

PB 110025 SP

PALMYRA PB 1125

Oud. 8j | OEK 35m | TKP 380d
Kalwers 6 | Geweeg 4 | Spn. Mat. 97
Gem. SI 95 | KKG 6 | KKS 55.7

TLM 040507 DH SP
KETA TLM040507 - BUSTER

GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR

PB 070039 SP
PALMYRA PB0739
Oud. 13j | Gem. SI 93
Kalwers 7 | Geweeg 4
TLM 020001 SP
KETA TLM020001 - BUFFEL

1058 PBD
KE OL PEJETA 1058
Oud. 21j | Gem. SI -
Kalwers - | Geweeg -
PB 070018 SP
PALMYRA PB0718 - SERENGETI

PB 070020 SP
PALMYRA PB0720
Oud. 15j | Gem. SI 99
Kalwers 12 | Geweeg 11



EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
102	83	82	100	88	77	57	106
75%	76%	72%	70%	37%	48%	29%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
87	89	84	80	89	86	102	115	86
27%	34%	25%	73%	36%	32%	31%	35%	31%

LOT 38 (F)



PB 210037

PALMYRA PB 210037

Kuddeboek	SP
Geb. dtm	2021-03-20
Oud.	5j 7m
Inteling	2%
DNS	U15280U018
OEK	31m
Kalwers	3
Geweeg	3
Gem. SI	102
TKP	393d

J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-
PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 250148 (F)
Geb. datum	2025-11-29
Vaar ID	JRS 170036

Kalwings: 23-10, 24-11, 25-11

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FMD ENT 13-JUN-26 (EXP 12-DEC-26)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

KOEIWAARDE 108

91	Kalfgemak Waarde
129	Kalfgroei Waarde
88	Melk Waarde
85	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 100

KARKAS WAARDE 112

PRODUKSIE WAARDE 107

VERKOPER OPMERKINGS: Highly fertile cow with an impressive 393 day ICP consistently producing exceptional calves. Maternal line includes Serengeti, MCS Zuma and Palmyra Ramaphosa; Paternal line features renowned Jackie, Rustin and Selous. 6.5 Months in calf to JRS 17-36 or PB 23-30.

VST 140042 Pch SP

TRAP SELOUS

Spn Mat. 74

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 150055 HH SP

PALMYRA PB 150055

Oud. 10j | OEK 31m | TKP 467d
Kalwers 6 | Geweeg 3 | Spn. Mat. 83
Gem. SI 101 | KKG 7.46 | KKS 46.1

MHB 060030 SP

MOLL'S-HOOP RUSTIN

Spn Mat. 93

MHB 080042 Pch SP

MOLL'S-HOOP JACKIE

Oud. 17j | OEK 25m | TKP 760d
Kalwers 9 | Geweeg 1 | Spn. Mat. 77
Gem. SI 110 | KKG 7.47 | KKS 44.5

PB 120064 SP

PALMYRA RAMAPHOSA

Spn Mat. 86

PB 130052 HH C

PALMYRA PB1352

Oud. 12j | OEK 25m | TKP 358d
Kalwers 11 | Geweeg 11 | Spn. Mat. 100
Gem. SI 101 | KKG 8.05 | KKS 47.3

25 PBD

KE MARULA 25

KPO21 PBD
KE OL PEJETA 21
Oud. 39j | Gem. SI -
Kalwers 2 | Geweeg -
TLM 020003 SP
KETA VOORSLAG

MHB 050031 SP
MOLL'S-HOOP JACKIE
Oud. 14j | Gem. SI -
Kalwers 5 | Geweeg -
M 090002 SP
MCS ZUMA

MC 100005 SP
MCS MC105
Oud. 11j | Gem. SI 97
Kalwers 9 | Geweeg 6
PB 070018 SP
PALMYRA PB0718 - SERENGETI

PB 100056 B
PALMYRA PB1056
Oud. 6j | Gem. SI 95
Kalwers 4 | Geweeg 4



EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
93	94	129	88	94	98	98	106
77%	77%	72%	70%	39%	48%	31%	58%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
128	107	115	117	115	117	103	80	86
34%	36%	30%	73%	38%	35%	34%	37%	34%

LOT 39 (F)



TZ 230013

FAURZYL TZ230013

FAURZYL

Herd Book	SP
Birth date	2023-04-02
Age	3y 7m
Inbreeding	0%
DNA	U262013U004
AFC	24m
Calves	2
Weighed	0
Avg. WI	-
ICP	415d

FAURZYL FARMING (PTY) LTD

Ladybrand, Free State
0824662467
theovanzy1@vodamail.co.za

POSBUS 1642,,LADYBRAND, 9745

Last Calf	
Calf ID	TZ 260031 (M)
Birth Date	2026-05-25
Sire ID	TZ 220087

Calvings: 25-04, 26-05

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested



COW VALUE 83	
98	Calving Ease Value
72	Calf Growth Value
107	Milk Value
132	Maintenance Value
85	Fertility Value
GROWTH VALUE 67	
CARCASS VALUE 69	
PRODUCTION VALUE 72	

SELLER REMARKS: Beautiful young Cow. Combining two of the most influential sires in our breed, HVT97 17 and Khan MHB04 27. Dam ICP 377 over 6 calves. Unbeatable package. With a young bull calf of TZ 26-31 from TZ 22-87... 2M Preg to VST 20-150/ BWS 22-87

SPJ 140108 SP

FRONTIER SPJ 140108

Wean Mat. 123

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

TZ 170036 SP

FAURZYL TZ170036

Age 9y | AFC 27m | ICP 377d
Calves 6 | Weighed 4 | Wean Mat. 89
Avg. WI 95 | CCB - | CCW -
Calvings: 20-01, 21-02, 22-03,
23-04, 24-04, 25-03

HVT 970017 SP

OUTSPAN HVT970017

Wean Mat. 79

SPJ 070007 SP

FRONTIER SPJ070007 - MARILYN

Age 17y | AFC 33m | ICP 459d
Calves 10 | Weighed 4 | Wean Mat. 129
Avg. WI 98 | CCB 6.05 | CCW 48.1

VST 110003 SP

TRAP ZAPPA

Wean Mat. 102

CI 090090 SP

CIRCLE C CI090090

Age 9y | AFC - | ICP 378d
Calves 6 | Weighed 3 | Wean Mat. 81
Avg. WI 98 | CCB - | CCW -

6SEG096 PBD

SEGERA 494

KPO303 PBD

KE OL PEJETA KPO303

Age 33y | Avg. WI -

Calves 1 | Weighed -

25 PBD

KE MARULA 25

1736 F

KE OL PEJETA 1736

Age 32y | Avg. WI -

Calves - | Weighed -

MHB 040027 SP

MOLL'S-HOOP KHAN

HOT 070009 SP

HOTSPOT ZELMA

Age 13y | Avg. WI 83

Calves 8 | Weighed 1

TLM 050507 SP

KETA TLM050507 - TITAN

CI 070008 DH SP

CIRCLE C BOEING

Age 14y | Avg. WI -

Calves 7 | Weighed -

LOGIX
GENETICS CONSULTING
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	94	72	107	80	99	75	107
74%	69%	69%	58%	53%	45%	32%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
72	74	75	66	82	82	82	107	112
49%	49%	22%	50%	52%	49%	43%	46%	43%

LOT 40 (M)



WS 230323

JABEA WS230323



D.J. STRYDOM

Kroonstad, Free State
0824103455
strydomdaan@gmail.com

VOGELSTRUISFONTEIN,-,KROONSTAD, 9500

Herd Book	SP
Birth date	2023-11-15
Age	2y 12m
Inbreeding	1%
DNA	ZOCA2024-76321

AH 160037 HH SP

BASHA AH 160037

Wean Mat. 115

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

WS 180084 C

JABEA WS180084

Age 8y | AFC 35m | ICP 371d
Calves 5 | Weighed 1 | Wean Mat. 116
Avg. WI 100 | CCB 5.54 | CCW -
Calvings: 21-09, 22-12, 23-11,
24-10, 25-09

B 040001 SP

BORGEN B 04001

Wean Mat. 132

CDH 090054 SP

MASAI OULIK

Age 14y | AFC - | ICP 416d
Calves 10 | Weighed 5 | Wean Mat. 80
Avg. WI 102 | CCB 5.94 | CCW 45.9

TR 120030 SP

THREE RIVERS MR FEDERER

Wean Mat. 110

WS 140034 B

JABEA WS140034

Age 11y | AFC 24m | ICP 361d
Calves 10 | Weighed 3 | Wean Mat. 121
Avg. WI 110 | CCB 6.19 | CCW 52.1

KPO1017 PBD

KE OL PEJETA 1017

Z7F2773 PBD

KE WORAGUS Z7F 2773

Age 34y | Avg. WI -

Calves 1 | Weighed -

KB39X SP

KETA KB 39 X

CDH 060003 C

MASAI KENDRA

Age 17y | Avg. WI -

Calves - | Weighed -

E 080036 SP

TAMBARINE E 08 36

B 100036 SP

BORGEN B 100036

Age 5y | Avg. WI 104

Calves 3 | Weighed 2

CI 070102 P SP

CIRCLE C CI070102

WS 120065 A

JABEA WS1265

Age 2y | Avg. WI -

Calves 1 | Weighed -

LOGIX
GENETICS CONSULTING
EBV Analysis 2026-09-23

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
82	88	114	115	127	98	92	104
72%	61%	49%	40%	67%	45%	27%	53%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	134	129	124	117	128	101	82	102
40%	58%	62%	40%	65%	54%	53%	62%	53%

SELLER REMARKS: Silver merit winner on 2024 phase C test at Glen. A bull with exceptional length and good balance going back to Basha , Keta and Tambarine. If purpose is to have growth and meat on veld conditions this is the bull.



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

LOT 41 (F)



NP 230027

BLONDIE BEANKE

Kuddeboek	SP
Geb. dtm	2023-10-23
Oud.	3j
Inteling	1%
DNS	U260425U006



D.J. PRETORIUS

Luckhoff, Free State
0827884082
niel.pretorius@drdgold.com
POSBUS 390, MARAISBURG, 1700

FMD ENT 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 114

111	Kalfgemak Waarde
88	Kalfgroei Waarde
96	Melk Waarde
120	Onderhoudswaarde
115	Vrugbaarheidswaarde

GROEI WAARDE 79

KARKAS WAARDE 70

PRODUKSIE WAARDE 104

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



FN 140017 HH SP

FONTEINE FN 14 17

Spn Mat. 115

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

NP 210008 SP

BLONDIE GB210008

Oud. 5j | OEK 30m | TKP 728d
Kalwers 2 | Geweeg 2 | Spn. Mat. 76
Gem. SI 91 | KKG 10.76 | KKS 50.4
Kalwings: 23-10, 25-10

FN 060064 SP

FONTEINE FN0664

Spn Mat. 118

FN 080231 HH SP

FONTEINE FN08231

Oud. 17j | OEK 24m | TKP 446d
Kalwers 13 | Geweeg - | Spn. Mat. 87
Gem. SI - | KKG - | KKS -

MXM100484 HH SP

MAMBUSHI 10-0484MXM

Spn Mat. 76

GB 160030 HH SP

KOLSKOOT GB 160030

Oud. 10j | OEK 31m | TKP 365d
Kalwers 8 | Geweeg 2 | Spn. Mat. 84
Gem. SI 102 | KKG 7.64 | KKS 62.2

2812 PBD

GIANNI 2812

PB/9831 F

KE DELAMERE 304
Oud. 32j | Gem. SI -
Kalwers - | Geweeg -
HVT 970017 SP
OUTSPAN HVT970017
HVT 950013 SP
OUTSPAN HVT950013
Oud. 19j | Gem. SI -
Kalwers 9 | Geweeg -
CB04507A
CHULLU CB04507A
GF020129W SP
GRASMERE GF02129W
Oud. 24j | Gem. SI -
Kalwers - | Geweeg -
CC 100044 SP
SUPERIOR GENETICS CC100044
GB 120023 SP
KOLSKOOT GB1223
Oud. 8j | Gem. SI 88
Kalwers 5 | Geweeg 2



EBV Analyse 2026-09-23

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
116	89	88	96	99	122	107	100
58%	55%	65%	46%	50%	40%	25%	53%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
90	82	87	82	73	77	70	90	152
34%	47%	23%	48%	49%	45%	45%	48%	45%

VERKOPER OPMERKINGS: 8 months in calf to Jasper, GB2116 An absolute stunner of a heifer.... capacity and femininity! A MXM10484 daughter that combined very well with FN1417 (FN0664 x HVT9513 xHVT9717).

LOT 42 (F)



GB 240012

KOLSKOOT STELLA

Kuddeboek	SP
Geb. dtm	2024-02-27
Oud.	2j 8m
Inteling	25%
DNS	ZOCA2026-10954



G.D. BOTHA

Luckhoff, Free State
0823867724
kolskootborane@gmail.com
POSBUS 46, LUCKHOFF, 9982

FMD ENT 28-SEP-26 (EXP 29-MAR-27)
AFTODOLL | DOLLVET - SAT1,2 AND 3 VACCINE

KOEIWAARDE 84

72	Kalfgemak Waarde
110	Kalfgroei Waarde
102	Melk Waarde
81	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 119

KARKAS WAARDE 104

PRODUKSIE WAARDE 93

Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets



GLB 150008 HH SP

GROEN LAND GLB 150008

Spn Mat. 95

Ouerskap Vaar Moer

DNS ✓ ✓

Genomies

GB 210013 C

KOLSKOOT STELLA

Oud. 5j | OEK 33m | TKP 341d
Kalwers 3 | Geweeg 2 | Spn. Mat. 103
Gem. SI 97 | KKG 6.6 | KKS 29.6
Kalwings: 24-02, 25-02, 26-01

FN 040024 SP

FONTEINE FN 04 24

Spn Mat. 106

FN 120036 SP

FONTEINE FN 12 36

Oud. 9j | OEK 36m | TKP 485d
Kalwers 6 | Geweeg 4 | Spn. Mat. 99
Gem. SI 109 | KKG 7.01 | KKS 44.3

GLB 150008 HH SP

GROEN LAND GLB 150008

Spn Mat. 95

GB 140034 B

KOLSKOOT GB 140034

Oud. 8j | OEK 27m | TKP 423d
Kalwers 6 | Geweeg 4 | Spn. Mat. 122
Gem. SI 99 | KKG 8.84 | KKS 63.2

K6K3094 PBD

KE MOGWONI 3094 (BMK163)

ISEG PBD

SEGERA 3089

Oud. 35j | Gem. SI -

Kalwers 1 | Geweeg -

CI 070001 DH SP

CIRCLE C CI070001

FN 080254 SP

FONTEINE FN08254

Oud. 9j | Gem. SI -

Kalwers 5 | Geweeg -

FN 040024 SP

FONTEINE FN 04 24

FN 120036 SP

FONTEINE FN 12 36

Oud. 9j | Gem. SI 109

Kalwers 6 | Geweeg 4

GB 090011 SP

KOLSKOOT 0911

KT 100004 A

KT KT1004

Oud. 8j | Gem. SI -

Kalwers 4 | Geweeg -



EBV Analyse 2026-09-23

Kalf en Moeder

Vrugbaarheid

Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
79	81	110	102	149	99	106	100
71%	56%	66%	45%	50%	25%	18%	49%

Na-Speen Groei

Raam

Karkas

Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
120	116	124	121	111	104	113	97	70
36%	48%	9%	49%	50%	46%	46%	49%	46%

VERKOPER OPMERKINGS: 5.5 months in calf to GB2304/ NP2214 A feminine, Markus linebred daughter out of a fertile dam.

LOT 43 (F)



NCT 230098 P

THUYN SMA LESUFI

Herd Book	SP
Birth date	2023-11-03
Age	2y 12m
Inbreeding	0%
DNA	U22870U018



KLIP HARDE VELDBEESTE

CJ THUYN SMA BOERDERY

Hoopstad, Free State
0828682858
nthuynsma.nt@gmail.com

POSBUS 202,,CHRISTIANA, 2680

FMD VAC 03-SEP-26 (EXP 04-MAR-27)
AFTODOLL | DOLLVET - SATI,2 AND 3 VACCINE

COW VALUE 100

105	Calving Ease Value
95	Calf Growth Value
116	Milk Value
94	Maintenance Value
99	Fertility Value

GROWTH VALUE 110

CARCASS VALUE 98

PRODUCTION VALUE 104



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

NCT 190002 P SP

THUYN SMA SHAKA

Wean Mat. 115

Parentage Sire Dam

DNA ✓ ✓

Genomic

BU 180068 HH SP

BOSIU BLESSIE

Age 8y | AFC 36m | ICP 370d
Calves 5 | Weighed 4 | Wean Mat. 110
Avg. WI 102 | CCB 6.81 | CCW 43.8

Calvings: 21-07, 22-10, 23-11,
24-09, 25-08

CI 080130 SP

CIRCLE C CI080130

Wean Mat. 143

C 090087 HH C

BYRNE VALLEY C090087
Age 14y | AFC - | ICP 448d
Calves 10 | Weighed 7 | Wean Mat. 83
Avg. WI 96 | CCB 8.26 | CCW 50.8

MHB 090031 SP

MOLL'S-HOOP JURITER MHB 090031

Wean Mat. 128

BU 140150 SP

BOSIU BLESSIE

Age 5y | AFC 32m | ICP 408d
Calves 3 | Weighed 3 | Wean Mat. 78
Avg. WI 94 | CCB 5.2 | CCW 40.1

KB12B SP

KETA KB 12 B - VULCAN

GF74P D SP

GRASMER GF 74P
Age 15y | Avg. WI 100
Calves 5 | Weighed 1
HVT 970017 SP
OUTSPAN HVT970017

FN 060709 B

FONTEINE FN06709
Age 9y | Avg. WI -
Calves 6 | Weighed -

MHB 040010 SP

MOLL'S-HOOP IMPIE

MHB 050006 SP

MOLL'S-HOOP JACKIE

Age 12y | Avg. WI 111

Calves 7 | Weighed 4

TLM 020038 SP

KETA TLM020038

CFH 090087 SP

ELANDSPRUIT BLESSIE

Age 14y | Avg. WI 96

Calves 9 | Weighed 8

LOGIX
EBV Analysis 2026-09-23

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
104	100	95	116	105	95	105	105
72%	54%	69%	49%	39%	37%	24%	47%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	105	105	104	101	101	94	106	90
48%	36%	12%	48%	38%	35%	30%	33%	30%

SELLER REMARKS: A polled heifer with exceptional temperament and true feminine appeal. Her excellent wedge, strong maternal backing and proven fertility combine to offer the qualities of a functional, productive breeding female. 8 Months in calf to NCT2110 (Kontant) or NCT2203 (Brand).

LOT 44 (F)



ENJ 220033

VAALKAMDOR ENJ 220033

Herd Book	SP
Birth date	2022-08-19
Age	4y 2m
Inbreeding	0%
DNA	U24075U001
AFC	38m
Calves	1
Weighed	0
Avg. WI	-
ICP	-



J & B BOERDERY

Douglas, Northern Cape
0836588343
vkdboran@gmail.com

POSBUS 422,,DOUGLAS, 8730

Calvings: 25-10

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

COW VALUE 69

89	Calving Ease Value
100	Calf Growth Value
86	Milk Value
104	Maintenance Value
70	Fertility Value

GROWTH VALUE 99

CARCASS VALUE 92

PRODUCTION VALUE 72



TV 100005 SP

VALLEYRANCH NICOLAI

Wean Mat. 80

Parentage Sire Dam

DNA ✓ ✓

Genomic

WA 110160 C

ALLERS II 160

Age 14y | AFC 35m | ICP 404d
Calves 11 | Weighed - | Wean Mat. 87
Avg. WI - | CCB - | CCW -

Calvings: 14-10, 16-02, 17-02,
18-01, 19-01, 20-02, 21-02, 22-08,
23-06, 24-09, 26-01

B 040042 SP

BORGEN B 04 42

Wean Mat. 85

B 040017 SP

BORGEN B 04 17

Age 18y | AFC 33m | ICP 381d
Calves 12 | Weighed 3 | Wean Mat. 109
Avg. WI 95 | CCB 5.33 | CCW 37.2

GF 080024 SP

WALT GF0824

Wean Mat. 85

WA 080013 B

ALLERS WA0813

Age 4y | AFC 25m | ICP 384d
Calves 3 | Weighed - | Wean Mat. 94
Avg. WI - | CCB - | CCW -

KPO786 PBD

KE OL PEJETA 786

8334 F

ADC MUTARA 8334
Age 30y | Avg. WI -
Calves - | Weighed -

K6K2997 PBD

KE MOGWOONI K6K2997

K6K1961 PBD

KE MOGWOONI 1961

Age 34y | Avg. WI -

Calves - | Weighed -

KB32X SP

KETA KB X 32

HVT 950025 SP

OUTSPAN HVT950025

Age 17y | Avg. WI 100

Calves 10 | Weighed 1

HVT 020013 SP

OUTSPAN HVT 02 13

FN 060257 A

FONTEINE FN 06 0257

Age 6y | Avg. WI -

Calves 4 | Weighed -

LOGIX
EBV Analysis 2026-09-23

Calf and Mother

Fertility

Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	119	100	86	94	69	81	87
75%	72%	46%	45%	36%	55%	35%	62%

Post-Wean Growth

Frame

Carcass

Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	95	102	95	93	93	90	102	103
34%	32%	15%	46%	34%	32%	22%	24%	22%

SELLER REMARKS: A direct Nicolai TV 10 05 daughter with striking depth and capacity. Well-balanced and 6 months plus in calf to *El Toro FN 19 54 ** Derby son*

LOT 45 (F)



ZIP 230268
BLOODLINE ROAN

Kuddeboek	SP
Geb. dtm	2023-12-03
Oud.	2j 11m
Inteling	0%
DNS	U16538U053



BLOODLINE BORANE

Dewetsdorp, Free State
0823969071

bloodlineboran@gmail.com

POSBUS 57,,DEWETSDORP, 9940



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 120

119	Kalfgemak Waarde
103	Kalfgroei Waarde
102	Melk Waarde
97	Onderhoudswaarde
111	Vrugbaarheidswaarde

GROEI WAARDE 124

KARKAS WAARDE 112

PRODUKSIE WAARDE 125

ZIP 200187 HH SP
BLOODLINE PIERRE
Spn Mat. 89

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

ZIP 190142 PcH SP
BLOODLINE ROAN
Oud. 6j | OEK 34m | TKP 466d
Kalwers 3 | Geweeg 2 | Spn. Mat. 123
Gem. SI 118 | KKG - | KKS 53.4
Kalwings: 22-10, 23-12, 25-04

EP 140008 SP
EMBRIO PLUS EP 140008
Spn Mat. 71

V 160010 SP
HILLOCK V 160010
Oud. 10j | OEK 26m | TKP 485d
Kalwers 6 | Geweeg 2 | Spn. Mat. 113
Gem. SI 108 | KKG 6.62 | KKS 48.4

FPL 150121 SP
BLOODLINE SHADOW
Spn Mat. 105

FPL 170079 HH SP
BLOODLINE ROAN
Oud. 8j | OEK 26m | TKP 361d
Kalwers 6 | Geweeg 3 | Spn. Mat. 114
Gem. SI 96 | KKG 5.63 | KKS 36.9

10-0010KG SP
KG-BORAN 10-0010KG (ET)
09-0015KG SP
KG-BORAN XEKO (ET)
Oud. 11j | Gem. SI -
Kalwers 5 | Geweeg -
B 120074 SP
BORGEN B12074
V 110001 SP
HILLOCK SERENA
Oud. 11j | Gem. SI 102
Kalwers 9 | Geweeg 6
CBSA120006 SP
CHULU CHULU CBSA 12 06
FPL 130118 C
BLOODLINE KOLLA
Oud. 4j | Gem. SI 101
Kalwers 2 | Geweeg 2
FPL 130035 HH SP
BLOODLINE HERCULES
FPL 140061 SP
BLOODLINE ROAN
Oud. 9j | Gem. SI 101
Kalwers 7 | Geweeg 5

LOGIX
GENETICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
119	127	103	102	112	115	107	107
70%	49%	65%	42%	48%	30%	15%	44%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
103	122	127	101	110	117	113	97	147
54%	43%	20%	44%	47%	42%	41%	46%	41%

VERKOPER OPMERKINGS: A Pierre daughter with outstanding figures. Out of our Roan line and going back to Mr. Mogwooni, Hercules, De La Rey and Tanya. 7.5 months pregnant to DDC21-135 a Bravo son or ZIP23-87 a deep red polled bull.

LOT 46 (F)



PB 200067
PALMYRA PB 200067

Kuddeboek	SP
Geb. dtm	2020-10-06
Oud.	6j 1m
Inteling	6%
DNS	U8175U031
OEK	36m
Kalwers	3
Geweeg	3
Gem. SI	91
TKP	370d



J. JANSEN VAN VUUREN

Petrusburg, Free State
jjansenvanvuuren@oldmutual.com

PIET KRUGERSTRAAT 16, FICHARDT-PARK, BLOEMFONTEIN, 9301

Laaste Kalf	
Kalf ID	PB 250082 (F)
Geb. datum	2025-10-21
Vaar ID	PB 200060

Kalwings: 23-10, 24-10, 25-10



Miostation

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

KOEIWAARDE 80

98	Kalfgemak Waarde
71	Kalfgroei Waarde
82	Melk Waarde
130	Onderhoudswaarde
100	Vrugbaarheidswaarde

GROEI WAARDE 84

KARKAS WAARDE 80

PRODUKSIE WAARDE 76

PB 130028 HH SP
PALMYRA DOUBLE IMPACT
Spn Mat. 87

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

PB 160077 HH C
PALMYRA PB 160077
Oud. 9j | OEK 23m | TKP 445d
Kalwers 7 | Geweeg 5 | Spn. Mat. 97
Gem. SI 96 | KKG - | KKS 44.9
Kalwings: 18-10, 19-11, 20-10, 22-01, 23-05, 24-09, 26-02

EG 080001 SP
ADELSON KEISER 801
Spn Mat. 129

PB 100052 SP
PALMYRA PB1052
Oud. 15j | OEK - | TKP 422d
Kalwers 3 | Geweeg 1 | Spn. Mat. 82
Gem. SI 100 | KKG 6.34 | KKS -

PB 100028 SP
PALMYRA BUKS
Spn Mat. 83

PB 120032 B
PALMYRA PB1232
Oud. 5j | OEK 38m | TKP 389d
Kalwers 3 | Geweeg 3 | Spn. Mat. 140
Gem. SI 111 | KKG 6.6 | KKS 47.5

TLM 040507 DH SP
KETA TLM040507 - BUSTER
GF159U D SP
GRASMERE GF 159U
Oud. 15j | Gem. SI -
Kalwers 6 | Geweeg -
TLM 020004 SP
KETA TLM020004 CAESAR
PB 070039 SP
PALMYRA PB0739
Oud. 13j | Gem. SI 93
Kalwers 7 | Geweeg 4
TLM 020004 SP
KETA TLM020004 CAESAR
PB 070015 SP
PALMYRA PB0715
Oud. 11j | Gem. SI 96
Kalwers 5 | Geweeg 1
PB 070037 SP
PALMYRA PB0737
PB 090042 A
PALMYRA PB090042
Oud. 4j | Gem. SI 100
Kalwers 2 | Geweeg 1

LOGIX
GENETICS
EBV Analyse 2026-09-23

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
106	79	71	82	87	105	85	110
76%	78%	73%	72%	37%	49%	31%	59%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
79	77	75	71	78	75	91	120	89
27%	34%	26%	74%	36%	33%	31%	35%	32%

VERKOPER OPMERKINGS: Highly fertile, linebred Ceazer cow with an exceptional 370 day ICP. Proven genetics on both sides: Buster, Kaizer and double Impact paternal; Ceazer,Buks and PB 07-37(Marula 25) maternal.Maintenance value 130. 8 Months in calf to JRS 1736 or PB 23 -30.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.36	-0.21	1.2	0.6	4	7	-3		1.9	2.0	1.0						
Auction Average				29	186	6.80	47.6	1.15	330	0.16	-0.26	-0.2	0.1	1	5	3	-8	5.1	4	1	98	111	106	101	5.0	101
1	TZ 240022	F	SP	29	-	-	-	-	-	1.38	-0.90	11.8	-2.0	15.1	26.6	29	-37	8.2	18	15	-	-	112	110	4	106
2	WS 240470	F	SP	25	-	7.23	-	-	-	0.25	-0.22	-4.4	2.5	-2.7	16.6	15	-26	4.3	-2	2	-	-	105		3	123
3	NP 200021	F	SP	31	191	-	45	-	-	0.97	-0.20	5.7	-0.1	9.9	20.7	14	-27	11.8	12	8	100	-	119	96	8	102
4	GB 240024	F	SP	32	-	-	-	-	-	-0.21	0.30	-3.6	3.3	-2.0	-6.4	-31	44	11.7	-15	-12	-	-	119	112	2	98
5	NCT 190001	F	SP	25	170	-	51.4	-	-	-0.79	-0.61	-6.8	-2.0	-9.5	-11.2	-11	1	-3.3	-4	-7	99	-	90	96	7	104
6	ENJ 220093	F	SP	27	-	-	-	-	-	-1.46	0.03	-7.9	-0.5	-8.3	-6.5	-17	25	-5.2	-3	-6	-	-	86		7	107
7	ZIP 220037	M	SP	24	182	-	58.2	1.12	315	-0.52	-0.67	3.1	-0.8	9.0	7.9	53	-74	4	34	27	111	134	104	113	6	102
8	PB 210012	F	SP	35	186	-	46.7	-	-	0.28	0.32	2.6	6.5	4.2	20.1	14	-8	3.1	4	10	106	-	102	106	4	93
9	TZ 240084	F	SP	35	230	-	-	-	-	2.31	0.42	8.6	1.4	14.0	15.5	34	-44	18.1	14	18	107	-	132	103	5	97
10	WS 240429	F	SP	25	-	6.17	-	-	-	0.08	-0.80	2.0	-3.5	1.9	9.5	-2	-10	-4.2	3	-1	-	-	88	115	6	105
11	NP 230018	F	SP	31	156	7.18	38.1	-	-	0.43	-0.66	1.0	-2.0	6.1	5.9	-7	13	6	0	-1	83	-	108	92	7	111
12	GB 240001	F	SP	33	163	-	-	-	-	0.78	-0.07	-3.8	5.0	-0.7	-6.7	-2	8	-2.5	7	3	96	-	91	99	5	108
13	NCT 220011	F	SP	25	290	5.48	38.5	-	-	-1.00	-0.11	-6.5	-1.4	-8.6	11.5	6	1	-5	-0	-5	99	-	86	103	5	100
14	ENJ 200040	M	SP	28	-	-	-	-	-	-0.67	-0.55	-3.7	-0.6	-2.9	1.7	-14	19	-2.4	-5	-7	-	-	91		6	106
15A	ZIP 220058	F	SP	22	150	-	55.6	-	-	-0.49	-1.23	-6.0	-3.3	-9.9	-27.7	-27	26	3.8	2	-10	98	-	104	98	3	90
15B	ZIP 250114	M	SP	25	194	-	55.7	-	-	-0.27	-0.64	-4.8	-1.0	-7.5	-10.7	-24	33	-2.2	-2	-12	90	-	92	90	1	88
16	DBC 200037	M	SP	28	-	-	-	-	-	-0.23	0.51	4.0	-1.1	5.8	20.4	36	-36	6.1	10	7	-	-	108	104	6	110
17	TZ 240001	F	SP	30	-	-	-	-	-	-0.46	-0.84	1.4	2.3	2.1	8.0	-17	21	-1.2	3	-1	-	-	94	111	4	106
18	WS 240458	F	SP	26	-	7.1	-	-	-	-0.44	-0.23	-10.5	0.0	-12.9	-12.7	-28	29	-3.8	-12	-15	-	-	89		3	102
19	NP 240013	F	SP	27	163	6.19	43.1	-	-	-0.12	-0.24	-0.7	-1.2	1.4	11.3	-0	-10	19.2	7	-2	99	-	134	104	5	104
20	GB 200005	F	SP	29	148	-	46.4	-	-	0.03	-0.64	1.3	-2.2	5.3	16.0	6	-8	-3.8	12	5	90	-	89	99	11	116
21	NCT 230053	M	SP	30	194	7.59	51.9	1.17	370	0.77	-0.57	-0.9	-1.5	-0.6	-0.7	-4	-8	20.5	-8	-4	104	87	137	103	5	108
22	ENJ 230047	F	SP	24	-	-	-	-	-	-1.17	-0.30	-6.0	-0.5	-5.8	12.6	-9	8	7.6	3	-2	-	-	111		11	105
23A	ZIP 220045	F	SP	31	177	-	69.4	-	-	1.70	-0.72	7.4	0.7	10.5	0.8	4	-26	7	21	8	111	-	110	111	2	76
23B	ZIP 250105	M	SP	32	231	-	56.7	-	-	2.07	-0.44	8.1	1.1	11.5	12.1	0	-2	1.1	11	2	106	-	98	106	1	88

Dier Info				Werklike Syfers						Verwagte Teelwaardes										Indekse			Moeder			
LOT	Dier ID	Geslag	AFD	Geb. Gewig (kg)	205d Gewig (kg)	KKG Verh.	KKS Verh.	Lengte Hoogte Verh.	Skr. Omtr. (mm)	Geb Dir (kg)	Geb Mat (kg)	Spn Dir (kg)	Spn Mat (kg)	Na-Spn (kg)	Volw. Gewig (kg)	GDT (g/d)	VOV (kg:kg)	Skr. Omtr. (mm)	Hoogte (mm)	Lengte (mm)	Spn.	GDT	Skr. Omtr.	Gem. Spn. Indeks	Aant. Kalw.	Repr. Indeks
Ras Gemiddeld										0.36	-0.21	1.2	0.6	4	7	-3		1.9	2.0	1.0						
Aanbod Gemiddeld				29	186	6.80	47.6	1.15	330	0.16	-0.26	-0.2	0.1	1	5	3	-8	5.1	4	1	98	111	106	101	5.0	101
24	PB 200035	V	SP	35	203	-	42.5	-	-	0.96	0.29	1.5	5.1	3.7	12.4	6	-14	6.3	4	7	101	-	109	101	3	110
25	TZ 230004	M	SP	32	220	-	-	1.21	375	-0.82	-1.03	9.1	-2.2	10.0	22.4	62	-77	15.7	18	20	84	-	127	84	4	111
26	WS 240436	V	SP	25	-	5.98	-	-	-	0.85	-0.20	1.4	3.0	6.7	-2.4	11	-19	9	2	6	-	-	114		4	118
27	WS 240408	V	SP	28	-	6.98	-	-	-	1.66	-0.14	4.2	2.9	8.9	14.4	25	-32	7.2	9	13	-	-	110		5	106
28	NP 240023	V	SP	33	220	-	-	-	-	0.06	-0.38	2.4	-2.2	6.7	15.0	15	-35	20.1	8	5	108	-	136	106	5	97
29	GB 240002	V	SP	33	175	7.99	53.5	-	-	0.16	-0.54	1.2	-1.4	4.6	17.2	20	-38	20.2	9	8	105	-	136	103	6	97
30	GB 240011	V	SP	34	163	6.2	34.5	-	-	0.03	-0.54	0.7	-2.6	4.0	-1.0	-8	6	2.5	10	3	95	-	101	101	10	111
31	NCT 230004	V	SP	29	179	7.61	50.3	-	-	0.20	0.27	2.7	-0.8	1.9	11.2	11	-26	.8	13	10	112	-	98	106	2	79
32	NCT 230078	V	SP	27	167	6.75	45.3	-	-	-0.69	0.04	-3.2	1.5	-3.4	-4.0	-20	22	.5	2	-2	88	-	97	99	8	105
33	ENJ 210110	M	SP	31	-	-	-	-	-	-1.00	-0.06	-1.9	-2.7	-0.4	10.1	16	-21	10.1	7	2	-	-	116		10	98
34	ENJ 230102	V	SP	27	-	-	-	-	-	-0.08	-0.47	-3.7	-1.0	-4.0	2.1	-10	5	6.7	-6	-6	-	-	109		7	107
35	ZIP 230252	V	SP	18	138	-	46.5	-	-	-2.68	-0.50	-15.3	1.7	-21.0	-22.2	-0	-11	5.3	-8	-10	72	-	107	72	1	86
36	ZIP 220128	M	SP	36	168	-	39.8	1.12	260	1.29	0.52	-0.5	1.0	2.2	-5.2	18	-22	4.9	-5	-3	97	118	106	98	11	111
37	PB 190093	V	SP	32	178	-	61.4	-	-	0.20	0.29	-4.8	0.6	-5.5	-11.2	-20	32	-3.9	-4	-8	99	-	88	107	2	23
38	PB 210037	V	SP	35	182	-	40.6	-	-	0.83	-0.05	10.6	-2.2	16.1	21.4	7	-29	-1.2	11	12	89	-	94	101	6	90
39	TZ 230013	V	SP	33	212	-	-	-	-	0.36	-0.03	-7.9	2.2	-13.0	-22.9	-42	50	-8.3	-8	-11	90	-	80	95	6	109
40	WS 230323	M	SP	28	186	5.37	-	1.11	330	1.52	0.14	5.8	4.0	11.9	27.2	48	-57	15.7	12	18	100	105	127	100	5	107
41	NP 230027	V	SP	-	162	-	47.3	-	-	-0.65	0.10	-2.7	-0.4	-3.4	-9.0	-30	26	1.2	-14	-13	93	-	99	91	2	87
42	GB 240012	V	SP	36	162	7.39	32.4	-	-	1.75	0.35	4.3	1.1	10.7	24.8	21	-46	26.8	8	3	93	-	149	97	3	110
43	NCT 230098	V	SP	32	167	7.53	38.9	-	-	0.12	-0.22	-0.4	4.4	3.4	9.9	4	-10	4.6	3	1	85	-	105	102	5	106
44	ENJ 220033	V	SP	34	-	-	-	-	-	1.44	-0.77	1.2	-2.7	2.5	2.2	-11	-3	-.9	-2	-3	-	-	94		11	104
45	ZIP 230268	V	SP	24	223	-	51.8	-	-	-0.84	-1.00	2.1	1.0	6.5	7.7	29	-54	7.8	8	11	120	-	112	118	3	91
46	PB 200067	V	SP	34	192	-	42.7	-	-	-0.05	0.40	-8.3	-3.7	-10.0	-18.8	-38	51	-4.7	-11	-15	90	-	87	96	7	107

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik