

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

RIVERGLEN BEEFMASTERS

MIDDELBURG/ MPUMALANGA

26 August 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 20 August 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10,
 20-03, 21-03, 22-04, 23-04

SB 110001
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

SB 060004 Pch
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

6
7
8

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M) BEEFMASTER RW 230246



RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	C
Birth date	2023-09-18
Age	2y 11m
Inbreeding	0%
DNA	U261598U034

Z 170085
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	
Genomic		

FXF 100234
Wean Mat. 93

FXF 070457

FXF 070364
Age 14y | Avg. WI 101
Calves 3 | Weaned 3

Z 080044

Z 090011
Age 5y | Avg. WI 102
Calves 2 | Weaned 2

Z 120013
Age 10y | AFC 37m | ICP 374d
Calves 7 | Weaned 4 | Wean Mat. 99
Avg. WI 97 | CCB - | CCW 42.9

MULTIPLE SIRES
Wean Mat. -

BA 162149
Age 9y | AFC 33m | ICP 373d
Calves 7 | Weaned 7 | Wean Mat. 96
Avg. WI 101 | CCB 7.53 | CCW 45
Calvings: 19-07, 20-06, 21-10,
22-09, 23-09, 24-08, 25-08

BA 140505
Age 3y | AFC 24m | ICP 381d
Calves 2 | Weaned 2 | Wean Mat. 87
Avg. WI 94 | CCB - | CCW 37.2

MULTIPLE SIRES

MAJ 080304
Age 10y | Avg. WI 100
Calves 9 | Weaned 9

COW VALUE 82	
98	Calving Ease Value
95	Calf Growth Value
96	Milk Value
92	Maintenance Value
94	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 81	
PRODUCTION VALUE -	

LOGIX
GENETICS
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
100	94	95	96	92	97	99	93
65%	46%	64%	47%	17%	34%	22%	43%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	84	81	107	89	86	80	103	102
48%	16%	7%	33%	17%	17%	7%	7%	7%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
40kg	213kg 100 (13)	303kg 97 (9)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 2 (M) BEEFMASTER RW 230220



RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610



Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

Herd Book	SP
Birth date	2023-08-18
Age	3y
Inbreeding	0%
DNA	U261598U020

BA 160013		
Wean Mat. 110		
Parentage	Sire	Dam
DNA	✓	
Genomic		

X 110008 HH
Wean Mat. 91

MULTIPLE SIRES

X 060104
Age 14y | Avg. WI 104
Calves 12 | Weaned 11

MAJ 070622

MAJ 080148
Age 10y | Avg. WI 108
Calves 8 | Weaned 8

BA 110141
Age 11y | AFC 26m | ICP 363d
Calves 10 | Weaned 7 | Wean Mat. 125
Avg. WI 105 | CCB - | CCW 53.3

BA 130131 HH
Wean Mat. 128

8121LH

MAJ 070537
Age 8y | Avg. WI 103
Calves 7 | Weaned 6

BA 162001
Age 10y | AFC 36m | ICP 383d
Calves 7 | Weaned 7 | Wean Mat. 97
Avg. WI 99 | CCB 8.59 | CCW 55.6
Calvings: 19-07, 20-05, 21-06,
22-09, 23-08, 24-08, 25-10

BA 140389
Age 4y | AFC 22m | ICP 373d
Calves 3 | Weaned 2 | Wean Mat. 83
Avg. WI 99 | CCB - | CCW 48.5

BA 100540
Age 9y | Avg. WI 104
Calves 7 | Weaned 7

COW VALUE 106	
94	Calving Ease Value
100	Calf Growth Value
108	Milk Value
102	Maintenance Value
107	Fertility Value
GROWTH VALUE -	
CARCASS VALUE 96	
PRODUCTION VALUE -	

LOGIX
GENETICS
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
89	117	100	108	92	112	98	109
65%	49%	64%	50%	31%	35%	22%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	99	99	96	103	97	97	105	107
52%	27%	7%	38%	29%	28%	8%	7%	7%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
42kg	206kg 96 (6)	306kg 99 (5)	-	-	-	- (B1)	-

SELLER REMARKS:

LOT 3 (M) BEEFMASTER RW 230226



RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-09-24
Oud.	2j 11m
Inteling	1%
DNS	U261598U023

Z 170085
Spn Mat. 95

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

RW 190511
Oud. 5j | OEK 33m | TKP 329d
Kalwers 3 | Gespeen 4 | Spn. Mat. 119
Gem. SI 106 | KKG 7.73 | KKS 47.5
Kalwings: 21-12, 22-10, 23-09

FXF 100234
Spn Mat. 93

Z 120013
Oud. 10j | OEK 37m | TKP 374d
Kalwers 7 | Gespeen 4 | Spn. Mat. 99
Gem. SI 97 | KKG - | KKS 42.9

RW 130603
Spn Mat. 119

RW 140025
Oud. 12j | OEK 32m | TKP 446d
Kalwers 8 | Gespeen 8 | Spn. Mat. 107
Gem. SI 98 | KKG 8.79 | KKS 49

FXF 070457
FXF 070364
Oud. 14j | Gem. SI 101
Kalwers 3 | Gespeen 3
Z 080044
Z 090011
Oud. 5j | Gem. SI 102
Kalwers 2 | Gespeen 2
Z 070045
FXF 080235
Oud. 9j | Gem. SI 101
Kalwers 5 | Gespeen 4
FXF 090316
FXF 050411
Oud. 16j | Gem. SI 96
Kalwers 12 | Gespeen 11

KOEIWAARDE 91
90 Kalfgemak Waarde
96 Kalfgroei Waarde
107 Melk Waarde
94 Onderhoudswaarde
101 Vrugaarheidswaarde
GROEI WAARDE -
KARKAS WAARDE 84
PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRA
EBV Analise 2026-08-19

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugg.	Koei Vrugg.	Lanklew.
92	97	96	107	97	100	101	102
55%	43%	54%	44%	19%	38%	25%	46%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	87	72	104	89	88	88	105	98
46%	18%	7%	33%	19%	19%	9%	8%	8%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
43kg	223kg 104 (13)	322kg 106 (9)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 4 (M) BEEFMASTER RW 230402



RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610



Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	SP
Geb. dtm	2023-09-27
Oud.	2j 11m
Inteling	26%
DNS	U261598U040

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

RW 180345
Oud. 7j | OEK 28m | TKP 402d
Kalwers 5 | Gespeen 5 | Spn. Mat. 100
Gem. SI 101 | KKG 7.51 | KKS 48.3
Kalwings: 21-03, 22-06, 23-09, 24-08, 25-07

FXF 090316
Spn Mat. 92

FXF 080516
Oud. 12j | OEK 35m | TKP 420d
Kalwers 8 | Gespeen 8 | Spn. Mat. 81
Gem. SI 97 | KKG 7.3 | KKS 44.2

RW 140153
Spn Mat. 103

RW 150712
Oud. 6j | OEK 37m | TKP 374d
Kalwers 4 | Gespeen 4 | Spn. Mat. 104
Gem. SI 102 | KKG 9.29 | KKS 55.1

FXF 060238
FXF 060363
Oud. 7j | Gem. SI 101
Kalwers 2 | Gespeen 2
FXF 060123
FXF 010239
Oud. 13j | Gem. SI 93
Kalwers 10 | Gespeen 10
FXF 090316
FXF 080516
Oud. 12j | Gem. SI 97
Kalwers 8 | Gespeen 8
FXF 110044
FXF 080205
Oud. 15j | Gem. SI 95
Kalwers 12 | Gespeen 12

KOEIWAARDE 108
83 Kalfgemak Waarde
98 Kalfgroei Waarde
105 Melk Waarde
118 Onderhoudswaarde
109 Vrugaarheidswaarde
GROEI WAARDE -
KARKAS WAARDE 86
PRODUKSIE WAARDE -

LOGIX
GENETICS CENTRA
EBV Analise 2026-08-19

Kalf en Moeder				Vrugaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugg.	Koei Vrugg.	Lanklew.
84	102	98	105	91	119	94	111
67%	53%	67%	55%	22%	44%	28%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	89	-	84	90	89	91	101	102
58%	19%	-	44%	21%	21%	10%	9%	9%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
45kg	211kg 96 (13)	314kg 99 (9)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 5 (M) BEEFMASTER RW 230406



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610

Herd Book	B
Birth date	2023-09-29
Age	2y 11m
Inbreeding	0%
DNA	U261598U041

MULTIPLE SIRES
Wean Mat. -

Parentage	Sire	Dam
DNA		
Genomic		

RW 170499
Age 8y | AFC 23m | ICP 378d
Calves 7 | Weaned 7 | Wean Mat. 99
Avg. WI 100 | CCB 8.56 | CCW 52.4
Calvings: 19-08, 20-11, 21-10,
22-09, 23-09, 24-08, 25-10

RW 130522
Wean Mat. 105

RW 140116
Age 12y | AFC 38m | ICP 420d
Calves 8 | Weaned 8 | Wean Mat. 99
Avg. WI 100 | CCB 7.5 | CCW 48.8

FXF 090030

FXF 10374F
Age 11y | Avg. WI 99
Calves 8 | Weaned 8

FXF 090316

RW 080045
Age 12y | Avg. WI 98
Calves 7 | Weaned 7

COW VALUE 72

90	Calving Ease Value
90	Calf Growth Value
106	Milk Value
97	Maintenance Value
80	Fertility Value

GROWTH VALUE -

CARCASS VALUE 81

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	91	90	106	95	80	90	86
56%	38%	56%	41%	12%	27%	20%	33%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	85	-	101	95	89	79	93	96
36%	11%	-	32%	12%	11%	7%	6%	6%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
45kg	217kg 99 (13)	316kg 100 (9)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 6 (M) BEEFMASTER RW 230409



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610

Herd Book	SP
Birth date	2023-09-29
Age	2y 11m
Inbreeding	1%
DNA	U261598U044

Z 170085
Wean Mat. 95

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

RW 140212
Age 11y | AFC 23m | ICP 480d
Calves 8 | Weaned 7 | Wean Mat. 85
Avg. WI 100 | CCB 8.06 | CCW 51.5
Calvings: 16-09, 18-05, 19-07,
20-05, 21-10, 23-09, 25-01, 25-12

FXF 100234
Wean Mat. 93

Z 120013
Age 10y | AFC 37m | ICP 374d
Calves 7 | Weaned 4 | Wean Mat. 99
Avg. WI 97 | CCB - | CCW 42.9

FXF 090316
Wean Mat. 92

FXF 10258F
Age 12y | AFC 34m | ICP 433d
Calves 8 | Weaned 8 | Wean Mat. 98
Avg. WI 100 | CCB 7.57 | CCW 47.4

FXF 070457

FXF 070364
Age 14y | Avg. WI 101
Calves 3 | Weaned 3

Z 080044

Z 090011
Age 5y | Avg. WI 102
Calves 2 | Weaned 2

FXF 060238

FXF 060363
Age 7y | Avg. WI 101
Calves 2 | Weaned 2

FXF 060520

FXF 050361
Age 11y | Avg. WI 98
Calves 9 | Weaned 8

COW VALUE 82

94	Calving Ease Value
93	Calf Growth Value
94	Milk Value
97	Maintenance Value
97	Fertility Value

GROWTH VALUE -

CARCASS VALUE 84

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
93	103	93	94	92	105	92	100
66%	49%	65%	49%	24%	40%	28%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
88	86	70	101	83	85	89	109	102
50%	22%	6%	34%	24%	23%	11%	10%	10%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
45kg	215kg 98 (13)	311kg 98 (9)	-	-	-	- (B1)	-



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 7 (M) BEEFMASTER RW 230407



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610



Mostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	B
Geb. dtm	2023-09-29
Oud.	2j 11m
Inteling	0%
DNS	U261598U042

MULTIPLE SIRES
Spn Mat. -

Ouerskap	Vaar	Moer
DNS		
Genomies		

RW 160244
Oud. 9j | OEK 35m | TKP 369d
Kalwers 7 | Gespeen 7 | Spn. Mat. 116
Gem. SI 99 | KKG 7.67 | KKS 47.8
Kalwings: 19-10, 20-10, 21-09,
22-10, 23-09, 24-08, 25-10

Z 070045
Spn Mat. 119

RW 110507
Oud. 12j | OEK 30m | TKP 431d
Kalwers 9 | Gespeen 9 | Spn. Mat. 105
Gem. SI 98 | KKG 8.69 | KKS 52.9

WO 030081
Z 040053
Oud. 7j | Gem. SI 96
Kalwers 4 | Gespeen 4

MULTIPLE SIRES
FXF 080427
Oud. 9j | Gem. SI 101
Kalwers 4 | Gespeen 4

KOEIWAARDE 78

87	Kalfgemak Waarde
85	Kalfgroei Waarde
116	Melk Waarde
101	Onderhoudswaarde
85	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 78

PRODUKSIE WAARDE -



EBY Analise 2026-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
87	103	85	116	88	91	91	86
57%	39%	56%	42%	14%	29%	20%	35%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
85	83	88	96	93	86	73	96	94
40%	13%	7%	29%	14%	13%	8%	7%	7%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
45kg	214kg 98 (13)	309kg 97 (9)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

LOT 8 (M) BEEFMASTER RW 230013



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA

RIVERGLEN STOET

Middelburg-Mp, Mpumalanga
0825518410
mdewaal@vikingmed.co.za

POSTNET SUITE 148, P/S
X10010, EDENVALE, 1610



Mostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

Kuddeboek	C
Geb. dtm	2023-03-15
Oud.	3j 5m
Inteling	7%
DNS	U261598U005

RW 140275
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	
Genomies		

RW 170440
Oud. 7j | OEK 26m | TKP 445d
Kalwers 4 | Gespeen 4 | Spn. Mat. 98
Gem. SI 104 | KKG 8.27 | KKS 49.7
Kalwings: 19-07, 20-11, 21-10,
23-03

FXF 090316
Spn Mat. 92

FXF 100493
Oud. 11j | OEK 29m | TKP 467d
Kalwers 7 | Gespeen 7 | Spn. Mat. 99
Gem. SI 100 | KKG 8.08 | KKS 48.4

MULTIPLE SIRES
Spn Mat. -

RW 140008
Oud. 6j | OEK 38m | TKP 392d
Kalwers 3 | Gespeen 3 | Spn. Mat. 83
Gem. SI 98 | KKG 7.87 | KKS 54.5

FXF 060238
FXF 060363
Oud. 7j | Gem. SI 101
Kalwers 2 | Gespeen 2

FXF 060122 HH
FXF 030258
Oud. 12j | Gem. SI 96
Kalwers 9 | Gespeen 9

FXF 090316
FXF 080430
Oud. 6j | Gem. SI 102
Kalwers 4 | Gespeen 3

KOEIWAARDE 93

98	Kalfgemak Waarde
96	Kalfgroei Waarde
100	Melk Waarde
98	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 88

PRODUKSIE WAARDE -



EBY Analise 2026-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
100	93	96	100	106	109	93	103
66%	48%	65%	50%	21%	39%	29%	50%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	91	87	100	97	94	90	100	101
54%	19%	6%	44%	21%	20%	12%	11%	10%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	209kg 101 (5)	304kg 99 (5)	-	-	-	- (B1)	-

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices				Dam		
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.05	12.2	-1.4	19	7	72	-39	11.1	1.0	13.0						
Auction Average				43	214	8.34	45.9	-	-	0.98	-0.05	8.8	-0.3	13	5	28	-21	7.6	-3	4	99	-	94	101	6.0	107
1	RW 230246	M	C	40	213	8.23	49.4	-	-	0.34	0.19	9.2	-2.4	11.8	14.6	14	-19	6.2	-5	-0	100	-	92	101	7	110
2	RW 230220	M	SP	42	206	8.82	49.7	-	-	1.24	-0.73	12.3	0.7	17.1	2.7	69	-38	6.7	3	10	96	-	92	99	7	106
3	RW 230226	M	SP	43	223	7.9	43.8	-	-	1.00	0.08	9.7	0.5	15.2	11.6	26	-9	9.3	-5	2	104	-	97	106	3	111
4	RW 230402	M	SP	45	211	8.56	43.1	-	-	1.70	-0.13	10.8	0.0	15.5	-11.1	31	0	5.8	-5	3	96	-	91	101	5	110
5	RW 230406	M	B	45	217	9.41	49	-	-	0.87	0.31	6.6	0.4	10.7	7.9	16	0	8.2	-2	3	99	-	95	100	7	118
6	RW 230409	M	SP	45	215	8.4	43.3	-	-	0.91	-0.19	8.2	-3.2	9.3	8.6	23	-7	6.3	-8	-0	98	-	92	100	8	99
7	RW 230407	M	B	45	214	8.65	43.9	-	-	1.40	-0.17	3.6	3.1	6.7	2.8	10	-26	4.2	-3	0	98	-	88	99	7	109
8	RW 230013	M	C	36	209	6.72	45.2	-	-	0.36	0.22	9.9	-1.5	16.6	6.6	38	-25	14.4	-0	8	101	-	106	104	4	94



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik