

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

HJW PRODUKSIEVEILING


WOLMARANSSTAD

09 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 24 August 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society does however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
9 (& 10)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

SB 140007
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

13

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Calf Growth Value

Heavy weaner calves

Measurement: Weaning weight
EBVs: Weaning weight Direct

Milk Value

Good mothering ability

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Maintenance Value

Low cow weight

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 7 (M) BEEFMASTER BOS 222003



RHIND BEEFMASTER

Senekal, Free State

0833050950

riaan@pcpalace.co.za

POSBUS 61666, PIERRE

VAN RYNEVELD, 0045

USED IN HERD (5)



Myostatin

Q204X Free

NT821 Free

F94L Free

Herd Book	SP
Birth date	2022-01-20
Age	4y 8m
Inbreeding	1%
DNA	U8262U008

BOS 166052 PcH
Wean Mat. 110

Parentage	Sire	Dam
DNA	✓	
Genomic		

BOS 155167
Age 10y | AFC 35m | ICP 447d
Calves 7 | Weaned 6 | Wean Mat. 85
Avg. WI 101 | CCB - | CCW 35.6
Calvings: 18-09, 19-10, 20-11,
22-01, 23-04, 25-02, 26-01

BOS 099315
Wean Mat. 76

BOS 066030
Age 12y | AFC 25m | ICP 374d
Calves 11 | Weaned 9 | Wean Mat. 118
Avg. WI 101 | CCB - | CCW -

BOS 100432 HH
Wean Mat. 105

BOS 044180
Age 11y | AFC 22m | ICP 370d
Calves 10 | Weaned 9 | Wean Mat. 75
Avg. WI 99 | CCB - | CCW -

BOS 066188

BOS 999555
Age 13y | Avg. WI 90
Calves 11 | Weaned 8

WO 990047

BOS 033073
Age 8y | Avg. WI 111
Calves 4 | Weaned 4

WO 030081

BOS 033340
Age 11y | Avg. WI 106
Calves 8 | Weaned 7

BOS 000138

BOS 000337
Age 11y | Avg. WI 108
Calves 9 | Weaned 7

COW VALUE 106

71	Calving Ease Value
120	Calf Growth Value
100	Milk Value
89	Maintenance Value
115	Fertility Value

GROWTH VALUE 112

CARCASS VALUE 110

PRODUCTION VALUE 104

LOGIX
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
64	97	120	100	111	117	99	120
63%	48%	60%	57%	40%	55%	39%	58%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	116	112	110	107	105	105	119	105
50%	38%	10%	38%	40%	39%	21%	19%	19%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	222kg 113 (2)	291kg 100 (1)	375kg 100 (1)	-	-	- (B2)	-

SELLER REMARKS: Skrotum: 45cm. Toets negatief vir dubbelbespierung. Bul is in stoetkudde gebruik.

LOT 8 (M) BEEFMASTER R 244005



RHIND BEEFMASTER

Senekal, Free State

0833050950

riaan@pcpalace.co.za

POSBUS 61666, PIERRE

VAN RYNEVELD, 0045

Herd Book	C
Birth date	2024-01-23
Age	2y 8m
Inbreeding	0%
DNA	U21926U033

BOS 199107 PcH
Wean Mat. 74

Parentage	Sire	Dam
DNA	✓	
Genomic		

R 130070
Age 11y | AFC 35m | ICP 451d
Calves 7 | Weaned 7 | Wean Mat. 102
Avg. WI 102 | CCB - | CCW 37.7
Calvings: 16-08, 18-09, 19-09,
20-10, 21-10, 22-10, 24-01

BOS 166261 PcH
Wean Mat. 69

BOS 177093
Age 8y | AFC 24m | ICP 407d
Calves 5 | Weaned 5 | Wean Mat. 90
Avg. WI 101 | CCB - | CCW -

HU 077330
Wean Mat. 47

R 090033
Age 10y | AFC - | ICP 358d
Calves 8 | Weaned 7 | Wean Mat. 140
Avg. WI 105 | CCB - | CCW 50.5

BOS 122172

BOS 122356
Age 11y | Avg. WI 99
Calves 7 | Weaned 7

BOS 011091

BOS 144210
Age 12y | Avg. WI 99
Calves 9 | Weaned 8

OT 020266

HU 990022
Age 20y | Avg. WI 108
Calves 16 | Weaned 16

COW VALUE 98

91	Calving Ease Value
105	Calf Growth Value
90	Milk Value
101	Maintenance Value
108	Fertility Value

GROWTH VALUE -

CARCASS VALUE 90

PRODUCTION VALUE -

LOGIX
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
92	99	105	90	80	106	99	114
67%	50%	66%	51%	27%	39%	23%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	95	-	98	92	92	91	96	94
60%	26%	-	28%	27%	27%	18%	16%	16%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
38kg	211kg 99 (4)	286kg 94 (2)	397kg 100 (2)	-	-	- (B2)	-

SELLER REMARKS: Skrotum: 43cm. Toets negatief vir dubbelbespierung.

LOT 9 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

R 244001



RHIND BEEFMASTER

Senekal, Free State

0833050950

riaan@pcpalace.co.za

POSBUS 61666, PIERRE

VAN RYNEVELD, 0045



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	C
Geb. dtm	2024-01-07
Oud.	2j 8m
Inteling	0%
DNS	U21926U034

BOS 177316 HH
Spn Mat. 98

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

R 170107
Oud. 8j | OEK 35m | TKP 381d
Kalwers 6 | Gespeen 4 | Spn. Mat. 104
Gem. SI 97 | KKG - | KKS 45.4
Kalwings: 20-08, 22-02, 23-02,
24-01, 24-12, 25-11

BOS 099122
Spn Mat. 95

WO 030042 HH

BOS 022110
Oud. 9j | Gem. SI 108
Kalwers 5 | Gespeen 4

BOS 099241 HH

BOS 044074
Oud. 13j | Gem. SI 99
Kalwers 11 | Gespeen 10

BOS 133056
Oud. 13j | OEK 38m | TKP 401d
Kalwers 9 | Gespeen 9 | Spn. Mat. 86
Gem. SI 95 | KKG - | KKS 53.5

HU 120154
Spn Mat. 126

WE 080218

HU 088282
Oud. 6j | Gem. SI 115
Kalwers 4 | Gespeen 3

R 090010
Oud. 11j | OEK - | TKP 368d
Kalwers 9 | Gespeen 9 | Spn. Mat. 78
Gem. SI 94 | KKG - | KKS 41

KOEIWAARDE 106

94	Kalfgemak Waarde
102	Kalfgroei Waarde
101	Melk Waarde
114	Onderhoudswaarde
101	Vrugbaarheidswaarde

GROEI WAARDE 88

KARKAS WAARDE 91

PRODUKSIE WAARDE 99

LOGIX
GENETICS & GENOMICS
EBV Analise 2026-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	124	102	101	81	100	96	108
67%	52%	65%	51%	31%	36%	24%	52%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	93	88	88	99	98	90	92	91
59%	29%	12%	34%	32%	31%	17%	15%	15%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
40kg	228kg 108 (4)	320kg 106 (2)	398kg 99 (2)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Skrotum: 41cm. Toets negatief vir dubbelbespierung.

LOT 19 (M)



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSKAP VAN SA

R 233065



RHIND BEEFMASTER

Senekal, Free State

0833050950

riaan@pcpalace.co.za

POSBUS 61666, PIERRE

VAN RYNEVELD, 0045



Miostatien	
Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-10-18
Oud.	2j 11m
Inteling	0%
DNS	U21926U038

BOS 188314 HH
Spn Mat. 101

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies		

R 200163
Oud. 5j | OEK 37m | TKP 504d
Kalwers 3 | Gespeen 2 | Spn. Mat. 91
Gem. SI 110 | KKG - | KKS 52.4
Kalwings: 23-10, 25-06, 26-07

BOS 144090
Spn Mat. 109

BOS 100432 HH

BOS 066082
Oud. 14j | Gem. SI 99
Kalwers 13 | Gespeen 14

BOS 099110

BOS 099175
Oud. 8j | Gem. SI 102
Kalwers 6 | Gespeen 5

BOS 144200
Oud. 11j | OEK 36m | TKP 377d
Kalwers 9 | Gespeen 7 | Spn. Mat. 89
Gem. SI 101 | KKG - | KKS -

HU 120154
Spn Mat. 126

WE 080218

HU 088282
Oud. 6j | Gem. SI 115
Kalwers 4 | Gespeen 3

R 140077
Oud. 10j | OEK 28m | TKP 432d
Kalwers 7 | Gespeen 5 | Spn. Mat. 46
Gem. SI 82 | KKG - | KKS 29.9

HU 077330

R 090016
Oud. 12j | Gem. SI 103
Kalwers 10 | Gespeen 6

KOEIWAARDE 94

90	Kalfgemak Waarde
109	Kalfgroei Waarde
95	Melk Waarde
96	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE -

KARKAS WAARDE 99

PRODUKSIE WAARDE -

LOGIX
GENETICS & GENOMICS
EBV Analise 2026-08-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
90	103	109	95	83	86	94	113
67%	47%	65%	49%	30%	41%	25%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	102	97	102	95	102	95	109	99
61%	27%	8%	33%	30%	29%	15%	14%	13%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
38kg	253kg 114 (9)	253kg 105 (8)	406kg 105 (7)	-	-	- (B2)	-

VERKOPER OPMERKINGS: Skrotum: 43cm. Toets negatief vir dubbelbespierung.

LOT 20 (M) BEEFMASTER R 233013



RHIND BEEFMASTER



Senekal, Free State

0833050950

riaan@pcpalace.co.za

POSBUS 61666, PIERRE

VAN RYNEVELD, 0045



Myostatin	
Q204X	Free
NT82I	Free
F94L	Free

Herd Book	B
Birth date	2023-08-26
Age	3y
Inbreeding	0%
DNA	U21926U046

R 160940 HH
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	
Genomic		

R 170740
Age 8y | AFC - | ICP 573d
Calves 4 | Weaned 3 | Wean Mat. 106
Avg. WI 99 | CCB - | CCW 47.4
Calvings: 20-10, 21-11, 23-08, 25-06

HU 120154
Wean Mat. 126

WE 080218

HU 088282
Age 6y | Avg. WI 115
Calves 4 | Weaned 3

R 090018
Age 11y | AFC - | ICP 457d
Calves 7 | Weaned 6 | Wean Mat. 82
Avg. WI 91 | CCB - | CCW 51.2

COW VALUE 98	
116	Calving Ease Value
90	Calf Growth Value
99	Milk Value
110	Maintenance Value
94	Fertility Value

GROWTH VALUE	-
CARCASS VALUE	-
PRODUCTION VALUE	-

LOGIX
GENETICS
EBV Analysis 2026-08-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
114	100	90	99	85	95	94	99
62%	46%	60%	47%	18%	31%	14%	45%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	89	-	92	95	91	-	-	-
56%	15%		27%	18%	17%			

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
35kg	247kg 103 (19)	293kg 100 (5)	427kg 102 (6)	-	-	- (B2)	-

SELLER REMARKS: Skrotum: 44cm. Toets negatief vir dubbelbespiegeling.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.05	12.2	-1.4	19	7	72	-39	11.1	1.0	13.0						
Auction Average				38	232	-	50.8	-	-	1.18	-0.24	15.0	-2.3	23	5	69	-38	4.3	-	11	107	-	88	102	5.0	91
7	BOS 222003	M	SP	-	222	-	37.5	-	-	3.28	0.07	23.5	-1.3	36.8	17.9	132	-52	17.3	6	18	113	-	111	101	7	97
8	R 244005	M	C	38	211	-	38.6	-	-	0.97	-0.03	14.9	-4.3	20.3	4.6	56	0	-.5	-4	6	99	-	80	102	7	96
9	R 244001	M	C	40	228	-	53.3	-	-	1.22	-1.00	13.0	-1.2	17.7	-6.3	46	-26	.3	1	11	108	-	81	97	6	107
19	R 233065	M	SP	38	253	-	61.8	-	-	1.19	-0.17	17.4	-2.9	27.3	9.0	79	-36	1.6	-1	15	114	-	83	110	3	86
20	R 233013	M	B	35	247	-	62.8	-	-	-0.78	-0.07	6.1	-1.6	12.5	-2.2	33	0	2.6	-1	5	103	-	85	99	4	68



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik