

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

SCHIETNEK BONSMARA

Veilingsdatum / Auction Date:
22 September 2026

Data soos op / Data as on:
02 September 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA

✓

Genomic

✓

DEF 100066
P

DEF 050022
7

GHI 070076
HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077
P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 L♀ GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines						
							<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss						Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High						Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light						Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less						More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High					*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low						High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light						Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss						Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less						More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss						Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy						Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy						Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light						Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor						Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light				*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low						High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low						High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less						More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less						More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less						More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor						Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low					*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor						Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor						Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light					*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short						Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short						Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1						>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small						Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin						Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low						High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low						High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
STEYNBERG BOERDERY

SBT 230004 HH(c)
2023-07-21
SP

Parentage Sire Dam

DNA

Genomic

HBT 180053

HBT 140007
AGE/CALV. 12/8
AVG. Wt/CALV. 102/8
ICP 436

AT 120217

SBT 170073
AGE/CALV. 8/3
AVG. Wt/CALV. 101/3
ICP 535

SBT 120096
AGE/CALV. 10/5
AVG. Wt/CALV. 106/5
ICP 371

HBT 150011

HBT 110041
AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

TOR 070049

HBT 110012
AGE/CALV. 6/3
AVG. Wt/CALV. 112/3

AT 100033

AT 060026
AGE/CALV. 9/6
AVG. Wt/CALV. 107/5

MCU 080088 P

Calving Ease Value
116

Weaner Calf Value
101

Fertility Value
87

Maintenance Value
95

Cow Value
97

Growth Value
93

Carcass Value
100

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
112	98	103	113	97	87	94	99	98	107	104	104	103	98	103	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
95	93	95	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

LOT 2
STEYNBERG BOERDERY

SBT 230010 HH(c)
2023-07-30
B

Parentage Sire Dam

DNA

Genomic

HBT 170037 P

HBT 120004 P
AGE/CALV. 6/3
AVG. Wt/CALV. 101/3
ICP 464

CRV 120217

SBT 200059
AGE/CALV. 6/3
AVG. Wt/CALV. 93/2
ICP 538

SBT 100021
AGE/CALV. 12/3
AVG. Wt/CALV. 85/3
ICP 505

TOR 110020

TOR 080133
AGE/CALV. 10/7
AVG. Wt/CALV. 107/6

MCU 070007 P

HBT 090080
AGE/CALV. 4/3
AVG. Wt/CALV. 107/2

AJF 080040

CRV 090303 HH(c)
AGE/CALV. 16/12
AVG. Wt/CALV. 110/10

LDW 070041

Calving Ease Value
89

Weaner Calf Value
82

Fertility Value
95

Maintenance Value
100

Cow Value
78

Growth Value
-

Carcass Value
89

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
91	98	81	91	97	107	80	90	88	89	99	98	94	86	95	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
90	101	97	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

LOT 3
STEYNBERG BOERDERY

SBT 230014 HH(c)
2023-08-03
B

Parentage Sire Dam

DNA

Genomic

HBT 170037 P

HBT 120004 P
AGE/CALV. 6/3
AVG. Wt/CALV. 101/3
ICP 464

MULTIPLE SIRES

SBT 200023
AGE/CALV. 5/1
AVG. Wt/CALV. 104/1
ICP -

SBT 140089
AGE/CALV. 10/6
AVG. Wt/CALV. 97/5
ICP 355

TOR 110020

TOR 080133
AGE/CALV. 10/7
AVG. Wt/CALV. 107/6

MCU 070007 P

HBT 090080
AGE/CALV. 4/3
AVG. Wt/CALV. 107/2

LDW 070041

Calving Ease Value
95

Weaner Calf Value
73

Fertility Value
93

Maintenance Value
111

Cow Value
72

Growth Value
-

Carcass Value
93

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	85	85	93	95	106	76	84	91	87	89	101	99	90	95	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	95	97	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

BULLE

LOT 4

STEYNBERG BOERDERY

SBT 230026 HH(c)
2023-08-14
B

Ouerskap Vaar Moer

DNS

Genomies

OLI 150038

SBT 100046
OUD/KALW. 15/11
GEM. SI/KALW. 93/10
TKP 358

WVZ 110104

BBN 050169
OUD/KALW. 17/12
GEM. SI/KALW. 102/13
TKP 470

MJG 040071 P

WVZ 090014
OUD/KALW. 12/10
GEM. SI/KALW. 105/9

JRB 010097

BBN 000154
OUD/KALW. 11/7
GEM. SI/KALW. 104/7Geboortegemak
Waarde
94Speenkalv
Waarde
78Vrugbaarheids-
waarde
90Onderhouds-
waarde
99Koeiwaarde
76Groei-
waarde
86Karkas-
waarde
92

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
96	85	105	91	98	101	77	85	90	94	99	106	94	100	106	94
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH	Miostation							
101		102	102	-	-	-	-	Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

LOT 5

STEYNBERG BOERDERY

SBT 230030 Pp(c)
2023-08-17
SP

Ouerskap Vaar Moer

DNS

Genomies

HBT 170043 P

SBT 190043
OUD/KALW. 6/4
GEM. SI/KALW. 104/4
TKP 342

TOR 110020

HBT 130045 P
OUD/KALW. 13/10
GEM. SI/KALW. 96/9
TKP 400

VJN 130009

SBT 150011
OUD/KALW. 10/8
GEM. SI/KALW. 99/7
TKP 390

LDW 070041

TOR 080133
OUD/KALW. 10/7
GEM. SI/KALW. 107/6

MCU 080061 P

HBT 090080
OUD/KALW. 4/3
GEM. SI/KALW. 107/2

LAR 070038

CEF 970089
OUD/KALW. 18/15
GEM. SI/KALW. 91/15Geboortegemak
Waarde
115Speenkalv
Waarde
90Vrugbaarheids-
waarde
96Onderhouds-
waarde
99Koeiwaarde
93Groei-
waarde
-Karkas-
waarde
91

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	91	98	95	94	101	93	85	93	95	99	103	102	88	91	98
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH	Miostation							
115		104	104	-	-	-	-	Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

LOT 6

STEYNBERG BOERDERY

SBT 230047 HH(c)
2023-08-28
SP

Ouerskap Vaar Moer

DNS

Genomies

HBT 170087

SBT 180061
OUD/KALW. 7/5
GEM. SI/KALW. 94/4
TKP 419

HBT 100017

HBT 130084
OUD/KALW. 6/2
GEM. SI/KALW. 104/2
TKP 525

CRV 120217

SBT 120140
OUD/KALW. 13/8
GEM. SI/KALW. 105/6
TKP 443

TOR 050216

RAI 020072
OUD/KALW. 12/10
GEM. SI/KALW. 98/10

TOR 070049

HBT 020012
OUD/KALW. 13/8
GEM. SI/KALW. 103/7

AJF 080040

CRV 090303 HH(c)
OUD/KALW. 16/12
GEM. SI/KALW. 110/10Geboortegemak
Waarde
93Speenkalv
Waarde
89Vrugbaarheids-
waarde
90Onderhouds-
waarde
104Koeiwaarde
85Groei-
waarde
94Karkas-
waarde
95

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
93	90	111	95	101	91	86	92	99	102	93	105	100	94	98	96
Spn. Indeks		365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH	Miostation							
93		92	91	-	-	-	-	Q204X 0							
								NT821 0							
								F94L 0							

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

BULLS

LOT 7

STEYNBERG BOERDERY

SBT 230054 Pp(c)
2023-09-01
SP

Parentage Sire Dam

DNA

Genomic

HBT 170043 P

SBT 190041
AGE/CALV. 6/4
AVG. Wt/CALV. 104/4
ICP 375

SBT 130105
AGE/CALV. 9/3
AVG. Wt/CALV. 90/2
ICP 546

TOR 110020

HBT 130045 P
AGE/CALV. 13/10
AVG. Wt/CALV. 96/9
ICP 400

AT 120217

LDW 070041

TOR 080133
AGE/CALV. 10/7
AVG. Wt/CALV. 107/6

MCU 080061 P

HBT 090080
AGE/CALV. 4/3
AVG. Wt/CALV. 107/2

AT 100033

AT 060026
AGE/CALV. 9/6
AVG. Wt/CALV. 107/5

Calving Ease Value
102

Weaner Calf Value
82

Fertility Value
93

Maintenance Value
107

Cow Value
83

Growth Value
-

Carcass Value
84

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	84	104	92	93	104	86	85	90	95	91	101	97	81	91	96

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
91	97	111	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

LOT 8

STEYNBERG BOERDERY

SBT 230077 HH(c)
2023-09-18
B

Parentage Sire Dam

DNA

Genomic

AJF 080040

CRV 090303 HH(c)
AGE/CALV. 16/12
AVG. Wt/CALV. 110/10
ICP 438

AG 040061

AJF 020126
AGE/CALV. 10/8
AVG. Wt/CALV. 98/8

HJL 040244

JBR 000027
AGE/CALV. 15/12
AVG. Wt/CALV. 100/8

Calving Ease Value
87

Weaner Calf Value
127

Fertility Value
71

Maintenance Value
68

Cow Value
97

Growth Value
108

Carcass Value
121

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
84	125	107	112	77	87	76	121	114	108	141	133	130	113	93	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
151	132	100	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

LOT 9

STEYNBERG BOERDERY

SBT 230078 HH(c)
2023-09-19
B

Parentage Sire Dam

DNA

Genomic

AJF 080040

CRV 090303 HH(c)
AGE/CALV. 16/12
AVG. Wt/CALV. 110/10
ICP 438

AG 040061

AJF 020126
AGE/CALV. 10/8
AVG. Wt/CALV. 98/8

HJL 040244

JBR 000027
AGE/CALV. 15/12
AVG. Wt/CALV. 100/8

Calving Ease Value
92

Weaner Calf Value
105

Fertility Value
79

Maintenance Value
84

Cow Value
90

Growth Value
102

Carcass Value
111

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
90	109	104	106	88	90	78	107	108	104	117	124	118	104	93	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
130	112	123	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

BULLE

LOT 10

STEYNBERG BOERDERY

SBT 230088 HH(c)
2023-10-02
B

Ouerskap Vaar Moer

DNS

Genomies

CRV 120217

SBT 120102
OUD/KALW. 13/7
GEM. SI/KALW. 106/7
TKP 461

AJF 080040

CRV 090303 HH(c)

OUD/KALW. 16/12
GEM. SI/KALW. 110/10
TKP 438

AG 040061

AJF 020126
OUD/KALW. 10/8
GEM. SI/KALW. 98/8

HJL 040244

JBR 000027
OUD/KALW. 15/12
GEM. SI/KALW. 100/8Geboortegemak
Waarde
103Speenkalf
Waarde
91Vrugbaarheids-
waarde
78Onderhouds-
waarde
95Koeiwaarde
81Groei-
waarde
98Karkas-
waarde
108

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
101	94	101	103	84	88	82	94	104	100	104	120	113	101	93	100

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
127	101	100	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

LOT 11

STEYNBERG BOERDERY

SBT 230092 Pp(c)
2023-10-12
SP

Ouerskap Vaar Moer

DNS

Genomies

HBT 170043 P

SBT 190037
OUD/KALW. 7/4
GEM. SI/KALW. 113/4
TKP 386

TOR 110020

HBT 130045 P

OUD/KALW. 13/10
GEM. SI/KALW. 96/9
TKP 400

VJN 130098

SBT 140089

OUD/KALW. 10/6
GEM. SI/KALW. 97/5
TKP 355

LDW 070041

TOR 080133
OUD/KALW. 10/7
GEM. SI/KALW. 107/6

MCU 080061 P

HBT 090080
OUD/KALW. 4/3
GEM. SI/KALW. 107/2

AG 100179 HH(c)

GZV 090157 HH(c)
OUD/KALW. 11/8
GEM. SI/KALW. 106/7Geboortegemak
Waarde
100Speenkalf
Waarde
101Vrugbaarheids-
waarde
91Onderhouds-
waarde
89Koeiwaarde
96Groei-
waarde
-Karkas-
waarde
96

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	103	104	97	89	103	85	98	97	97	111	111	109	92	90	97

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
125	112	110	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

LOT 12

STEYNBERG BOERDERY

SBT 230097 HH(c)
2023-10-21
SP

Ouerskap Vaar Moer

DNS

Genomies

HBT 180053

SBT 160064
OUD/KALW. 9/6
GEM. SI/KALW. 102/6
TKP 425

HBT 150011

HBT 140007

OUD/KALW. 12/8
GEM. SI/KALW. 102/8
TKP 436

AT 120217

SBT 090024

OUD/KALW. 13/5
GEM. SI/KALW. 103/5
TKP 352

MCU 080088 P

HBT 110041
OUD/KALW. 14/9
GEM. SI/KALW. 102/8

TOR 070049

HBT 110012
OUD/KALW. 6/3
GEM. SI/KALW. 112/3

AT 100033

AT 060026
OUD/KALW. 9/6
GEM. SI/KALW. 107/5Geboortegemak
Waarde
108Speenkalf
Waarde
98Vrugbaarheids-
waarde
92Onderhouds-
waarde
95Koeiwaarde
96Groei-
waarde
92Karkas-
waarde
97

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
105	97	105	112	101	90	98	100	98	108	103	104	102	96	103	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
99	100	96	-	-	-	-

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-08-17

BULLS

LOT 13

STEYNBERG BOERDERY

SBT 230101 HH(c)
2023-10-29
B

Parentage Sire Dam

DNA

Genomic

HBT 180053



SBT 170004

AGE/CALV. 9/6
AVG. Wt/CALV. 106/4
ICP 401

HBT 150011

HBT 140007

AGE/CALV. 12/8
AVG. Wt/CALV. 102/8
ICP 436

MULTIPLE SIRES

SBT 120102

AGE/CALV. 13/7
AVG. Wt/CALV. 106/7
ICP 461

MCU 080088 P

HBT 110041

AGE/CALV. 14/9
AVG. Wt/CALV. 102/8

TOR 070049

HBT 110012

AGE/CALV. 6/3
AVG. Wt/CALV. 112/3

Calving Ease
Value
101

Weaner Calf
Value
113

Fertility
Value
101

Maintenance
Value
87

Cow Value
112

Growth
Value
-

Carcass
Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	111	108	106	104	103	94	105	96	93	114	106	107	99	100	99

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
138	122	116	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-08-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				37	284	-	-	-	0.98 1.12	-0.28 -0.41	14.9 13.7	3.7 4.1	25 24	22 29	79 69	-37 -34	12.8 13.0	-3.0 4	14.0 18	112	-	100	103	5.0	96
1	SBT 230004	M	SP	33	224	-	-	-	-0.28	-0.92	13.6	4.6	28.6	28.4	72	-48	20.7	0	16	95	-	113	101	3	73
2	SBT 230010	M	B	38	256	-	-	-	1.95	0.04	13.7	-2.0	16.7	21.2	35	-18	7.6	-5	8	90	-	91	93	3	86
3	SBT 230014	M	B	38	305	-	-	-	1.27	0.09	7.0	-0.8	11.6	5.3	44	-16	8.7	-2	13	104	-	93	104	1	64
4	SBT 230026	M	B	37	240	-	-	-	1.36	0.11	7.0	5.1	12.1	20.6	41	-27	7.1	1	8	101	-	91	93	11	118
5	SBT 230030	M	SP	34	265	-	-	-	-0.47	-0.49	10.0	3.2	13.7	21.0	55	-28	9.9	-0	15	115	-	95	104	4	108
6	SBT 230047	M	SP	37	224	-	-	-	1.67	-0.15	9.5	7.0	20.5	12.4	74	-40	9.6	0	13	93	-	95	94	5	109
7	SBT 230054	M	SP	37	224	-	-	-	0.90	-0.51	6.1	5.0	13.5	9.4	42	-29	7.7	-2	11	91	-	92	104	4	106
8	SBT 230077	M	B	39	406	-	-	-	2.60	-0.67	28.7	5.8	49.9	82.0	132	-49	19.9	23	40	151	-	112	111	7	85
9	SBT 230078	M	B	39	354	-	-	-	2.03	-0.60	19.7	4.9	35.8	47.1	108	-44	16.5	16	30	130	-	106	105	8	98
10	SBT 230088	M	B	36	344	-	-	-	0.84	-0.52	11.8	4.2	22.2	27.5	95	-37	14.6	12	25	127	-	103	106	7	92
11	SBT 230092	M	SP	37	294	-	-	-	1.21	-0.55	16.8	5.1	26.1	38.8	68	-31	11.1	5	22	125	-	97	113	4	104
12	SBT 230097	M	SP	34	238	-	-	-	0.44	-0.71	13.3	5.3	28.7	27.4	71	-50	19.9	0	16	99	-	112	102	6	100
13	SBT 230101	M	B	39	323	-	-	-	1.03	-0.46	21.0	6.2	33.1	42.2	66	-25	16.2	2	20	138	-	106	106	6	103

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spierse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik