

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

MAGOGONG PEKAN FEES

Veilingsdatum / Auction Date:
02 October 2026

Data soos op / Data as on:
29 September 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA
✓

Genomic
✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

5 L♀ GIX Cow Value
Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

1 Calving Ease Value
Calf Growth Value
3 Fertility Value
Milk Value
4 Maintenance Value
EBVs Birth Direct & Maternal
EBV Wean Direct
EBVs Cow & Heifer Fertility,
EBV Longevity
EBV Wean Maternal
EBVs Mature weight & Milk

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).


LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

- Maintenance Value > 110
- Cow Value & Fertility Value average to high

Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
Cow & Heifer	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
		Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit
	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	18	Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility		Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
Growth & Frame	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
B2 BONSMARAS



LVP 230020 HH(c)
2023-05-20
B

Parentage Sire Dam

DNA ☒

Genomic



WAT 180112

LVP 200404
AGE/CALV. 5/2
AVG. Wt/CALV. 98/2
ICP 705

WAT 160402

WAT 160332
AGE/CALV. 4/1
AVG. Wt/CALV. 95/1
ICP -

WAT 120072
WAT 040119
AGE/CALV. 12/10
AVG. Wt/CALV. 106/10

WAT 110153

WAT 080035
AGE/CALV. 13/11
AVG. Wt/CALV. 102/11

Calving Ease Value
124

Weaner Calf Value
77

Fertility Value
96

Maintenance Value
103

Cow Value
86

Growth Value
109

Carcass Value
110

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
131	77	103	124	103	96	87	84	116	112	95	108	108	84	102	95

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	105	-	383	1.21

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 2
EL TAURO BONSMARAS



HIT 240110 Pp(c)
2024-10-14
SP

Parentage Sire Dam

DNA

Genomic



HIT 200125 Pp(c)

HIT 200180
AGE/CALV. 5/3
AVG. Wt/CALV. 98/3
ICP 384

HIT 170059 Pp(c)

HIT 180120
AGE/CALV. 4/1
AVG. Wt/CALV. 104/1
ICP -

HIT 150043
AGE/CALV. 11/5
AVG. Wt/CALV. 107/5
ICP 492

HIT 130048
HIT 120079
AGE/CALV. 11/8
AVG. Wt/CALV. 105/8

HIT 090060

HIT 060115
AGE/CALV. 16/12
AVG. Wt/CALV. 106/12

JRB 000116

JRB 030026
AGE/CALV. 18/15
AVG. Wt/CALV. 109/14

HIT 100144

HIT 040086
AGE/CALV. 13/7
AVG. Wt/CALV. 102/6

Calving Ease Value
107

Weaner Calf Value
109

Fertility Value
94

Maintenance Value
92

Cow Value
108

Growth Value
95

Carcass Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	101	120	104	90	95	106	100	98	105	106	108	108	104	106	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
95	98	100	-	-	-	-

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 3
B2 BONSMARAS



LVP 230080 HH(c)
2023-06-13
B

Parentage Sire Dam

DNA ☒

Genomic



VV 120129

LVP 161051
AGE/CALV. 9/1
AVG. Wt/CALV. 108/1
ICP -

VV 090367

VV 040337
AGE/CALV. 8/6
AVG. Wt/CALV. 109/6
ICP 372

VV 060379
VV 010161
AGE/CALV. 14/12
AVG. Wt/CALV. 100/12

VV 010292

VV 010203
AGE/CALV. 15/13
AVG. Wt/CALV. 95/13

Calving Ease Value
97

Weaner Calf Value
96

Fertility Value
107

Maintenance Value
88

Cow Value
102

Growth Value
102

Carcass Value
116

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	97	116	134	120	103	88	95	100	103	111	106	107	107	110	102

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
108	-	-	125	-	394	1.18

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 4

B2 BONSMARAS

LVP 230464 HH(c)
2023-11-11
B

Ouerskap Vaar Moer

DNS

Genomies

WAT 190426

LVP 160037
OUD/KALW. 10/3
GEM. SI/KALW. 105/2
TKP 458

WAT 160140

WAT 150311
OUD/KALW. 10/8
GEM. SI/KALW. 102/7
TKP 415

WAT 140477

WAT 130509
OUD/KALW. 8/5
GEM. SI/KALW. 107/4

WAT 110153

WAT 100244
OUD/KALW. 11/10
GEM. SI/KALW. 105/9Geboortegemak
Waarde
112Speenkalf
Waarde
91Vrugbaarheids-
waarde
91Onderhouds-
waarde
99Koeiwaarde
92Groei-
waarde
108Karkas-
waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	86	115	122	97	88	93	84	116	106	98	105	105	99	94	109

Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH	Miostatien	
108		99		101		-		-		407		1.24	Q204X 0	

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 5

B2 BONSMARAS

LVP 230151 HH(c)
2023-07-14
B

Ouerskap Vaar Moer

DNS

Genomies

VV 140510

LVP 160085
OUD/KALW. 10/3
GEM. SI/KALW. 114/3
TKP 522

VV 120139 HH(c)

VV 070078
OUD/KALW. 10/9
GEM. SI/KALW. 103/8
TKP 393

VV 090089

VV 090475 HH(c)
OUD/KALW. 16/13
GEM. SI/KALW. 109/12

VV 040323

BG 940026
OUD/KALW. 14/12
GEM. SI/KALW. 101/12Geboortegemak
Waarde
102Speenkalf
Waarde
122Vrugbaarheids-
waarde
105Onderhouds-
waarde
90Koeiwaarde
122Groei-
waarde
106Karkas-
waarde
111

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	113	117	116	116	94	95	105	109	110	108	110	115	108	98	99

Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH	Miostatien	
120		-		-		90		-		379		1.17	Q204X 0	

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 6

EL TAURO BONSMARAS

HIT 240162 Pp(c)
2024-12-13
SP

Ouerskap Vaar Moer

DNS

Genomies

HIT 130048

HIT 200116
OUD/KALW. 6/3
GEM. SI/KALW. 109/2
TKP 402

HIT 070046

HIT 020013
OUD/KALW. 15/10
GEM. SI/KALW. 103/11
TKP 484

HIT 170059 Pp(c)

HIT 180106
OUD/KALW. 5/3
GEM. SI/KALW. 101/3
TKP 483

BG 020058 Pp(c)

HIT 050050
OUD/KALW. 8/5
GEM. SI/KALW. 108/5

VV 940335

HIT 960008
OUD/KALW. 11/9
GEM. SI/KALW. 92/7

HIT 130048

HIT 120079
OUD/KALW. 11/8
GEM. SI/KALW. 105/8

HIT 090060

HIT 080073
OUD/KALW. 13/8
GEM. SI/KALW. 99/9Geboortegemak
Waarde
113Speenkalf
Waarde
112Vrugbaarheids-
waarde
94Onderhouds-
waarde
95Koeiwaarde
111Groei-
waarde
91Karkas-
waarde
96

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
109	101	117	99	98	94	99	99	94	97	103	97	99	97	102	95

Spn. Indeks		365D Indeks		540D Indeks		GDT Indeks		VOV Indeks		Skrotum		LH	Miostatien	
115		114		107		-		-		-		-	Q204X	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 7

B2 BONSMARAS



LVP 230227 HH(c)
2023-10-03
B

Parentage Sire Dam

DNA 

Genomic


V 190083


LVP 200309
AGE/CALV. 6/2
AVG. Wt/CALV. 106/2
ICP 601

V 140284

V 150196
AGE/CALV. 9/7
AVG. Wt/CALV. 99/7
ICP 390

V 110161
V 090013
AGE/CALV. 14/12
AVG. Wt/CALV. 104/12
VV 090089
V 130094
AGE/CALV. 8/7
AVG. Wt/CALV. 105/6

Calving Ease Value
119

Weaner Calf Value
95

Fertility Value
112

Maintenance Value
98

Cow Value
108

Growth Value
95

Carcass Value
104

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
115	91	105	101	112	107	100	89	92	101	101	115	102	107	102	91

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	101	101	-	-	368	1.19

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 8

B2 BONSMARAS



LVP 230081 HH(c)
2023-06-13
B

Parentage Sire Dam

DNA 

Genomic


CNB 170025


LVP 180077
AGE/CALV. 7/3
AVG. Wt/CALV. 89/3
ICP 541

CNB 100132

CNB 120048
AGE/CALV. 8/4
AVG. Wt/CALV. 99/4
ICP 417

CNB 030048
CNB 030036
AGE/CALV. 17/14
AVG. Wt/CALV. 100/14
CNB 050150
CNB 080181
AGE/CALV. 7/2
AVG. Wt/CALV. 102/2

Calving Ease Value
82

Weaner Calf Value
85

Fertility Value
97

Maintenance Value
90

Cow Value
83

Growth Value
95

Carcass Value
-

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
89	94	111	113	101	102	84	93	87	79	109	81	86	-	-	-

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
104	-	-	105	-	372	1.18

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

LOT 9

B2 BONSMARAS


LVP 230392 HH(c)
2023-10-28
B

Parentage Sire Dam

DNA 

Genomic


WAT 140144


LVP 160064
AGE/CALV. 10/3
AVG. Wt/CALV. 94/3
ICP 433

WAT 120166

WAT 120309
AGE/CALV. 4/1
AVG. Wt/CALV. 105/1
ICP -

BG 090156
WAT 030254
AGE/CALV. 13/10
AVG. Wt/CALV. 98/9
WAT 060355
WAT 040161
AGE/CALV. 11/8
AVG. Wt/CALV. 108/7

Calving Ease Value
137

Weaner Calf Value
88

Fertility Value
95

Maintenance Value
126

Cow Value
97

Growth Value
83

Carcass Value
95

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
134	74	103	101	102	94	89	73	85	79	78	67	79	94	95	101

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	95	100	-	-	377	1.29

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

BULLE

LOT 10

B2 BONSMARAS

LVP 230595 HH(c)
2023-12-07
B

Ouerskap Vaar Moer

DNS

Genomies

WAT 190426



LVP 180064

OUD/KALW. 7/2
GEM. SI/KALW. 96/2
TKP 386

WAT 160140

WAT 150311

OUD/KALW. 10/8
GEM. SI/KALW. 102/7
TKP 415

WAT 140477

WAT 130509
OUD/KALW. 8/5
GEM. SI/KALW. 107/4

WAT 110153

WAT 100244
OUD/KALW. 11/10
GEM. SI/KALW. 105/9Geboortegemak
Waarde
98Speenkalv
Waarde
83Vrugbaarheids-
waarde
92Onderhouds-
waarde
97Koeiwaarde
84Groei-
waarde
104Karkas-
waarde
102

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
102	86	112	100	98	89	95	91	107	104	100	102	99	97	94	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
97	110	102	-	-	361	1.21

Miostatien

Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 11

EL TAURO BONSMARAS

HIT 240165
2024-12-16
SP

Ouerskap Vaar Moer

DNS

Genomies

HIT 130048



HIT 210009

OUD/KALW. 5/2
GEM. SI/KALW. 105/2
TKP 423

HIT 070046

HIT 020013

OUD/KALW. 15/10
GEM. SI/KALW. 103/11
TKP 484

HIT 150152

HIT 150019

OUD/KALW. 11/6
GEM. SI/KALW. 100/6
TKP 480

BG 020058 Pp(c)

HIT 050050
OUD/KALW. 8/5
GEM. SI/KALW. 108/5

VV 940335

HIT 960008
OUD/KALW. 11/9
GEM. SI/KALW. 92/7

HIT 090060

HIT 030029
OUD/KALW. 17/12
GEM. SI/KALW. 105/11

HIT 100087

HIT 120083
OUD/KALW. 12/7
GEM. SI/KALW. 109/7Geboortegemak
Waarde
100Speenkalv
Waarde
117Vrugbaarheids-
waarde
79Onderhouds-
waarde
94Koeiwaarde
106Groei-
waarde
94Karkas-
waarde
101

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
98	107	124	101	84	81	101	102	98	102	103	105	106	100	104	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
113	115	110	-	-	-	-

Miostatien

Q204X	0
NT821	1
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 12

B2 BONSMARAS

LVP 230253 HH(c)
2023-10-08
B

Ouerskap Vaar Moer

DNS

Genomies

WAT 180112



LVP 210018

OUD/KALW. 4/2
GEM. SI/KALW. 100/2
TKP 609

WAT 160402

WAT 160332

OUD/KALW. 4/1
GEM. SI/KALW. 95/1
TKP -

WAT 120072

WAT 040119
OUD/KALW. 12/10
GEM. SI/KALW. 106/10

WAT 110153

WAT 080035
OUD/KALW. 13/11
GEM. SI/KALW. 102/11Geboortegemak
Waarde
118Speenkalv
Waarde
86Vrugbaarheids-
waarde
95Onderhouds-
waarde
103Koeiwaarde
92Groei-
waarde
106Karkas-
waarde
109

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	85	103	91	102	96	88	84	109	102	95	103	103	85	100	93

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
103	94	100	-	-	342	1.24

Miostatien

Q204X	0
NT821	0
F94L	0

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

BULLS

LOT 13

B2 BONSMARAS



LVP 230305 Pp(c)
2023-10-14
B

Parentage Sire Dam

DNA ✓

Genomic

LHB 200368



LVP 200229

AGE/CALV. 6/3
AVG. Wt/CALV. 95/1
ICP 387

JG 150838 P

LHB 140131

AGE/CALV. 12/8
AVG. Wt/CALV. 99/8
ICP 391

JG 120602

JG 120063

AGE/CALV. 12/10
AVG. Wt/CALV. 101/9

MCU 070007 P

LHB 120014

AGE/CALV. 5/3
AVG. Wt/CALV. 100/1

Calving Ease
Value
77

Weaner Calf
Value
83

Fertility
Value
108

Maintenance
Value
91

Cow Value
84

Growth
Value
93

Carcass
Value
102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
71	98	100	81	110	104	95	89	96	96	109	102	100	98	120	110
													Myostatin		
													Q204X		0

REMARKS:

LOGIX EBV Analysis: 2026-09-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				35	238	9.19	1.21	373	0.98	-0.28	14.9	3.7	25	22	79	-37	12.8	-3.0	14.0	105	106	107	101	2.0	80
1	LVP 230020	M	B	29	218	8.31	1.21	383	-2.27	0.77	2.4	4.7	11.7	14.2	140	-56	27.2	4	20	98	105	124	98	2	38
2	HIT 240110	M	SP	33	263	-	-	-	0.49	-0.70	15.3	9.9	28.6	31.2	73	-44	15	3	21	95	-	104	98	3	105
3	LVP 230080	M	B	34	235	7.59	1.18	394	0.87	0.44	13.2	8.8	21.6	38.2	79	-41	33	1	20	108	125	134	108	1	-
4	LVP 230464	M	B	33	245	-	1.24	407	-0.23	-0.32	7.4	8.3	13.1	20.0	140	-47	25.6	1	18	108	-	122	105	3	92
5	LVP 230151	M	B	41	265	9.67	1.17	379	1.34	-1.06	21.7	9.0	34.9	34.7	114	-53	22.2	4	27	120	90	116	114	3	80
6	HIT 240162	M	SP	33	262	-	-	-	0.04	-0.89	15.5	9.0	27.5	26.5	56	-32	12	-6	13	115	-	99	109	3	97
7	LVP 230227	M	B	31	213	-	1.19	368	-0.63	-0.87	10.3	5.1	17.9	23.0	48	-39	13.2	9	16	102	-	101	106	2	62
8	LVP 230081	M	B	40	234	11.17	1.18	372	2.14	0.84	11.9	6.9	19.9	35.2	31	-1	20.5	-18	1	104	105	113	89	3	76
9	LVP 230392	M	B	28	206	-	1.29	377	-2.58	-0.74	1.0	4.6	2.4	-10.1	22	-2	13.6	-30	-5	102	-	101	94	3	93
10	LVP 230595	M	B	36	189	-	1.21	361	0.72	0.38	7.5	7.4	18.2	22.8	106	-44	12.8	-1	13	97	-	100	96	2	54
11	HIT 240165	M	SP	36	261	-	-	-	1.22	-0.64	18.5	11.0	30.3	27.0	70	-40	13.3	1	19	113	-	101	105	2	90
12	LVP 230253	M	B	32	255	-	1.24	342	-1.31	0.37	6.8	4.8	12.7	15.2	114	-40	7.1	-0	17	103	-	91	100	2	60
13	LVP 230305	M	B	44	250	-	1.23	349	4.01	0.09	13.7	3.6	16.5	35.4	66	-31	1.7	-2	14	95	-	81	95	3	111

EXPLANATION OF CATALOGUE ABBREVIATIONS		VERDUIDELIKING VAN KATALOGUS AFKORTINGS	
Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiers vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik