

OFFICIAL AUCTION CATALOGUE FOR

HURWITZ FARMING SUMMER SALE

The Bull Ring, Auction House

06 October 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 23 September 2026



DROUGHTMASTER SA[®]



SA STAMBOEK
STUD BOOK





RULES FOR SALES HELD UNDER THE AUSPICES OF THE DROUGHTMASTER SA CATTLE BREEDER'S SOCIETY

1	INTRODUCTION	3
2	APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY	3
3	REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER	4
4	CATALOGUE	5
5	SCREENING	5
6	DUTIES OF THE AUCTIONEER	6
7	DISPERSAL SALES	7
8	COMMISSIONS and FEES	7
9	BUYERS	8
10	GENERAL RULES	8

1 INTRODUCTION

- 1.1 Members of the Society are encouraged to sell registered Droughtmaster SA animals under the auspices of the Society. This will ensure that:
 - 1.1.1 the Droughtmaster SA comply with the Society's minimum standards of purity and functionality,
 - 1.1.2 the Droughtmaster SA are of consistent quality and high standard,
 - 1.1.3 your clients are protected in that all animals on offer meet the breed standards,
 - 1.1.4 your clients have a reliable method of addressing possible queries and complaints,
 - 1.1.5 the breed develops a trustworthy reputation in the beef industry which builds buyer confidence and peace of mind,
 - 1.1.6 the society can support you in the event of queries, dispute resolution, marketing and publicity,
 - 1.1.7 the benefit of "quality at a fair price" is offered to both buyers and sellers and thereby builds the trust of the buyer market, ensuring the sustainability of our breed.
- 1.2 The Society will approve any production sale of registered Droughtmaster SA cattle provided that:
 - 1.2.1 Prior to the announcement of such sale, the seller must contact Society with the details of the sale.
 - 1.2.2 Both the Sellers and the Society will sign a written agreement
 - 1.2.3 The Seller adheres to the requirements detailed further in this document.
 - 1.2.4 Should the requirements detailed not be met, the Society will be entitled to:
 - 1.2.4.1 renegotiate the requirements.
 - 1.2.4.2 withdraw permission that the sale be presented under the auspices of the Society.
 - 1.2.4.3 if warranted, suspend the membership of the relevant member.

2 APPLICATION TO HOLD A SALE UNDER THE AUSPICES OF THE DROUGHTMASTER SA SOCIETY

- 2.1 All sellers must be fully paid-up members of the Droughtmaster SA Breeders' Society.
- 2.2 The Society and the appointed organiser will handle all communication pertaining to the sale. The organiser will be responsible for the communication with other sellers involved with the sale.
- 2.3 On approval of the application the Society office will furnish the organiser with the official entry forms, which must be completed and returned to the office at least 2 (two) months prior to the date of the relevant sale.
- 2.4 All animals to be offered on sale must be present on the entry form, DNA information required must also be available if requested by the office. Office will not allow animals to be added to the entry form if outside the mentioned days.
- 2.5 Each seller and the Society will sign a written agreement concerning the conditions that will apply to the sale.
- 2.6 It is the responsibility of the seller to provide all fertility, pregnancy and health certificates prior to the sale and deliver the originals to the auctioneers before the screening date and time.
- 2.7 It is recommended that sales in the same area should not be presented within one week of each other (a province will be regarded as the guide) unless the organisers of both sales agree to such an arrangement.
- 2.8 Only in exceptional cases will more than one sale on the same day be permitted provided that it is held in different regions with different climatic conditions and with no conflicting interests of buyers. The organisers of both sales must agree to such an arrangement.
- 2.9 No other sale may be held three (3) weeks prior to the National sale.
- 2.10 Existing sales with history will be taken into consideration when sale dates are allocated by the Society.
- 2.11 A document detailing the rules and duties of the auctioneers will be submitted to the relevant auctioneers for their signature. The Society reserves the right not to approve an application for a sale to be presented under the auspices of the Society should it emerge that the auctioneering firm is in disrepute with the Society.
- 2.12 Council and staff members of the Society, in their personal capacity, are indemnified against any claims lodged by either buyers or sellers arising from the sale of animals at such a sale.

3 REQUIREMENTS FOR ANIMALS, EMBRYOS AND SEMEN ON OFFER

3.1 Society and Legislative Requirements

- 3.1.1 All animals on offer must be registered with the Droughtmaster SA Cattle Breeders' Society, except calves at foot, whose birth must have been officially recorded. Such calves may not be older than eight months of age on the date of the sale. Potential sellers must therefore ensure that animals to be presented at a sale under the auspices of the Society are inspected well ahead of time – either at their annual inspection or arrange a special inspection.
- 3.1.2 Animals not conforming to the minimum breed standards of the Society may not be sold at a sale offered under the auspices of the Society.
- 3.1.3 The pregnancy status of cows on offer must be such that they calve according to the minimum reproduction standards as specified in the Byelaws of the Society.
- 3.1.4 No calf that has been notified as "not for registration" may be offered for sale.
- 3.1.5 **No female may be offered that is knowingly in calf to any bull other than a registered Droughtmaster SA bull.**
- 3.1.6 Embryos offered for sale must be:
 - 3.1.6.1 flushed from donor cows registered with the Society.
 - 3.1.6.2 accompanied by a signed certificate confirming parentage details, the grade of the embryo and confirmation that the embryos were collected by a registered embryologist at a registered quarantine station.
 - 3.1.6.3 If an embryo flush is on offer clearly state who is responsible for which costs.
- 3.1.7 In the case of cows that have been embryo donors, a signed embryologist report confirming:
 - 3.1.7.1 the number of times the donor has been flushed.
 - 3.1.7.2 the number of embryos flushed.
 - 3.1.7.3 This report must be submitted at least 28 (twenty-eight) days prior to the date of sale.
 - 3.1.7.4 The donor cow will be omitted from the catalogue if this information is not submitted in time.
- 3.1.8 **All heifers must calf before 39 months of age. (excluding Promotion Sale – all females on this sale must be pregnant or with calf) Pregnant females must on the date of the sale be certified in calf by a registered veterinarian.**
- 3.1.9 **The minimum age for females entered is 15 (fifteen) months on the date of the sale.**
- 3.1.10
 - a) **The minimum age for bulls entered is 18 (eighteen) months on the date of the sale.**
 - b) **The maximum age for bulls entered at the Promotion Sale is 6 years.**
 - c) **All Droughtmaster SA bulls on sale must be de-horned.**
 - d) **Only F3 & SP Droughtmaster SA bulls are allowed on sale.**
- 3.1.11 A cow may be sold as a 3 in 1 (cow confirmed in calf with a calf at foot) on condition that she is confirmed in calf on the date of sale, complies with rule 3.1.3 and that the calf at foot is not older than 8 months.
- 3.1.12 If semen straws are retained by the seller of a bull, this must be declared by the seller as part of the information that appears in the sale catalogue.
- 3.1.13 When an animal that is jointly owned is offered for sale:
 - 3.1.13.1 The seller must specify the percentage share to be sold together with any other conditions or restrictions that may apply.
 - 3.1.13.2 The progeny of the said animal, as recorded, must be included in the catalogue.
- 3.1.14 As from 01/01/2025 all bulls offered on auction must be tested for Myostatin (Q204X, NT821, F94L)
- 3.1.15 As from 01/01/2027 all animals with a lot number (male and female) offered on auction must be tested for Myostatin (Q204X, NT821, F94L)

3.2 Animal Health

- 3.2.1 **All animals offered must have been tested negative in respect of CA and TB as near as possible to the sale date, but not more than three months prior to the date of the sale.**
- 3.2.2 **TB and CA tests on calves sold at foot with their Dams are not necessary.**

- 3.2.3 If any of the animals offered for sale test positive for CA, TB, Trichomoniasis or Vibriosis, all the animals offered for sale by the breeder must immediately be withdrawn from the sale, and the office must be informed.
- 3.2.4 Pregnancy certificates stating number of months pregnant must be presented to the auctioneer and must correspond with the information given to the office when compiling the catalogue. The pregnancy certificate may not be older than three months prior to the date of the sale.
- 3.2.5 Bulls on offer must, within three months (90 days) preceding the date of sale:
 - 3.2.5.1 have been tested by a veterinarian or a registered veterinary technologist/semen collector for breeding soundness (external & internal genitalia, rectal examination, macro and microscopic evaluation of semen sample).
 - 3.2.5.2 be tested negative in respect of Trichomoniasis, Vibriosis, CA and TB.
 - 3.2.5.3 be run separately from females from the test date up to the date of the sale.
- 3.2.6 Only semen from AI bulls approved by the Society and registered with SA Stud Book and collected by a registered semen collector at a registered quarantine station, may be offered for sale. The applicable certification from the quarantine station must be submitted to the Society at least 28 (twenty-eight) days prior to the sale date.
- 3.2.7 The relevant health and pregnancy certificates must be submitted to the auctioneer prior to offloading the cattle at the sale. No animals will be allowed to be offloaded at the sale if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 3.2.8 Council reserves the right to institute disciplinary action against a breeder who had, according to the discretion of Council, administered hormones/steroids to an animal which is regarded as unethical and a misrepresentation of such animal.
- 3.2.9 Must adhere to the rules of the Animal department for foot and mouth.
- 3.2.10 With effect from 1 January 2027, all fertility and pregnancy certificates must be submitted to the office.
- 3.2.11 All veterinary documentation must be submitted to the office at least 21 days prior to the auction and before the catalogue is finalised.

4 CATALOGUE

- 4.1 The seller is required to submit all the required information to the Society 28 days before the date of the sale.
- 4.2 The seller must provide all the relevant information required on the entry form.
- 4.3 Upon receipt of the relevant entry information, the Society will check the entries and submit a concept sale catalogue within 21 (twenty-one) days of the date of the sale to the sale organiser for approval. A period of 5 (five) working days will be granted to the organiser to submit any changes that are required. The Society will then submit the final catalogue to the auctioneers two weeks prior to the sale date.
- 4.4 Should any information provided by the breeder to the society for the catalogue, change between the date of submission in 4.3 above and the sale date then the onus is upon the breeder to advise the office, the auctioneer and the inspectors responsible for the screening prior to screening of any such changes.
- 4.5 All the breeders' registered animals for sale will be listed in lot sequence in the catalogue.
- 4.6 The rules pertaining to the sales presented under the auspices of the Society must be published at the front of the sale catalogue.
- 4.7 No changes to the catalogue can be made after the entry date has expired.

5 SCREENING

- 5.1 The purpose of the screening:
 - 5.1.1 is to verify the identification of the animals on offer.
 - 5.1.2 is to inspect them for functional faults and compliance with Society norms and minimum breed standards.

- 5.1.3 is to verify that animals that have been flagged by the administrative office meet minimum production standards on the day of the sale.
- 5.2 Two inspectors, appointed by the Society, will screen all animals offered for sale of which at least one must be a senior inspector.
- 5.3 The inspectors officiating at a sale screening may not sell animals on that same sale.
- 5.4 Sale animals must be available for screening well in advance, preferably 2-4 weeks before the sale on the farm. The day before the sale, animals will only be screened for injuries or obvious faults that were missed during earlier inspections. Droughtmaster SA office will appoint two (2) inspectors for screening animals as sale worthy for the National sale and one (1) inspector for all other sales.
- 5.5 Only the auctioneer's representative will be allowed to accompany the nominated inspectors during screening.
- 5.6 The inspectors will advise the buyers of animals that have been screened off the sale.
- 5.7 Sellers must be present or at least contactable after screening. Should sellers not be present, the information will be given to the representatives of the auctioneering firm.
- 5.8 The auctioneer must present all Veterinary certificates at the screening to the inspectors.
- 5.9 The inspectors will advise the representative of the Auctioneering firm of any animals that fail the screening, and the registration status of each of these animals will be immediately suspended. The findings of the inspectors will be final and no appeal inspection will be allowed at the auction venue. The appeal inspection will be carried out on a date to be agreed between the Society and the seller.
- 5.10 **An animal that fails the screening process may not be sold at that auction.**
- 5.11 Animals rejected during auction screening must be removed from the premises
- 5.12 No other type of inspection may be carried out during sale screening.
- 5.13 At least one of the inspectors involved in the screening will be available on the day of the sale to provide a marketing presence for the seller and the society, to act in an advisory capacity to buyers and ensure that the auction is conducted in compliance of the above rules.

6 DUTIES OF THE AUCTIONEER

- 6.1 The auctioneer must complete in full the applicable Society form and return it to the Society office duly signed.
- 6.2 As the sale will be presented under the auspices of the Society, the sale pamphlet as well as all other advertising copy must be submitted to the Society for approval prior to publication. The official/approved Society logo must appear on all advertising and the words "Sale held under the auspices of the **Droughtmaster SA Cattle Breeders' Society**".
- 6.3 The rules pertaining to sales presented under the auspices of the Society, together with other information supplied by the Society, must be published at the front of the sale catalogue.
- 6.4 Only animals in the catalogue may be sold.
- 6.5 No animals will be allowed to be offloaded at the sales venue if the TB and CA certificates are not presented to the auctioneer or his official responsible for offloading.
- 6.6 The auctioneer will provide two (2) personnel to assist the inspectors with the screening of sale animals.
- 6.7 The auctioneer is responsible for submitting all the health, fertility and pregnancy certificates for each animal on sale to the Society inspectors prior to screening for verification. The auctioneers are then responsible for distributing all these certificates to the new owners after the sale.
- 6.8 The membership numbers of buyers that are registered Droughtmaster SA breeders must be obtained and included with the details of animals purchased by such buyers in the vendor role.
- 6.9 Before commencement of a sale under the auspices of the Society,

- 6.9.1 the Auctioneer will explain the meaning thereof,
 - 6.9.2 the Auctioneer will explain the meaning of 5.1 above,
 - 6.9.3 will advise the buyers that the rules of the auction are included in the catalogue,
 - 6.9.4 and will advise buyers that they have 90 days from the date of sale to address any issues of concern with the seller that require resolution.
- 6.10 The contracted Auctioneer is responsible for ensuring, that between his organisation and the sellers, adequate public liability insurance cover is in place for the auction.

7 DISPERSAL SALES

- 7.1 *A Breeder who is permanently discontinuing the business of breeding and farming with registered Droughtmaster SA will hold a dispersal sale in order to sell all his registered animals at a single sale to facilitate de-registration as an active breeder with the society.*
- 7.2 *All the requirements for sales under the auspices are applicable to dispersal sales, as well as the following:*
- 7.2.1 *If a breeder intends to hold the dispersal sale in two parts, that is the registered animals first and the younger animals later after they had been inspected and approved, he may in writing request Council to extend his membership for the agreed upon period.*
 - 7.2.2 *It must be clearly understood that the arrangement of further sales under the auspices of the society, subsequent to the sales as contained in the agreement with the Society, will not be permitted.*
 - 7.2.3 *One year after the first dispersal sale, the breeders' active membership of the Society and membership of SA Stud Book will be cancelled and all animals not sold will be transferred to a non-member number. Such person may remain as a non active ordinary member. After a lapse of five (5) years he may re-apply for active membership of the Society and SA Stud Book.*
 - 7.2.4 All Droughtmaster SA registered with the Society (SP Reg.) on the date of application in the name of the relevant breeder, company, trust, closed corporation, partnership, or stud names in which he has an interest, must be presented on the first dispersal sale. No registered animals may be sold out of hand between the date of application and the first dispersal sale.
 - 7.2.5 All semen straws and embryos collected from Droughtmaster SA in 7.2.4 and in the breeder's, possession must be offered for sale.
 - 7.2.6 **Droughtmaster SA animals sold on a dispersal sale may not be transferred as registered animals to the seller's wife/husband/family member, or any organisation (e.g. Company, trust, closed corporation, partnership or stud names) in which he has an interest.**
 - 7.2.7 **A breeder may sell his Herd Designation Mark at his dispersal sale. This will be activated on completion of the required SA Stud Book cession form.**
 - 7.2.8 The Society and SA Stud Book membership of a breeder (or of the concerns selling, who have successfully applied for the presentation of a total dispersal sale under the auspices of the Society) will be extended to the end of the financial year within which the final sale takes place, and the full membership fee in respect of that period will be payable by the member/concerns. Thereafter the membership of the seller/s will be terminated or transferred to the non-active member list if the seller/s so wish. Under either of the aforementioned conditions, the seller/s concerned may only re-apply for registered breeder membership upon the lapse of 5 (five) years.

8 COMMISSIONS and FEES

- 8.1 The Society will receive a commission (1% of the turnover), as fixed from time to time by the Council, in respect of all sales held under the auspices of the Society. This will be calculated as a percentage of the total turnover of the sale. The commission will be collected from each seller and paid across to the Society within 7 (seven) working days, failing which penalty interest at the ruling prime rate will be levied. This commission will be deducted from the sellers by the auctioneering firm and paid to the Society.
- 8.2 Sellers who privately sell animals after the sale, will be liable for the total commission as set out in the sale agreement, if those animals were entered for the sale and went through the ring.

8.3 Commission will be applicable on semen and embryo sales.

8.4 The commission of the breed advisor will be for the sellers account except for the Promotion Sale where the Society will be responsible.

9 BUYERS

9.1 Should a problem arise with an animal that a buyer has purchased on the sale he has three months to address the issue with the seller.

10 GENERAL RULES

10.1 All animals advertised must be presented on the day of the sale and the Society reserves the right to demand veterinary certification regarding an animal withdrawn, other than in the case of death and the subsequent cancellation of the animal.

10.2 All applications for other forms of sale (e.g., internet sale under the auspices of the Society) should be submitted to the Society in sufficient time to allow for the practical application of the principles contained in this document.

The successful marketing of Droughtmaster SA stud animals is an important feature of our members' economic success. For this reason, all steps must be taken to ensure that the Droughtmaster SA we sell, meet our breed standards and our requirements of quality. This is the only way we can build the trust of the buyer market. In addition, breeders are expected to conduct themselves with integrity, and with the shared values and ethos of our fellow breeders and the society.


Best wishes for a successful sale.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo



SUPERBULL BREEDERS

Town, Province
078 737 2855
super_bull@webmail.com

SB 200201 PP(c)
SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 140010
SUPERBULL SB 140010

Age 7 | AFC 27 | ICP 366
Calves 6 | Weighed 2
Avg. WI 89 | Wean Mat. 93
Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

12

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012
Age 10 | AFC 32 | ICP 475
Calves 5 | Weighed -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 PCH
SUPERBULL SB 060004
Age 13 | AFC 72 | ICP 360
Calves 8 | Weighed 7
Avg. WI 105 | Wean Mat. 110

13

- 1 Lot Number & sex (mixed lots)

2 Breed's logo

3 GT - animal is genomically tested

4 Animal Identification Number and Name

5 Polled Status

 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PCH - polled, HH - horned, SC - scurs

6 Animal's photo, or Herd's logo

7 Herd's logo

8 Owner's information

9 Animal's information

 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available

10 Additional information (only females)

 - Age at first calving
 - Number of calves born
 - Number of calves weighed at weaning
 - Average Wean Index
 - Intercalving Period

11 Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing

12 Dam information

 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award

13 Four (4) generation pedigree

QR Code
This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



H 230120
HURWITZ HANNIBAL

Herd Book	SP
Birth date	2023-12-01
Age	2y 10m
Inbreeding	4%
DNA	U16576U041



HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 110	
115	Calving Ease Value
98	Calf Growth Value
96	Milk Value
111	Maintenance Value
105	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	173kg 110 (12)	-	-	-	-	-	-

SELLER REMARKS: Top bull! Copy and paste of Sydney. Long as a train with an excellent hind quarter, perfect sheath and ideal wedge. Swan Eagle Hawk going back to Mungalla Inca out of a prolific dam (ICP 373/8) Cow value 110.

CSA 150066 F3
CONSIDERATA SA SYDNEY
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 160243 SP
BRANDWATER HILLARY
Age 10y | AFC 29m | ICP 373d
Calves 8 | Weighed 1 | Wean Mat. 101
Avg. WI 110 | CCB 6.72 | CCW 34.1
Calvings: 18-10, 19-10, 20-08,
21-10, 22-11, 23-12, 24-10, 25-12

384969 SP
SWAN EAGLE HAWK (P) D5
Wean Mat. 88

DO 060044 F2
06-0044DO
Age 15y | AFC - | ICP (donor)
Calves 9 | Weighed 5 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW -

C 060222 SP
06-0222C
Wean Mat. 94

DO 022064 SP
02-2064DO
Age 21y | AFC - | ICP (donor)
Calves 12 | Weighed 2 | Wean Mat. 95
Avg. WI 89 | CCB - | CCW -

+SWANGENEW SP
SWAN GENE WISDOM (H) D5

+560 SP
SWAN 560 (H) D5
Age 1y | Avg. WI -
Calves - | Weighed -
DO 020129 F3
02-0129DO
DO 022291 F2
02-2291DO
Age 16y | Avg. WI 94
Calves 13 | Weighed 5
DO 020129 F3
02-0129DO
DO 033075 F3
03-3075DO
Age 20y | Avg. WI 97
Calves 13 | Weighed 4
764 SP
MUNGALLA INCA (P) D5
DO 000016 F3
00-0016DO
Age 17y | Avg. WI -
Calves 1 | Weighed -

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	90	98	96	-	101	113	110
60%	57%	66%	54%		56%	32%	57%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	-	-	91	-	-	-	-	-
42%			44%					

LOT 2 (M)



H 230027
HURWITZ VICTOR

Herd Book	SP
Birth date	2023-07-12
Age	3y 3m
Inbreeding	1%
DNA	U16576U012



HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 100	
98	Calving Ease Value
105	Calf Growth Value
95	Milk Value
109	Maintenance Value
100	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	212kg 100 (1)	-	-	-	-	-	-

SELLER REMARKS: Polled, balanced oozing loads of potential! Easy fleshing, deep bodied and long as a train with a gentle temperament, good sheath, excellent legs and a beefy hind quarter. His dam is one of the principle matriarchs in the herd.

LOGIX
GENETICS CONSULTANTS
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	100	105	95	-	97	104	108
56%	51%	55%	51%		50%	25%	54%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
98	-	-	93	-	-	-	-	-
40%			37%					

CSA 150066 F3
CONSIDERATA SA SYDNEY
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOVA170053 F3
BAR V VIOLET
Age 9y | AFC - | ICP (donor)
Calves 6 | Weighed 1 | Wean Mat. 96
Avg. WI 100 | CCB 8.52 | CCW -
Calvings: 20-06, 21-06, 22-06,
23-12, 25-02, 26-03

384969 SP
SWAN EAGLE HAWK (P) D5
Wean Mat. 88

DO 060044 F2
06-0044DO
Age 15y | AFC - | ICP (donor)
Calves 9 | Weighed 5 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW -

PE 130015 SP
PATHEM 13-0015PE
Wean Mat. 81

FXF 100358 F2
BAR V 10-0358FXF
Age 12y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 100
Avg. WI 107 | CCB - | CCW -

+SWANGENEW SP
SWAN GENE WISDOM (H) D5

+560 SP
SWAN 560 (H) D5
Age 1y | Avg. WI -
Calves - | Weighed -
DO 020129 F3
02-0129DO
DO 022291 F2
02-2291DO
Age 16y | Avg. WI 94
Calves 13 | Weighed 5
C 110007 SP
11-0007C
C 100061 SP
10-0061C
Age 10y | Avg. WI -
Calves 6 | Weighed -
FXF 080059 NFR
BRANDWATERBOERDERY 08-0059FXF

LOT 3 (M)



HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350

H 230075

HURWITZ INKUNZI

Herd Book	SP
Birth date	2023-11-06
Age	2y 11m
Inbreeding	0%
DNA	U15953U001

VOVA180019 SP
BAR V OUTBACK
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

HOT 180491 SP
BRANDWATER IVY
Age 8y | AFC 25m | ICP 490d
Calves 5 | Weighed 2 | Wean Mat. 99
Avg. WI 104 | CCB 7.02 | CCW 53.5
Calvings: 20-09, 22-09, 23-11,
24-11, 26-02

GLENLANDS TRADITION SP
GLENLANDS TRADITION (D) D5
Wean Mat. 112

YYF 150029 F3
BAR V 15-00295X5
Age 7y | AFC - | ICP (donor)
Calves 3 | Weighed 3 | Wean Mat. 111
Avg. WI 110 | CCB - | CCW -

HOT 150135 SP
BRANDWATER RY 15-0135HOT
Wean Mat. 85

CSA 150017 SP
CONSIDERATA SA 15-0017CSA
Age 11y | AFC - | ICP (donor)
Calves 6 | Weighed 2 | Wean Mat. 105
Avg. WI 104 | CCB - | CCW 46.4

+GLENLANDS SP
GLENLANDS K.B. (D) D5
+7385 SP
GLENLANDS 7385 (P) D5
Age 16y | Avg. WI -
Calves - | Weighed -
FXF 080717 F2
BAR V 08-0717FXF
FXF 100324 F2
VOVA 10-0324FXF
Age 12y | Avg. WI 93
Calves 5 | Weighed 3
C 110151 SP
11-0151C
DO 060236 SP
06-0236DO
Age 18y | Avg. WI 103
Calves 12 | Weighed 6
C 110154 SP
11-0154C
DO 030051 F3
03-0051DO-DONOR COW
Age 12y | Avg. WI 99
Calves 8 | Weighed 5

COW VALUE 96

96	Calving Ease Value
102	Calf Growth Value
99	Milk Value
98	Maintenance Value
99	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS COMPANY
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
97	91	102	99	-	98	93	108
66%	56%	53%	41%		46%	23%	49%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	-	-	101	-	-	-	-	-
42%			25%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	227kg 107 (4)	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Exceptional bull and guaranteed herd sire! Easy fleshing, deep bodied, thick set, ultra masculine Outback son with excellent legs, good testes and a broad head. Tradition x 11-151 x 11-154 = wow! Retain semen share.

LOT 4 (M)



HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350

H 230018

HURWITZ WARRIOR

Herd Book	SP
Birth date	2023-05-07
Age	3y 5m
Inbreeding	3%
DNA	U262158U006

CSA 150066 F3
CONSIDERATA SA SYDNEY
Wean Mat. 94

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

H 200015 SP
HURWITZ WILLOW
Age 6y | AFC 32m | ICP 469d
Calves 3 | Weighed 1 | Wean Mat. 104
Avg. WI 106 | CCB - | CCW 49.9
Calvings: 23-05, 24-05, 25-11

384969 SP
SWAN EAGLE HAWK (P) D5
Wean Mat. 88

DO 060044 F2
06-0044DO
Age 15y | AFC - | ICP (donor)
Calves 9 | Weighed 5 | Wean Mat. 96
Avg. WI 103 | CCB - | CCW -

CSA 150031 SP
CONSIDERATA SA 15-0031CSA
Wean Mat. 88

WBT 160123 F3
WATERFORD TMASTERS 16-0123WBT
Age 9y | AFC 28m | ICP (donor)
Calves 7 | Weighed 1 | Wean Mat. 119
Avg. WI 109 | CCB 6.24 | CCW 37.6

+SWANGENEW SP
SWAN GENE WISDOM (H) D5
+560 SP
SWAN 560 (H) D5
Age 1y | Avg. WI -
Calves - | Weighed -
DO 020129 F3
02-0129DO
DO 022291 F2
02-2291DO
Age 16y | Avg. WI 94
Calves 13 | Weighed 5
C 110154 SP
11-0154C
C 090032 F3
LADY GORGEOUS
Age 17y | Avg. WI 99
Calves 14 | Weighed 6
C 120001 SP
12-0001C
WBT 130050 F2
WBT 130050
Age 12y | Avg. WI 96
Calves 9 | Weighed 3

COW VALUE 110

112	Calving Ease Value
99	Calf Growth Value
99	Milk Value
113	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS COMPANY
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
109	98	99	99	-	99	111	108
55%	51%	51%	48%		52%	28%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	-	-	89	-	-	-	-	-
36%			40%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	247kg 106 (3)	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Phenomenal herd sire! Deep, broad and balanced with excellent legs, perfect hind quarter and oozing extreme masculinity. The combination of two of the breeds best - Sydney x Lady Gorgeous! Retain semen share.

LOT 5 (M)



H 230028
HURWITZ PATRIOT

Herd Book	SP
Birth date	2023-05-02
Age	3y 5m
Inbreeding	7%
DNA	U16576U013

CSA 180063 SP
CONSIDERATA SA QUEENSLAND
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

H 150017 SP
HURWITZ PEARL
Age 10y | AFC 35m | ICP 557d
Calves 5 | Weighed 1 | Wean Mat. 90
Avg. WI 101 | CCB - | CCW 48.3
Calvings: 18-10, 20-03, 21-10, 23-05, 24-11

GLENLANDS QUARTERMASTER PCH SP

GLENLANDS QUARTERMASTER (ET)

Wean Mat. 63

C 100267 SP
10-0267C

Age 8y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 98
Avg. WI 104 | CCB - | CCW 56.2

C 120338 SP
12-0338C

Wean Mat. 96

C 100250 F3
PEARL

Age 15y | AFC 25m | ICP (donor)
Calves 10 | Weighed 2 | Wean Mat. 88
Avg. WI 101 | CCB 6.68 | CCW -

+RSD2134 SP

GLENLANDS D HADLEIGH

+U9C4231 SP

GLENLANDS JUSTINE (P)

Age 19y | Avg. WI -

Calves - | Weighed -

C 070355 F3

07-0355C

DO 022095 F3

02-2095DO

Age 18y | Avg. WI 102

Calves 9 | Weighed 4

C 080469 SP

CONSIDERATA08-0469C

C 100267 SP

10-0267C

Age 8y | Avg. WI 104

Calves 5 | Weighed 4

C 060222 SP

06-0222C

DO 020044 F2

02-0044DO

Age 15y | Avg. WI 108

Calves 7 | Weighed 3

HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 111	
119	Calving Ease Value
104	Calf Growth Value
85	Milk Value
109	Maintenance Value
106	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

LOGIX
GENETICS CHINA
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	91	104	85	-	105	103	108
54%	50%	48%	43%		50%	28%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	-	-	94	-	-	-	-	-
36%			35%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	237kg 101 (3)	-	-	-	-	-	-

SELLER REMARKS: Excellent bull with enormous potential! Long, deep and broad with short cannon bones, ideal sheath, broad head and easy fleshing. Quartermaster together with the foundation matriarch of the herd C 10-250 Pearl and line bred to the top cow C 10-267. Retain semen share.

LOT 6 (M)



H 230015
HURWITZ DUKE

Herd Book	SP
Birth date	2023-04-11
Age	3y 6m
Inbreeding	7%
DNA	U13239U011

CSA 180063 SP
CONSIDERATA SA QUEENSLAND
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

VOVA180190 SP
BAR V PRINCESS DIANNA
Age 8y | AFC - | ICP (donor)
Calves 4 | Weighed 1 | Wean Mat. 94
Avg. WI 93 | CCB 5.11 | CCW 48.2
Calvings: 21-04, 23-04, 24-04, 26-01

GLENLANDS QUARTERMASTER PCH SP

GLENLANDS QUARTERMASTER (ET)

Wean Mat. 63

C 100267 SP
10-0267C

Age 8y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 98
Avg. WI 104 | CCB - | CCW 56.2

VOVA150162 F3
BAR V 15-0162

Wean Mat. 88

CSA 140022 SP
CONSIDERATA SA 14-0022CSA

Age 11y | AFC 46m | ICP (donor)
Calves 8 | Weighed 4 | Wean Mat. 109
Avg. WI 101 | CCB 6.29 | CCW -

+RSD2134 SP

GLENLANDS D HADLEIGH

+U9C4231 SP

GLENLANDS JUSTINE (P)

Age 19y | Avg. WI -

Calves - | Weighed -

C 070355 F3

07-0355C

DO 022095 F3

02-2095DO

Age 18y | Avg. WI 102

Calves 9 | Weighed 4

GLENLANDS OATH (P) D SP

GLENLANDS OATH (P) DS

VOVA130006 F2

VOVA 13-0006VOVA

Age 10y | Avg. WI 102

Calves 4 | Weighed 4

C 110151 SP

11-0151C

C 100267 SP

10-0267C

Age 8y | Avg. WI 104

Calves 5 | Weighed 4

HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

COW VALUE 113	
111	Calving Ease Value
113	Calf Growth Value
87	Milk Value
93	Maintenance Value
106	Fertility Value
GROWTH VALUE -	
CARCASS VALUE -	
PRODUCTION VALUE -	

LOGIX
GENETICS CHINA
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
108	99	113	87	-	105	105	109
60%	48%	51%	43%		47%	25%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
109	-	-	106	-	-	-	-	-
36%			31%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
34kg	223kg 93 (3)	-	-	-	-	-	-

SELLER REMARKS: Incredible bull and guaranteed herd sire! Exceptional! Thick, broad, balanced and faultless. The first progeny on offer from Princess Dianna! Quartermaster combined with one of the breeds best CSA 14-22 and line bred C 10-267. Cow value 113. Top bull! Retain semen share.

LOT 7 (M)



H 230048
HURWITZ DRAKE

Herd Book	SP
Birth date	2023-10-20
Age	2y 12m
Inbreeding	0%
DNA	U15952U017

VOVA180019 SP
BAR V OUTBACK
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

H 130001 SP
DELILAH
Age 12y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 82
Avg. WI 93 | CCB 6.4 | CCW 43
Calvings: 16-10, 18-10, 20-10,
22-04, 23-10

GLENLANDS TRADITION SP
GLENLANDS TRADITION (D) D5
Wean Mat. 112

VYF 150029 F3
BAR V 15-00295X5
Age 7y | AFC - | ICP (donor)
Calves 3 | Weighed 3 | Wean Mat. 111
Avg. WI 110 | CCB - | CCW -

C 080469 SP
CONSIDERATA08-0469C
Wean Mat. 89

C 110163 SP
DELILAH
Age 15y | AFC - | ICP (donor)
Calves 11 | Weighed 1 | Wean Mat. 90
Avg. WI 98 | CCB 6.53 | CCW 49.6

+GLENLANDS SP
GLENLANDS K.B. (D) D5
+7385 SP
GLENLANDS 7385 (P) D5
Age 16y | Avg. WI -
Calves - | Weighed -
FXF 080717 F2
BAR V 08-0717FXF
FXF 100324 F2
VOVA 10-0324FXF
Age 12y | Avg. WI 93
Calves 5 | Weighed 3
DO 050029 SP
05-0029DO
DO 022064 SP
02-02064DO
Age 21y | Avg. WI 89
Calves 12 | Weighed 2
C 080469 SP
CONSIDERATA08-0469C
C 090324 F3
09-0324C
Age 17y | Avg. WI 112
Calves 3 | Weighed 2

HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350

COW VALUE 99

105	Calving Ease Value
104	Calf Growth Value
89	Milk Value
92	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS CONSULTING
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
103	98	104	89	-	101	99	109
68%	57%	54%	46%		52%	30%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	-	-	107	-	-	-	-	-
46%			30%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
33kg	204kg 96 (4)	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Thick, bold, balanced and broad Outback son! Line bred to the prolific herd sire C 08-469 and out of the foundation matriarch Delilah. An obvious allrounder for any herd and all environments. Good option for heifers!

LOT 8 (M)



H 230042
HURWITZ OSCAR

Herd Book	SP
Birth date	2023-10-18
Age	2y 12m
Inbreeding	0%
DNA	U15952U013

VOVA180019 SP
BAR V OUTBACK
Wean Mat. 97

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

H 160011 SP
HURWITZ ODETTE
Age 9y | AFC 36m | ICP 363d
Calves 7 | Weighed 1 | Wean Mat. 97
Avg. WI 87 | CCB 7.05 | CCW 47.1
Calvings: 19-11, 20-12, 21-12, 22-10,
23-10, 24-10, 25-11

GLENLANDS TRADITION SP
GLENLANDS TRADITION (D) D5
Wean Mat. 112

VYF 150029 F3
BAR V 15-00295X5
Age 7y | AFC - | ICP (donor)
Calves 3 | Weighed 3 | Wean Mat. 111
Avg. WI 110 | CCB - | CCW -

C 120338 SP
12-0338C
Wean Mat. 96

C 100248 F3
ODETTE
Age 10y | AFC - | ICP (donor)
Calves 6 | Weighed 2 | Wean Mat. 100
Avg. WI 102 | CCB - | CCW -

+GLENLANDS SP
GLENLANDS K.B. (D) D5
+7385 SP
GLENLANDS 7385 (P) D5
Age 16y | Avg. WI -
Calves - | Weighed -
FXF 080717 F2
BAR V 08-0717FXF
FXF 100324 F2
VOVA 10-0324FXF
Age 12y | Avg. WI 93
Calves 5 | Weighed 3
C 080469 SP
CONSIDERATA08-0469C
C 100267 SP
10-0267C
Age 8y | Avg. WI 104
Calves 5 | Weighed 4
C 060222 SP
06-0222C
DO 022255 F1
02-2255DO
Age 16y | Avg. WI 101
Calves 7 | Weighed 1

HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350

COW VALUE 90

93	Calving Ease Value
101	Calf Growth Value
98	Milk Value
91	Maintenance Value
96	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS CONSULTING
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
94	98	101	98	-	95	96	106
67%	57%	50%	39%		50%	27%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
96	-	-	107	-	-	-	-	-
43%			23%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	194kg 87 (4)	-	-	-	-	-	-



Myostatin

Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Medium framed, thick set and masculine Outback son going back to the principle herd sire C 08-469 with the top cow C 10-267 and line bred to the Australian Swan Go Cat. Adaptable bull for all herds and environments.

LOT 9 (M)



H 230117
HURWITZ AXEL



HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350

Herd Book	SP
Birth date	2023-11-28
Age	2y 10m
Inbreeding	1%
DNA	U16576U038

CSA 180063 SP
CONSIDERATA SA QUEENSLAND
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

H 150015 SP
HURWITZ ALISON
Age 10y | AFC 36m | ICP 426d
Calves 7 | Weighed 2 | Wean Mat. 109
Avg. WI 105 | CCB 7.13 | CCW 42.8
Calvings: 18-11, 19-11, 20-10, 21-11,
22-10, 23-11, 25-11

GLENLANDS QUARTERMAS Pch SP
GLENLANDS QUARTERMASTER (ET)
Wean Mat. 63
C 100267 SP
10-0267C
Age 8y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 98
Avg. WI 104 | CCB - | CCW 56.2
C 110500 SP
11-0500CEMBRIO CALVE
Wean Mat. 100
C 100456 SP
ALISON
Age 15y | AFC 24m | ICP (donor)
Calves 11 | Weighed - | Wean Mat. 114
Avg. WI - | CCB 6.07 | CCW -

+RSD2134 SP
GLENLANDS D HADLEIGH
+U9C4231 SP
GLENLANDS JUSTINE (P)
Age 19y | Avg. WI -
Calves - | Weighed -
C 070355 F3
07-0355C
DO 022095 F3
02-2095DO
Age 18y | Avg. WI 102
Calves 9 | Weighed 4
C 080469 SP
CONSIDERATA08-0469C
DO 060185 F3
06-0185DO
Age 15y | Avg. WI 113
Calves 13 | Weighed 4
C 070065 NFR
CONSIDERATA07-0065C
DO 060228 F3
06-0228DO
Age 12y | Avg. WI 95
Calves 3 | Weighed 1

COW VALUE 114

120	Calving Ease Value
103	Calf Growth Value
95	Milk Value
102	Maintenance Value
103	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
118	100	103	95	-	103	96	108
57%	54%	50%	47%		52%	29%	51%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
101	-	-	100	-	-	-	-	-
37%			36%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
37kg	232kg 110 (4)	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

SELLER REMARKS: Nicely balanced bull with an excellent sheath, broad head, good legs and walks effortlessly. Quartermaster together with two of the breeds most prolific matriarchs 10-267 and 06-185. Cow value 114!

LOT 10 (M)



H 230022
HURWITZ DALLAS



HURWITZ FARMING

Ermelo, Mpumalanga
simeon@hurwitz.co.za

POSTNET SUITE 1265,
P/BAG X9013, ERMELO, 2350

Herd Book	SP
Birth date	2023-06-27
Age	3y 3m
Inbreeding	5%
DNA	U15952U002

CSA 180063 SP
CONSIDERATA SA QUEENSLAND
Wean Mat. 81

Parentage	Sire	Dam
DNA	✓	✓
Genomic		

OW 170279 SP
DAPHNE
Age 9y | AFC 30m | ICP 448d
Calves 6 | Weighed 1 | Wean Mat. 92
Avg. WI 100 | CCB 7.96 | CCW 45.7
Calvings: 19-10, 20-10, 22-05,
23-06, 24-12, 25-11

GLENLANDS QUARTERMAS Pch SP
GLENLANDS QUARTERMASTER (ET)
Wean Mat. 63
C 100267 SP
10-0267C
Age 8y | AFC - | ICP (donor)
Calves 5 | Weighed 4 | Wean Mat. 98
Avg. WI 104 | CCB - | CCW 56.2
C 130014 SP
13-0014C
Wean Mat. 91
C 120081 F3
12-0081C
Age 11y | AFC 30m | ICP (donor)
Calves 9 | Weighed - | Wean Mat. 93
Avg. WI - | CCB - | CCW -

+RSD2134 SP
GLENLANDS D HADLEIGH
+U9C4231 SP
GLENLANDS JUSTINE (P)
Age 19y | Avg. WI -
Calves - | Weighed -
C 070355 F3
07-0355C
DO 022095 F3
02-2095DO
Age 18y | Avg. WI 102
Calves 9 | Weighed 4
C 100413 SP
CONSIDERATA10-0413C
C 090140 SP
09-0140C-DONOR COW
Age 10y | Avg. WI 101
Calves 8 | Weighed 5
C 070355 F3
07-0355C
DO 033075 F3
03-3075DO
Age 20y | Avg. WI 97
Calves 13 | Weighed 4

COW VALUE 108

116	Calving Ease Value
102	Calf Growth Value
86	Milk Value
108	Maintenance Value
106	Fertility Value

GROWTH VALUE -

CARCASS VALUE -

PRODUCTION VALUE -

LOGIX
GENETICS
EBV Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
113	90	102	86	-	108	99	102
57%	54%	50%	46%		53%	32%	52%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	-	-	95	-	-	-	-	-
38%			36%					

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
39kg	222kg 100 (1)	-	-	-	-	-	-



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Free

SELLER REMARKS: Long bodied and well balanced with an excellent sheath, strong head, broad muzzle and good legs. Quartermaster x C 07-355 (one of the principle herd sires of the breed) A top choice for any program.

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										-0.02	-0.09	2.0	-1.2	2					-	-						
Auction Average				35	217	6.97	46.4	-	-	-0.60	0.10	3.4	-3.4	1	-2	-	-	-	-	-	101	-	-	100	6.0	93
1	H 230120	M	SP	34	173	-	34.1	-	-	-1.09	0.31	1.1	-2.5	-0.6	-7.8	0	0		0	0	110	-	-	110	8	114
2	H 230027	M	SP	31	212	-	-	-	-	0.23	-0.08	4.3	-2.8	0.8	-5.7	0	0		0	0	100	-	-	100	6	98
3	H 230075	M	SP	36	227	8.16	53.5	-	-	0.21	0.27	3.1	-1.7	0.3	0.5	0	0		0	0	107	-	-	104	5	101
4	H 230018	M	SP	32	247	-	49.9	-	-	-0.76	0.01	1.6	-1.6	-1.6	-9.6	0	0		0	0	106	-	-	106	3	98
5	H 230028	M	SP	33	237	-	48.3	-	-	-1.48	0.26	3.7	-5.7	1.5	-5.1	0	0		0	0	101	-	-	101	5	75
6	H 230015	M	SP	34	223	5.11	48.2	-	-	-0.67	-0.04	7.8	-5.0	7.1	4.6	0	0		0	0	93	-	-	93	4	84
7	H 230048	M	SP	33	204	6.67	47.7	-	-	-0.29	0.00	3.7	-4.7	2.6	5.1	0	0		0	0	96	-	-	93	5	55
8	H 230042	M	SP	39	194	7.93	47.1	-	-	0.51	-0.01	2.6	-1.8	-0.5	5.6	0	0		0	0	87	-	-	87	7	109
9	H 230117	M	SP	37	232	-	42.8	-	-	-1.52	-0.07	3.1	-2.8	2.6	-0.6	0	0		0	0	110	-	-	105	7	99
10	H 230022	M	SP	39	222	-	45.7	-	-	-1.13	0.31	2.9	-5.3	-0.7	-4.5	0	0		0	0	100	-	-	100	6	101

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OUDE.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weighed at weaning	Weighed	Geweeg	Aantal kalwings geweeg met speen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugh.	Vers Vrughbaarheid
Cow Fertility	Cow Fert.	Koei Vrugh.	Koei Vrughbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik