

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

KRUGER BONSMARAS - VROULIK

Veilingsdatum / Auction Date:
08 October 2026

Data soos op / Data as on:
22 September 2026



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage Sire Dam

DNA
✓

Genomic
✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smartphone or tablet. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7



2 L♀ GIX Weaner Calf Value

Selection for heavy weaners

Measurements: Weaning weight, Birth weight, and Mature weight
EBVs: Wean direct & maternal, Birth direct & maternal, Mature weight

5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight



6 L♀ GIX Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits
EBVs: Weaning weight, End weight, ADG and Intake



7 L♀ GIX Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits
EBVs: End weight, Eye Muscle Area and Fat

HOW TO USE SELECTION VALUES

Sub-values could also be compatible with your selection goal. Don't select only on the Cow Value

AVERAGE ANIMALS (NO GROWTH EXTREMES)

- Selection Values 90 to 110
 - Cow Value & Fertility Value average to high
- A safe choice, as animals are profitable in most environments.


GROWERS (GOOD ENVIRONMENT)

- Weaner Calf / Growth Value > 110
 - Cow Value & Fertility Value average to high
- Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS (HARSH ENVIRONMENT)

- Maintenance Value > 110
 - Cow Value & Fertility Value average to high
- Lighter cows have a lower maintenance (higher Maintenance Value).

INTERPRETATION OF BREEDING VALUE INDICES AND SELECTION VALUES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More	
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
		Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1	
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79

8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22

16 17 11 24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

COWS WITH CALVES

LOT 48

WAT 210082
2021-09-19 SP
AGE/CALV. 5/3
AVG. Wt/CALV. 119/1
ICP 443


WAT 170502

WAT 120234
AGE/CALV. 12/10
AVG. Wt/CALV. 108/9
ICP 407

Parentage Sire Dam
DNA
Genomic

FCT 110002

WAT 090324
AGE/CALV. 8/6
AVG. Wt/CALV. 95/5
ICP 376

WAT 070134

WAT 040213
AGE/CALV. 12/9
AVG. Wt/CALV. 109/8
ICP 424

FCT 080218
FCT 080040
AGE/CALV. 5/3
AVG. Wt/CALV. 97/3
JPL 060059
WAT 040168
AGE/CALV. 8/5
AVG. Wt/CALV. 97/4
WAT 000200
WAT 950088
AGE/CALV. 15/13
AVG. Wt/CALV. 97/13
WAT 020054
WAT 990252
AGE/CALV. 12/9
AVG. Wt/CALV. 112/9

Calving Ease Value
78

Weaner Calf Value
138

Fertility Value
101

Maintenance Value
68

Cow Value
121

Growth Value
118

Carcass Value
137

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
73	136	109	119	84	106	114	133	121	115	140	122	133	122	143	112

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
109	119	114	-	-	-

Last Calf		Myostatin	
Calf ID	WAT 260038 (F)	Q204X	Not Tested
Birth Date	2026-04-17	NT821	Not Tested
Sire ID	MULTIPLE SIRES	F94L	Not Tested

REMARKS: 6 Weke dragtig

LOGIX EBV Analysis: 2026-09-17

LOT 49

WAT 200095
2020-09-21 SP
AGE/CALV. 6/3
AVG. Wt/CALV. 102/2
ICP 483


WAT 180116

WAT 180107
AGE/CALV. 8/5
AVG. Wt/CALV. 95/4
ICP 546

Parentage Sire Dam
DNA ✓
Genomic

WAT 160373

WAT 160071
AGE/CALV. 7/4
AVG. Wt/CALV. 101/4
ICP 385

WAT 160366

WAT 160194
AGE/CALV. 9/6
AVG. Wt/CALV. 95/5
ICP 411

FCT 110002
WAT 040312
AGE/CALV. 12/10
AVG. Wt/CALV. 104/9
WAT 110153
WAT 090153
AGE/CALV. 11/9
AVG. Wt/CALV. 105/8
WAT 110153
WAT 060061
AGE/CALV. 11/9
AVG. Wt/CALV. 100/8
WAT 140071
WAT 140410
AGE/CALV. 6/4
AVG. Wt/CALV. 101/4

Calving Ease Value
105

Weaner Calf Value
95

Fertility Value
78

Maintenance Value
102

Cow Value
89

Growth Value
108

Carcass Value
102

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
116	93	111	117	68	78	120	100	110	102	96	113	104	87	96	107

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
103	92	99	-	-	-

Last Calf		Myostatin	
Calf ID	WAT 260073 (F)	Q204X	Not Tested
Birth Date	2026-05-11	NT821	Not Tested
Sire ID	MULTIPLE SIRES	F94L	Not Tested

REMARKS: 2 Maande dragtig

LOGIX EBV Analysis: 2026-09-17

LOT 50

WAT 200047
2020-04-30 SP
AGE/CALV. 6/4
AVG. Wt/CALV. 101/3
ICP 437


WAT 100063

WAT 070268
AGE/CALV. 14/12
AVG. Wt/CALV. 100/12
ICP 387

Parentage Sire Dam
DNA
Genomic

WAT 080283

WAT 080035
AGE/CALV. 13/11
AVG. Wt/CALV. 102/11
ICP 368

WAT 050022

WAT 000217
AGE/CALV. 7/5
AVG. Wt/CALV. 94/5
ICP 388

FCT 990022
WAT 030024
AGE/CALV. 6/4
AVG. Wt/CALV. 98/4
WAT 050142
WAT 050215
AGE/CALV. 7/4
AVG. Wt/CALV. 105/4
WAT 000200
WAT 020157
AGE/CALV. 5/1
AVG. Wt/CALV. 101/1
AG 930228
WAT 930349
AGE/CALV. 9/7
AVG. Wt/CALV. 103/7

Calving Ease Value
104

Weaner Calf Value
95

Fertility Value
95

Maintenance Value
102

Cow Value
98

Growth Value
94

Carcass Value
94

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	88	121	101	91	97	102	86	99	100	95	106	99	85	106	88

Wean Index	365D Index	540D Index	ADG Index	FCR Index	LH
93	95	95	-	-	-

Last Calf		Myostatin	
Calf ID	WAT 260058 (M)	Q204X	Not Tested
Birth Date	2026-04-24	NT821	Not Tested
Sire ID	MULTIPLE SIRES	F94L	Not Tested

REMARKS: 2 Maande dragtig

LOGIX EBV Analysis: 2026-09-17

KOEIE MET KALWERS

LOT 51

KRUGER BOERDERY



WAT 210281

2021-10-15
SPOUD/KALW. 4/3
GEM. SI/KALW. 100/1
TKP 476

Ouerskap Vaar Moer

DNS

Genomies

LAR 160296



WAT 170455

OUD/KALW. 8/6
GEM. SI/KALW. 103/6
TKP 444

WAT 110394

LAR 130440

OUD/KALW. 12/8
GEM. SI/KALW. 100/6
TKP 418

BG 090141

WAT 070183

OUD/KALW. 11/10
GEM. SI/KALW. 93/10
TKP 371

WAT 080173

WAT 050175
OUD/KALW. 12/9
GEM. SI/KALW. 99/8

PAD 090203

LAR 070237

OUD/KALW. 10/7
GEM. SI/KALW. 106/5

CSW 060129

BG 030058

OUD/KALW. 12/10
GEM. SI/KALW. 114/10

WAT 030022

WAT 040057

OUD/KALW. 13/10
GEM. SI/KALW. 100/10Geboortegemak
Waarde
114Speenkalv
Waarde
111Vrugbaarheids-
waarde
110Onderhouds-
waarde
104Koeiwaarde
119Groei-
waarde
122Karkas-
waarde
118

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	105	100	95	110	100	114	102	124	121	94	120	115	121	134	74

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
112	97	103	-	-	-

Laaste Kalf		Miostatien	
Kalf ID	WAT 260100 (M)	Q204X	Nie Getoets
Geb. dtm.	2026-06-01	NT821	Nie Getoets
Vaar ID	MULTIPLE SIRES	F94L	Nie Getoets

OPMERKINGS: 2 Maande dragtig

LOGIX EBV Analise: 2026-09-17

LOT 52

KRUGER BOERDERY



BG 210234

2021-11-08
SPOUD/KALW. 4/3
GEM. SI/KALW. 95/2
TKP 469

Ouerskap Vaar Moer

DNS

Genomies



BG 160039

OUD/KALW. 6/5
GEM. SI/KALW. 94/5
TKP 375

WAT 100063

CAB 070025

OUD/KALW. 14/11
GEM. SI/KALW. 101/11
TKP 371

BG 120097

BG 110061

OUD/KALW. 12/10
GEM. SI/KALW. 99/8
TKP 379

WAT 080283

WAT 080035

OUD/KALW. 13/11
GEM. SI/KALW. 102/11

ZAK 040047

CAB 040049

OUD/KALW. 14/11
GEM. SI/KALW. 101/11

BG 080144

BG 090118

OUD/KALW. 13/9
GEM. SI/KALW. 91/8

WAT 050342

CAB 070042

OUD/KALW. 12/9
GEM. SI/KALW. 96/10Geboortegemak
Waarde
104Speenkalv
Waarde
100Vrugbaarheids-
waarde
93Onderhouds-
waarde
100Koeiwaarde
95Groei-
waarde
92Karkas-
waarde
94

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	106	83	87	96	91	100	97	91	99	99	99	92	92	119	104

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
96	98	100	-	-	-

Laaste Kalf		Miostatien	
Kalf ID	WAT 260099 (M)	Q204X	Nie Getoets
Geb. dtm.	2026-06-01	NT821	Nie Getoets
Vaar ID	MULTIPLE SIRES	F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

LOT 53

KRUGER BOERDERY



BG 220226

2022-10-21
SPOUD/KALW. 3/2
GEM. SI/KALW. -/-
TKP 324

Ouerskap Vaar Moer

DNS

Genomies

WAT 200277



BG 200299

OUD/KALW. 5/2
GEM. SI/KALW. 104/1
TKP 777

WAT 170255

WAT 160097

OUD/KALW. 10/8
GEM. SI/KALW. 94/8
TKP 372

WAT 150288

BG 170034

OUD/KALW. 8/7
GEM. SI/KALW. 98/7
TKP 375

AJF 130463

WAT 050168

OUD/KALW. 12/9
GEM. SI/KALW. 99/8

FCT 110002

WAT 100178

OUD/KALW. 9/7
GEM. SI/KALW. 108/5

FCT 110002

WAT 120106

OUD/KALW. 10/8
GEM. SI/KALW. 106/8

BG 110085

CAB 080020

OUD/KALW. 10/8
GEM. SI/KALW. 96/7Geboortegemak
Waarde
132Speenkalv
Waarde
88Vrugbaarheids-
waarde
98Onderhouds-
waarde
105Koeiwaarde
96Groei-
waarde
98Karkas-
waarde
99

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
141	84	95	102	90	101	108	87	101	95	93	102	97	108	109	92

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
104	100	98	-	-	-

Laaste Kalf		Miostatien	
Kalf ID	WAT 260128 (F)	Q204X	Nie Getoets
Geb. dtm.	2026-08-08	NT821	Nie Getoets
Vaar ID	MULTIPLE SIRES	F94L	Nie Getoets

OPMERKINGS:

LOGIX EBV Analise: 2026-09-17

[illegible]

DRAGTIGE KOEIE

LOT 57
KRUGER BOERDERY

WAT 200425
2020-11-16
SP
OUD/KALW. 5/3
GEM. SI/KALW. 100/3
TKP 382
Ouerskap Vaar Moer
DNS
Genomies


WAT 150315
OUD/KALW. 11/10
GEM. SI/KALW. 102/10
TKP 367
Ouerskap Vaar Moer
DNS
Genomies

WAT 120372
OUD/KALW. 11/8
GEM. SI/KALW. 107/8
WAT 090232
OUD/KALW. 9/7
GEM. SI/KALW. 94/6
TKP 362
WAT 080026
OUD/KALW. 11/8
GEM. SI/KALW. 105/7
WAT 060253
OUD/KALW. 8/5
GEM. SI/KALW. 100/4
TKP 481

WAT 080173
WAT 050048
OUD/KALW. 11/8
GEM. SI/KALW. 107/8
WAT 060054
WAT 990165
OUD/KALW. 11/9
GEM. SI/KALW. 98/9
BG 030098
WAT 030122
OUD/KALW. 11/8
GEM. SI/KALW. 105/7
WAT 030009
WAT 000131
OUD/KALW. 7/4
GEM. SI/KALW. 96/4

Geboortegemak Waarde
76

Speenkalf Waarde
97

Vrugbaarheids-waarde
58

Onderhouds-waarde
78

Koeiwaarde
66

Groei-waarde
115

Karkas-waarde
104

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
68	109	101	100	48	73	101	106	119	112	126	113	107	96	106	117

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
91	103	100	-	-	-

Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

OPMERKINGS: 6 Maande dragtig

LOGIX EBV Analise: 2026-09-17

LOT 58
KRUGER BOERDERY

WAT 190236
2019-10-15
SP
OUD/KALW. 6/4
GEM. SI/KALW. 109/3
TKP 453
Ouerskap Vaar Moer
DNS
Genomies


BG 170010
OUD/KALW. 9/6
GEM. SI/KALW. 113/5
TKP 418
Ouerskap Vaar Moer
DNS
Genomies

BG 150097
OUD/KALW. 12/10
GEM. SI/KALW. 105/8
BG 140191
OUD/KALW. 6/2
GEM. SI/KALW. 103/2
TKP 407
WAT 150070
OUD/KALW. 3/2
GEM. SI/KALW. 91/1
WAT 140517
OUD/KALW. 11/9
GEM. SI/KALW. 108/8
TKP 372

WAT 120179
CAB 060038
OUD/KALW. 12/10
GEM. SI/KALW. 105/8
BG 100148
BG 070018
OUD/KALW. 10/6
GEM. SI/KALW. 103/5
WAT 130137
WAT 130392
OUD/KALW. 3/2
GEM. SI/KALW. 91/1
JG 110799
WAT 080372
OUD/KALW. 11/9
GEM. SI/KALW. 111/7

Geboortegemak Waarde
108

Speenkalf Waarde
121

Vrugbaarheids-waarde
87

Onderhouds-waarde
79

Koeiwaarde
114

Groei-waarde
124

Karkas-waarde
122

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	108	130	112	86	83	113	115	130	121	123	122	129	118	101	102

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
117	-	113	-	-	-

Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

OPMERKINGS: 7 Maande dragtig

LOGIX EBV Analise: 2026-09-17

LOT 59
KRUGER BOERDERY

WAT 180042
2018-04-16
SP
OUD/KALW. 8/4
GEM. SI/KALW. 104/5
TKP 576
Ouerskap Vaar Moer
DNS
Genomies


WAT 140333
OUD/KALW. 12/10
GEM. SI/KALW. 99/9
TKP 407
Ouerskap Vaar Moer
DNS
Genomies

WAT 110153
OUD/KALW. 11/10
GEM. SI/KALW. 101/10
WAT 100075
OUD/KALW. 10/7
GEM. SI/KALW. 106/6
TKP 494
WAT 110099
OUD/KALW. 14/11
GEM. SI/KALW. 109/11
WAT 110251
OUD/KALW. 10/8
GEM. SI/KALW. 107/7
TKP 416

WAT 070039
WAT 070006
OUD/KALW. 11/10
GEM. SI/KALW. 101/10
WAT 080173
WAT 080106
OUD/KALW. 11/10
GEM. SI/KALW. 99/10
WAT 090183
WAT 080327
OUD/KALW. 14/11
GEM. SI/KALW. 109/11
WAT 090280
WAT 090175
OUD/KALW. 7/4
GEM. SI/KALW. 100/4

Geboortegemak Waarde
102

Speenkalf Waarde
130

Vrugbaarheids-waarde
91

Onderhouds-waarde
76

Koeiwaarde
121

Groei-waarde
131

Karkas-waarde
126

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam			Karkas		
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
112	119	127	128	101	72	124	125	137	121	127	120	127	101	78	84

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
103	109	111	-	-	-

Miostation
Q204X Nie Getoets
NT821 Nie Getoets
F94L Nie Getoets

OPMERKINGS: 7 Maande dragtig

LOGIX EBV Analise: 2026-09-17

PREGNANT COWS

LOT 60
KRUGER BOERDERY

WAT 180065
2018-05-14
SP
AGE/CALV. 8/6
AVG. Wt/CALV. 102/5
ICP 381

Parentage	Sire	Dam
DNA		
Genomic		

BG 140124

WAT 100087
AGE/CALV. 12/10
AVG. Wt/CALV. 104/9
ICP 392

Parentage	Sire	Dam
DNA		
Genomic		

BG 100148
WAT 050342
EI 960134
AGE/CALV. 14/12
AVG. Wt/CALV. 96/13
ZAK 040047
CAB 020034
AGE/CALV. 6/4
AVG. Wt/CALV. 107/4
WAT 000200
WAT 020231
AGE/CALV. 14/12
AVG. Wt/CALV. 101/10
WAT 040093
WAT 010175
AGE/CALV. 13/9
AVG. Wt/CALV. 100/8

Calving Ease Value	97
--------------------	----

Weaner Calf Value	116
-------------------	-----

Fertility Value	104
-----------------	-----

Maintenance Value	88
-------------------	----

Cow Value	116
-----------	-----

Growth Value	105
--------------	-----

Carcass Value	113
---------------	-----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass				
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar		
98	113	113	114	96	107	106	112	110	95	112	107	112	119	104	96		
Wean Index			365D Index			540D Index			ADG Index			FCR Index			LH		
100			102			93			-			-			-		

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 7 Maande dragtig

LOGIX EBV Analysis: 2026-09-17

LOT 61
KRUGER BOERDERY

WAT 180178
2018-10-02
SP
AGE/CALV. 8/6
AVG. Wt/CALV. 103/5
ICP 374

Parentage	Sire	Dam
DNA		
Genomic		

WAT 120140

WAT 110355
AGE/CALV. 14/13
AVG. Wt/CALV. 103/13
ICP 374

Parentage	Sire	Dam
DNA		
Genomic		

WAT 090083
WAT 060071
WAT 060153
AGE/CALV. 4/1
AVG. Wt/CALV. 110/1
BG 030054
WAT 050096
AGE/CALV. 15/12
AVG. Wt/CALV. 102/11
WAT 000200
WAT 020231
AGE/CALV. 14/12
AVG. Wt/CALV. 101/10
WAT 030009
WAT 970252
AGE/CALV. 12/10
AVG. Wt/CALV. 99/10

Calving Ease Value	88
--------------------	----

Weaner Calf Value	114
-------------------	-----

Fertility Value	116
-----------------	-----

Maintenance Value	82
-------------------	----

Cow Value	116
-----------	-----

Growth Value	99
--------------	----

Carcass Value	95
---------------	----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass				
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar		
86	117	104	93	123	104	104	114	100	108	121	110	111	108	83	91		
Wean Index			365D Index			540D Index			ADG Index			FCR Index			LH		
103			113			109			-			-			-		

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 7 Maande dragtig

LOGIX EBV Analysis: 2026-09-17

LOT 62
KRUGER BOERDERY

WAT 180380
2018-11-12
SP
AGE/CALV. 7/5
AVG. Wt/CALV. 100/5
ICP 471

Parentage	Sire	Dam
DNA	✓	
Genomic		

BG 150079

WAT 140083
AGE/CALV. 11/9
AVG. Wt/CALV. 111/7
ICP 413

Parentage	Sire	Dam
DNA		
Genomic		

FCT 110002
BG 120014
AGE/CALV. 11/6
AVG. Wt/CALV. 103/6
ICP 451
WAT 120102
WAT 120331
AGE/CALV. 9/6
AVG. Wt/CALV. 109/6
ICP 408

FCT 080218
FCT 080040
AGE/CALV. 5/3
AVG. Wt/CALV. 97/3
WAT 050342
BG 050057
AGE/CALV. 11/8
AVG. Wt/CALV. 108/8
WAT 100378
WAT 100147
AGE/CALV. 4/2
AVG. Wt/CALV. 107/2
WAT 080173
WAT 050096
AGE/CALV. 15/12
AVG. Wt/CALV. 102/11

Calving Ease Value	96
--------------------	----

Weaner Calf Value	118
-------------------	-----

Fertility Value	83
-----------------	----

Maintenance Value	87
-------------------	----

Cow Value	107
-----------	-----

Growth Value	124
--------------	-----

Carcass Value	116
---------------	-----

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass				
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar		
97	115	113	102	81	73	122	118	127	112	113	107	117	120	114	87		
Wean Index			365D Index			540D Index			ADG Index			FCR Index			LH		
101			104			100			-			-			-		

Myostatin	
Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

REMARKS: 7 Maande dragtig

LOGIX EBV Analysis: 2026-09-17

DRAGTIGE KOEIE

LOT 63		KRUGER BOERDERY		AJF 130463		LAR 090223		Geboortegemak Waarde 73		Speenkalf Waarde 105		Vrugbaarheids- waarde 87		Onderhouds- waarde 86		Koeiwaarde 92		Groe- waarde 107		Karkas- waarde 100																																																								
KRUGER BOERDERY WAT 220316 2022-10-28 SP OUD/KALW. 3/1 GEM. SI/KALW. 99/1 TKP -		WAT 170255		WAT 050168 OUD/KALW. 12/9 GEM. SI/KALW. 99/8 TKP 416		WAT 000038 WAT 940257 OUD/KALW. 12/10 GEM. SI/KALW. 105/9		WAT 070039 WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 170121 OUD/KALW. 9/6 GEM. SI/KALW. 103/6 TKP 444		WAT 110153 WAT 070268 OUD/KALW. 14/12 GEM. SI/KALW. 100/12 TKP 387		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW. 101/10		WAT 050022 WAT 000217 OUD/KALW. 7/5 GEM. SI/KALW. 94/5		WAT 070006 OUD/KALW. 11/10 GEM. SI/KALW.

DRAGTIGE VERSE

LOT 64 KRUGER BOERDERY	WAT 240244 2024-10-28 SP	WAT 220257 	OB 170361 HH(c) WAT 190119 OUD/KALW. 7/5 GEM. SI/KALW. 98/4 TKP 374 WAT 180277 WAT 150417 OUD/KALW. 10/8 GEM. SI/KALW. 103/8 TKP 410	BG 140099 OB 150004 OUD/KALW. 9/6 GEM. SI/KALW. 102/6 WAT 170167 WAT 170291 OUD/KALW. 9/7 GEM. SI/KALW. 97/6 WAT 140333 WAT 100034 OUD/KALW. 13/11 GEM. SI/KALW. 106/11 FCT 110002 WAT 120252 OUD/KALW. 4/3 GEM. SI/KALW. 97/2	Geboortegemak Waarde 114	SpeenkalF Waarde 104	Vrugbaarheids-waarde 109	Onderhouds-waarde 96	Koeiwaarde 111	Groei-waarde 97	Karkas-waarde 98
---	---------------------------------------	---------------------------	---	---	---	---	---	---	---	--	---

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam			Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
111	105	93	100	96	106	122	103	101	107	103	104	100	111	98	94

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	LH
106	105	101	-	-	-

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: 6 Weke dragtig

LOGIX EBV Analise: 2026-09-17

 KRUGER BOERDERY WAT 240099 2024-08-26 SP Ouerskap Vaar Moer DNS ✓ Genomies	 WAT 210322 OUD/KALW. 4/2 GEM. SI/KALW. 101/2 TKP 483	FCT 110002	FCT 080218 FCT 080040 OUD/KALW. 5/3 GEM. SI/KALW. 97/3	Geboortegemak Waarde 99	Speenkalf Waarde 115	Vrugbaarheids-waarde 100	Onderhouds-waarde 84	Koeiwaarde 112	Groei-waarde 105	Karkas-waarde 113		
		WAT 170193 OUD/KALW. 7/5 GEM. SI/KALW. 105/5 TKP 417	BG 150097 FCT 150242 HH(c) OUD/KALW. 10/7 GEM. SI/KALW. 105/5									
		WAT 180277	WAT 140333 WAT 100034 OUD/KALW. 13/11 GEM. SI/KALW. 106/11									
		WAT 150470 OUD/KALW. 10/7 GEM. SI/KALW. 97/5 TKP 430	ZAK 100030 WAT 050211 OUD/KALW. 10/7 GEM. SI/KALW. 101/6									

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
100	114	107	110	91	92	127	118	110	102	118	113	116	122	104	92

Spn. Indeks 105	365D Indeks 107	540D Indeks 98	GDT Indeks -	VOV Indeks -	LH -
---------------------------	---------------------------	--------------------------	------------------------	------------------------	----------------

Miostatien	
Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

OPMERKINGS: 2.5 Maande dragtig

LOGIX EBV Analise: 2026-09-17

Dier Info				Actual Values					Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				35	240	-	-	-	0.98 0.84	-0.28 0.05	14.9 19.2	3.7 5.7	25 36	22 39	79 124	-37 -48	12.8 16.8	-3.0 5	14.0 23	104	-	107	103	7.0	108
48	WAT 210082	F	SP	40	256	-	-	-	3.82	-0.18	34.3	6.4	60.7	81.5	160	-62	23.9	14	43	109	-	119	108	10	111
49	WAT 200095	F	SP	30	240	-	-	-	-0.68	1.42	11.5	7.0	27.3	16.4	116	-40	22.9	7	17	103	-	117	95	5	93
50	WAT 200047	F	SP	37	214	-	-	-	0.20	0.22	8.8	10.2	14.0	14.2	76	-37	13.3	2	13	93	-	101	100	12	114
51	WAT 210281	F	SP	30	252	-	-	-	-0.52	-0.16	17.8	3.8	30.5	14.1	170	-71	9.8	12	27	112	-	95	103	6	109
52	BG 210234	F	SP	39	226	-	-	-	1.01	-0.97	18.1	-1.4	25.9	20.7	45	-35	4.8	-4	6	96	-	87	94	5	112
53	BG 220226	F	SP	25	197	-	-	-	-3.30	-0.89	6.4	2.2	16.7	12.0	84	-28	14	-2	11	104	-	102	104	2	86
54	WAT 210024	F	SP	30	219	-	-	-	-0.73	0.65	19.2	1.6	36.2	46.0	156	-52	9	0	29	90	-	94	99	10	112
55	WAT 210546	F	SP	38	248	-	-	-	1.34	-0.01	14.4	1.3	20.4	12.6	54	-32	16.4	-2	5	110	-	106	98	4	109
56	WAT 220268	F	SP	28	228	-	-	-	0.38	0.16	21.1	9.0	44.0	48.6	125	-47	20.7	11	27	112	-	113	112	2	112
57	WAT 200425	F	SP	42	237	-	-	-	4.31	0.19	19.7	4.1	32.4	61.1	151	-56	12.8	7	20	91	-	100	102	10	118
58	WAT 190236	F	SP	30	281	-	-	-	-0.18	0.28	19.4	12.8	43.2	55.9	192	-71	19.8	14	40	117	-	112	113	6	109
59	WAT 180042	F	SP	35	213	-	-	-	-0.27	1.28	24.9	11.8	52.3	62.3	218	-72	29.6	13	38	103	-	128	99	10	112
60	WAT 180065	F	SP	44	217	-	-	-	1.23	-0.11	21.7	7.7	39.2	39.5	115	-28	21.3	2	24	100	-	114	104	10	113
61	WAT 180178	F	SP	42	279	-	-	-	2.46	-0.56	24.1	5.0	42.4	52.5	80	-50	8.7	4	23	103	-	93	103	13	117
62	WAT 180380	F	SP	36	252	-	-	-	1.34	-0.21	22.9	7.7	45.8	40.9	181	-57	13.7	3	29	101	-	102	111	9	110
63	WAT 220316	F	SP	45	250	-	-	-	3.89	0.72	21.9	6.6	38.9	42.7	117	-42	30.2	-1	18	115	-	129	103	6	103
64	WAT 240244	F	SP	26	241	-	-	-	-0.16	-0.78	17.4	1.5	32.0	27.2	82	-47	13	0	14	106	-	100	103	2	107
65	WAT 240099	F	SP	33	263	-	-	-	0.95	-0.13	22.4	5.7	45.6	48.0	116	-40	18.7	7	28	105	-	110	101	2	94

EXPLANATION OF CATALOGUE ABBREVIATIONS
VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OOD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik