

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

BOS BLANCO SEMEN KATALOGUS

KROONSTAD

19 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 17 September 2026



BEEFMASTER
CATTLE BREEDERS' SOCIETY OF SA
BEESTELERSGENOOTSAP VAN SA



SA STAMBOEK
STUD BOOK



AUCTIONS UNDER THE AUSPICES OF THE BEEFMASTER CATTLE BREEDERS' SOCIETY

It is compulsory for all stud auctions to be conducted under the auspices of the Society.

The term “**Under the auspices of the Beefmaster Cattle Breeders' Society**” means that officers of the society shall ensure that the official catalogues, drawn up by SA Stud Book with the information on its “Logix system”, are available at the auction, that the information regarding paternity, production data and estimated breeding values, contained in the catalogue complies with the minimum breed standards as set by the Beefmaster Cattle Breeders' Society as well as the applicable provisions of the Constitution of the Beefmaster Cattle Breeders' Society, and that the animals offered have already been inspected and approved by an inspector.

The Beefmaster Cattle Breeders' Society also requires that stud animals offered at stud auctions under the auspices of the Beefmaster Cattle Breeders' Society are inspected on the day of the auction by inspectors of the Society to ensure that the animals still comply to the Beefmaster's minimum breed standards.

The Society also verifies the following requirements for animals to be offered at an auction under the auspice of the Society:

- Fertility certificate (not older than three months) and certificate regarding venereal diseases of bulls
- Certificate (not older than three months) of a negative Tuberculosis test of cows, heifers and bulls
- Certificate (not older than three months) of a negative Contagious Abortion test of cows and bulls
- Heifers older than 32 months and cows without a calf should preferably be pregnant and certified as such
- All semen and embryo donors offered for sale must be registered as donors

Although the Society carries out all checks to the best of its ability, the Society do however, not have any control over tests carried out and/or information provided by a third party and/or guarantee its accuracy or accept responsibility for erroneous information. The Society can thus not vouch for the following:

- Immunisation and health status of the animals
- Pregnancy status of cows and heifers
- Breeding ability of bulls
- Fertility status
- Venereal disease
- Faulty information due to printing errors.

The “Logix system” the computer animal recording system used by SA Stud Book to administer the Society's animal recording services, is also deemed as a third party. The information obtained from Logix is therefore deemed as information from a third party.

Commercial animals and animals not approved for sale at an auction, cannot be offered for sale under the auspices of the Society.

ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

SUPERBULL BREEDERS

 Town, Province
 078 737 2855
 super_bull@webmail.com

SB 200201 PP(c)
9 (& 10)

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

Parentage		
Sire	Dam	
DNA	X	✓
Genomic	X	✓

SB 140007
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 140010
 Age 7 | AFC 27 | ICP 366
 Calves 6 | Weaned 2
 Avg. WI 89 | Wean Mat. 93
 Calvings: 16-11, 17-10, 18-10, 20-03, 21-03, 22-04, 23-04

SB 110001
 Age 10 | AFC 32 | ICP 475
 Calves 5 | Weaned -
 Avg. WI - | Wean Mat. 80

SB 110001
 Age 13 | AFC 72 | ICP 360
 Calves 8 | Weaned 7
 Avg. WI 105 | Wean Mat. 110

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/PcH - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree
 14. VPLAN Membership

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines				
				<80	<90	90-110	>110	>120
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss				Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High				Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light				Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less				More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High			*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low				High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss				Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less				More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss				Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy				Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy				Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light				Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor				Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low				High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low				High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less				More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less				More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less				More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor				Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low			*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor				Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor				Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light			*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short				Tall
	23 Length	Length in growth test	Longer for more muscle	Short				Long
Carcass	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1				>1
	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small				Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin				Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low				High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1A (M)



BOS 233367 HH



BW STAAL EDMS BPK

Kroonstad, Free State

0828281082

admin@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-10-25
Age	2y 11m
Inbreeding	5%
DNA	USC077748

BOS 188495 HH
Wean Mat. 100

Parentage	Sire	Dam
DNA	✓	
Genomic	✓	

BOS 188222
Age 8y | AFC 36m | ICP 382d
Calves 4 | Weaned 3 | Wean Mat. 89
Avg. WI 99 | CCB - | CCW -
Calvings: 21-09, 22-09, 23-10, 24-10

BOS 144090
Wean Mat. 109

BOS 155109
Age 10y | AFC 38m | ICP 415d
Calves 7 | Weaned 6 | Wean Mat. 94
Avg. WI 102 | CCB - | CCW -

BOS 144451 HH
Wean Mat. 89

BOS 144218
Age 7y | AFC 38m | ICP 369d
Calves 4 | Weaned 4 | Wean Mat. 103
Avg. WI 100 | CCB - | CCW -

BOS 100432 HH

BOS 066082
Age 14y | Avg. WI 99
Calves 13 | Weaned 14

BOS 099110

BOS 099268
Age 12y | Avg. WI 101
Calves 9 | Weaned 8

BOS 099110

BOS 099053
Age 13y | Avg. WI 102
Calves 9 | Weaned 6

LJK 088391

BOS 033214
Age 20y | Avg. WI 103
Calves 10 | Weaned 9

COW VALUE 127

86	Calving Ease Value
113	Calf Growth Value
89	Milk Value
112	Maintenance Value
133	Fertility Value

GROWTH VALUE 102

CARCASS VALUE 108

PRODUCTION VALUE 121

Trax

Genomic Breeding Value
Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
81	118	113	89	91	112	141	122
84%	83%	87%	85%	83%	84%	83%	85%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	110	108	90	85	104	109	116	112
85%	83%	82%	83%	83%	83%	82%	82%	82%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	296kg 99 (20)	-	364kg 102 (28)	-	-	- (B2)	-

SELLER REMARKS: 3 LOTTE ELK VAN 10 STROOITJES
Slegs vir KI nie Embrio spoelings

LOT 1B (M)



BOS 233030 Pch



BW STAAL EDMS BPK

Kroonstad, Free State

0828281082

admin@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2023-03-06
Age	3y 6m
Inbreeding	14%
DNA	USC079167

BOS 177213 HH
Wean Mat. 99

Parentage	Sire	Dam
DNA		
Genomic	✓	

BOS 188309
Age 7y | AFC 36m | ICP 502d
Calves 4 | Weaned 4 | Wean Mat. 105
Avg. WI 106 | CCB - | CCW -
Calvings: 21-10, 23-03, 24-09, 25-11

BOS 100432 HH
Wean Mat. 105

BOS 066082
Age 14y | AFC 24m | ICP 369d
Calves 13 | Weaned 14 | Wean Mat. 106
Avg. WI 99 | CCB - | CCW -

BOS 144090
Wean Mat. 109

BOS 144474
Age 7y | AFC 35m | ICP 395d
Calves 3 | Weaned 3 | Wean Mat. 95
Avg. WI 99 | CCB - | CCW -

WO 030081

BOS 033340
Age 11y | Avg. WI 106
Calves 8 | Weaned 7

BOS 033069 Pch

BOS 022269
Age 9y | Avg. WI 95
Calves 6 | Weaned 2

BOS 100432 HH
Age 14y | Avg. WI 99
Calves 13 | Weaned 14

WO 050636

BOS 044048
Age 12y | Avg. WI 101
Calves 10 | Weaned 9

COW VALUE 115

104	Calving Ease Value
105	Calf Growth Value
96	Milk Value
100	Maintenance Value
117	Fertility Value

GROWTH VALUE 94

CARCASS VALUE 96

PRODUCTION VALUE 108

Trax

Genomic Breeding Value
Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
99	113	105	96	110	111	115	113
83%	82%	86%	84%	81%	83%	81%	84%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
102	100	103	98	95	93	95	127	108
84%	81%	79%	81%	81%	81%	80%	80%	80%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	300kg 103 (28)	-	350kg 102 (39)	-	-	- (B2)	-

SELLER REMARKS: 3 LOTTE ELK VAN 10 STROOITJES Slegs vir KI nie Embrio spoelings

LOT 1C (M)



BOS 233355 HH



BW STAAL EDMS BPK

Kroonstad, Free State

0828281082

admin@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-10-11
Oud.	2j 11m
Inteling	4%
DNS	USC077747

BOS 188495 HH
Spn Mat. 100

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

BOS 199682
Oud. 7j | OEK 37m | TKP 37ld
Kalwers 4 | Gespeen 4 | Spn. Mat. 88
Gem. SI 100 | KKG - | KKS -
Kalwings: 22-10, 23-10, 24-10, 25-10

BOS 144090
Spn Mat. 109

BOS 155109
Oud. 10j | OEK 38m | TKP 415d
Kalwers 7 | Gespeen 6 | Spn. Mat. 94
Gem. SI 102 | KKG - | KKS -

BOS 144451 HH
Spn Mat. 89

BOS 166658
Oud. 5j | OEK 35m | TKP 403d
Kalwers 2 | Gespeen 1 | Spn. Mat. 89
Gem. SI 102 | KKG - | KKS -

BOS 100432 HH
BOS 066082
Oud. 14j | Gem. SI 99
Kalwers 13 | Gespeen 14

BOS 099110

BOS 099268
Oud. 12j | Gem. SI 101
Kalwers 9 | Gespeen 8

BOS 099110

BOS 099053
Oud. 13j | Gem. SI 102
Kalwers 9 | Gespeen 6

BOS 122776

BOS 122568
Oud. 6j | Gem. SI 101
Kalwers 3 | Gespeen 3

KOEIWAARDE 123

93	Kalfgemak Waarde
113	Kalfgroei Waarde
89	Melk Waarde
109	Onderhoudswaarde
126	Vrugbaarheidswaarde

GROEI WAARDE 102

KARKAS WAARDE 110

PRODUKSIE WAARDE 118



Genomiese Teelwaarde
Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
89	123	113	89	104	108	132	119
83%	82%	86%	84%	82%	83%	82%	84%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
114	113	108	93	93	108	111	121	113
85%	82%	81%	82%	82%	82%	81%	81%	81%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	303kg 97 (17)	-	346kg 99 (28)	-	-	- (B2)	-

VERKOPER OPMERKINGS: 3 LOTTE ELK VAN 10 STROOITJIES Slegs vir KI nie Embrio spoelings

LOT 1D (M)



BOS 233101 Pch



BW STAAL EDMS BPK

Kroonstad, Free State

0828281082

admin@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500



Miostation

Q204X	Skoon
NT821	Skoon
F94L	Skoon

Kuddeboek	SP
Geb. dtm	2023-05-16
Oud.	3j 4m
Inteling	7%
DNS	USC077736

BOS 177146 HH
Spn Mat. 78

Ouerskap	Vaar	Moer
DNS	✓	✓
Genomies	✓	✓

BOS 166150
Oud. 10j | OEK 25m | TKP 446d
Kalwers 7 | Gespeen 6 | Spn. Mat. 96
Gem. SI 100 | KKG - | KKS -
Kalwings: 18-10, 19-11, 20-11, 21-10, 23-05, 24-10, 26-02

BOS 144451 HH
Spn Mat. 89

BOS 144160 HH
Oud. 11j | OEK 36m | TKP 368d
Kalwers 8 | Gespeen 8 | Spn. Mat. 85
Gem. SI 103 | KKG - | KKS -

BOS 133097
Spn Mat. 87

BOS 133320
Oud. 11j | OEK 35m | TKP 432d
Kalwers 8 | Gespeen 4 | Spn. Mat. 111
Gem. SI 102 | KKG 6.19 | KKS 48.8

BOS 099110
BOS 099053
Oud. 13j | Gem. SI 102
Kalwers 9 | Gespeen 6

BOS 088471 HH
BOS 099123
Oud. 11j | Gem. SI 101
Kalwers 9 | Gespeen 7

WO 980062

BOS 033011
Oud. 13j | Gem. SI 107
Kalwers 9 | Gespeen 7

BOS 099071

BOS 111004
Oud. 7j | Gem. SI 103
Kalwers 5 | Gespeen 5

KOEIWAARDE 131

102	Kalfgemak Waarde
118	Kalfgroei Waarde
88	Melk Waarde
85	Onderhoudswaarde
142	Vrugbaarheidswaarde

GROEI WAARDE 108

KARKAS WAARDE 116

PRODUKSIE WAARDE 126



Genomiese Teelwaarde
Analise 2026-09-17

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	125	118	88	97	127	146	125
85%	84%	87%	86%	84%	85%	83%	85%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
121	113	111	115	92	113	121	112	106
86%	83%	82%	83%	84%	83%	82%	82%	82%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
-	280kg 99 (15)	-	375kg 108 (39)	-	-	- (B2)	-

VERKOPER OPMERKINGS: 3 LOTTE ELK VAN 10 STROOITJIES Slegs vir KI nie Embrio spoelings

LOT 1E (M)



BOS 244035 PcH



BW STAAL EDMS BPK

Kroonstad, Free State

0828281082

admin@bosblanco.co.za

POSBUS 676, KROONSTAD, 9500



Myostatin	
Q204X	Free
NT821	Free
F94L	Free

Herd Book	SP
Birth date	2024-01-16
Age	2y 8m
Inbreeding	5%
DNA	USC077770

BOS 088471 HH
Wean Mat. 96

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	✓

BOS 099161

Age 16y | AFC 23m | ICP 376d
Calves 11 | Weaned 11 | Wean Mat. 89
Avg. WI 101 | CCB - | CCW -
Calvings: 11-08, 12-09, 13-11, 14-10,
15-10, 16-11, 17-09, 18-11, 19-11,
21-03, 22-12

BOS 022109
Wean Mat. 84

BOS 033011
Age 13y | AFC 35m | ICP 424d
Calves 9 | Weaned 7 | Wean Mat. 103
Avg. WI 107 | CCB - | CCW -

BOS 055045 PcH
Wean Mat. 96

BOS 033205
Age 15y | AFC 31m | ICP 379d
Calves 12 | Weaned 12 | Wean Mat. 81
Avg. WI 104 | CCB - | CCW -

WO 980062

BOS 988438
Age 10y | Avg. WI 103
Calves 5 | Weaned 3

BOS 963320

BOS 960005
Age 11y | Avg. WI 94
Calves 8 | Weaned 3

WO 980062

BOS 999129
Age 11y | Avg. WI 94
Calves 8 | Weaned 6

BOS 000147

BOS 000585
Age 12y | Avg. WI 107
Calves 8 | Weaned 6

COW VALUE 107

76	Calving Ease Value
123	Calf Growth Value
95	Milk Value
87	Maintenance Value
116	Fertility Value

GROWTH VALUE 104

CARCASS VALUE 109

PRODUCTION VALUE 103



Genomic Breeding Value
Analysis 2026-09-17

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
72	127	123	95	101	107	119	112
86%	86%	88%	88%	85%	87%	85%	88%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
120	107	101	113	89	106	106	112	105
86%	84%	83%	85%	85%	85%	83%	83%	83%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
-	325kg 100 (11)	-	452kg 98 (11)	-	-	- (B2)	-

SELLER REMARKS: 3 LOTTE ELK VAN 10 STROOITJIES Slegs vir KI nie Embrio spoelings

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.34	-0.05	12.1	-1.4	19	7	72	-39	11.1	1.0	13.0						
Auction Average				-	301	-	-	-	-	1.36	-0.89	20.4	-3.8	32	9	103	-46	11.4	-4	18	100	-	101	101	6.0	97
1A	BOS 233367	M	SP	-	296	-	-	-	-	1.89	-0.77	19.4	-4.5	28.6	-4.0	109	-48	5.9	-8	18	99	-	91	99	4	93
1B	BOS 233030	M	SP	-	300	-	-	-	-	0.40	-0.55	15.1	-2.6	21.9	5.0	71	-42	16.6	-1	6	103	-	110	106	4	87
1C	BOS 233355	M	SP	-	303	-	-	-	-	1.27	-0.95	19.4	-4.6	31.9	-1.1	118	-47	13.4	-2	21	97	-	104	100	4	103
1D	BOS 233101	M	SP	-	280	-	-	-	-	0.53	-1.03	22.8	-4.7	38.3	24.8	121	-51	9.6	-3	25	99	-	97	100	7	105
1E	BOS 244035	M	SP	-	325	-	-	-	-	2.69	-1.14	25.3	-2.7	37.5	22.2	96	-41	11.4	-5	19	100	-	101	101	11	99



EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik