

AMPTELIKE VEILINGSKATALOGUS VIR /
OFFICIAL AUCTION CATALOGUE FOR

AANLYN AANTEELVEILING

Aanlyn

23 September 2026

All Pedigree- and Performance Data is as recorded on LOGIX on 21 September 2026



ANIMAL, OWNER AND PEDIGREE INFORMATION

1
2
3
4
5

LOT 1 (M)

Breed Logo

SB 200201 PP(c)

SUPERBULL'S SUPERSTAR SB 200201

Herd Book	SP
Birth date	2020-01-01
Age	2y 7m
Inbreeding	1%
DNA	ABC001234

9 (& 10)

SB 140007
SUPERBULL SB 140007 Pp(c)

Parentage	Sire	Dam
DNA	X	✓
Genomic	X	✓

11

SB 110001
SUPERBULL SB 11 0100

SB 110012 P
SUPERBULL SB 110012

Age 10 | AFC 32 | ICP 475
Calves 5 | Weaned -
Avg. WI - | Wean Mat. 80

SB 110001
SUPERBULL SB 110400

SB 060004 Pch
SUPERBULL SB 060004

Age 13 | AFC 72 | ICP 360
Calves 8 | Weaned 7
Avg. WI 105 | Wean Mat. 110

12

13

SUPERBULL BREEDERS

Town, Province
 078 737 2855
 super_bull@webmail.com

1. Lot Number & sex (mixed lots)
 2. Breed's logo
 3. GT - animal is genomically tested
 4. Animal Identification Number and Name
 5. Polled Status
 - Celtic: PP(c)/Pp(c) - polled, HH(c) - horned
 - Phenotypic: P/Pch - polled, HH - horned, SC - scurs
 6. Animal's photo, or Herd's logo
 7. Herd's logo
 8. Owner's information

9. Animal's information
 - Herd book section
 - Birth date
 - Animal's age
 - Animal's inbreeding percentage
 - DNA Number - if available
 10. Additional information (only females)
 - Age at first calving
 - Number of calves born
 - Number of calves weaned
 - Average Wean Index
 - Intercalving Period

11. Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via microsatellite (DNA) and/or Genomic testing
 12. Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Age at First Calving and Intercalving Period
 - Cow award
 13. Four (4) generation pedigree

QR Code

This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where additional information for the animal is available.



Myostatin	
Q204X	Free
NT821	Carrier
F94L	Not Tested

Myostatin Results

- Free - free from double muscling genes
- Carrier - heterozygotic / carrier of one double muscling gene
- D. Muscled - homozygotic / double muscled

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother				Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
83	121	130	89	112	84	101	112	125	126	129	113	104	115	149	82	119
87%	70%	83%	70%	81%	68%	59%	69%	72%	76%	80%	65%	81%	80%	77%	74%	73%

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the next page. These genetic building blocks are indicated in the catalogue by their Breeding Value indices and accuracies.


PHENOTYPIC VALUES

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
47kg	239kg 109 (19)	284kg 99 (10)	390kg 92 (10)	1680g/d 90 (13)	6.08 98	353mm (D1)	1.20
10	12			19	20	16	24

- 205D, 365D, 540D weights - adjusted weaning, year and 18 month weights, the phenotypic index obtained, and the number of animals in the contemporary group
- ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured at the end of the growth test, as well as the growth test type
- Length-Height Ratio (LH) - the animal's length to height ratio, as measured at the end of the growth test

LOGIX SELECTION VALUES

COW VALUE 108	
103	Calving Ease Value
118	Calf Growth Value
86	Milk Value
80	Maintenance Value
110	Fertility Value
GROWTH VALUE 105	
CARCASS VALUE 110	
PRODUCTION VALUE 103	



Logix Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves relative to own weight

Calving Ease Value

Low birth weight calves

Calf Growth Value

Heavy weaner calves

Milk Value

Good mothering ability

Maintenance Value

Low cow weight

Fertility Value

Fertile cows (calve early and regularly while family is retained in stud herds)

Measurement: Birth weight
EBVs: Birth Weight Direct and Maternal

Measurement: Weaning weight
EBVs: Weaning weight Direct

Measurement: Weaning weight
EBVs: Weaning weight Maternal

Measurement: Mature cow weight, Weaning weight
EBVs: Mature weight + 10% Wean Maternal

Measurement: Age at first calving, ICP and retention
EBVs: Heifer fertility, Cow fertility, and Longevity



Logix Growth Value

Selection for efficient growers on veld and in feedlot

Measurements: Phase C and D Growth test traits

EBVs: Weaning weight, End weight, ADG and Intake



Logix Carcass Value

Selection for higher meat yields on a carcass

Measurements: Phase C and D Growth test traits, RTU scanning traits

EBVs: End weight, Eye Muscle Area and Fat



Logix Production Value

Selection for profitable animals

80% of the Cow Value, and 20% of the Growth Value

HOW TO USE SELECTION VALUES

Logix Breeding Value Indices and Selection Values are versatile and can be used effectively to select various types of animals suitable for different environments and markets. Three examples of selection goals are shown. Always check all selection values for compatibility with your specific selection goal and never select only on the Cow Value.

AVERAGE ANIMALS

(NO GROWTH EXTREMES)

COW VALUE 115	
108	Calving Ease Value
106	Calf Growth Value
106	Milk Value
101	Maintenance Value
100	Fertility Value

- Selection Values 90 to 110
- Cow Value & Fertility Value average to high

A safe choice, as animals are profitable in most environments.

GROWERS

(GOOD ENVIRONMENT)

COW VALUE 115	
86	Calving Ease Value
122	Calf Growth Value
116	Milk Value
81	Maintenance Value
100	Fertility Value

- Calf Growth / Growth Value > 110
- Cow Value & Fertility Value average to high

Growers are heavier at birth (lower Calving Ease Value), and heavier at maturity (lower Maintenance Value).

LOW-MAINTENANCE ANIMALS

(HARSH ENVIRONMENT)

COW VALUE 115	
112	Calving Ease Value
96	Calf Growth Value
117	Milk Value
115	Maintenance Value
100	Fertility Value

- Maintenance Value > 110
- Cow Value & Fertility Value average to high


Lighter cows have a lower maintenance (higher Maintenance Value).

EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits		Description/Measurement	Goal	General Guidelines					
				<80	<90	90-110	>110	>120	
Selection Values	1 Cow Value	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	2 Calving Ease Value	Risk for calving problems (calf too heavy) vs calf too small	Avg. birth weight	High					Low
	3 Calf Growth Value	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
	4 Milk Value	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	5 Maintenance Value	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	6 Fertility Value	Fertility and retention of cows and heifers	Fertile cows	Low					High
	7 Growth Value	Efficient growth on veld and in feedlot (R-value)	Profitable growth	Loss					Profit
	8 Carcass Value	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	9 Production Value	Combination of Cow- and Growth values (R-value)	Profitable animals	Loss					Profit
Cow & Heifer	10 Birth Weight Direct	Birth weight (Calf's genetic ability)	Avg. birth weight	Heavy					Light
	11 Birth Weight Maternal	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	12 Weaning Weight Direct	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	13 Weaning Weight Maternal	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
	21 Mature Cow Weight	Cow weight at weaning of first three calves	Avg. mature cow weight	Light			*	*	Heavy
	Cow-Calf Birth	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
Fertility	Cow-Calf Wean	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High
	14 Heifer Fertility	Age at first calving	Fertile heifers	Less					More
	15 Cow Fertility	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	16 Scrotal Circumference	As measured during the growth test	Fertile bulls	Less					More
Growth & Frame	17 Longevity	Retention of progeny	Acceptable progeny	Poor					Good
	18 Post-Wean Weight	12- and 18 month weights	Good post-wean growth	Low				*	High
	19 Average Daily Gain	Average daily gain	Good growth	Poor					Good
	20 Feed Conversion Ratio	100g feed intake / g weight gain	Feed efficiency	Poor					Good
	Final Test Weight	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	22 Height	Shoulder / Hip height in growth test	Average height	Short					Tall
	23 Length	Length in growth test	Longer for more muscle	Short					Long
	24 Length-Height Ratio	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	25 Eye Muscle Area	RTU measured eye muscle area	Bigger steaks	Small					Big
	26 Fat Thickness	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	27 Marbling	RTU measured % of intra-muscular fat	Juicy meat	Low					High

* Determined by own selection goal

INTERPRETATION OF BREEDING VALUE INDICES



LOT 1 (M)



KJA 230008

LEMOENVLEI ROLO 308

Herd Book	SP
Birth date	2023-10-07
Age	2y 12m
Inbreeding	14%

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape
0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS
132, COLESBERG, 9795

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

KJA 180051 HH
LEMOENVLEI LANTERN
Wean Mat. 108

Parentage	Sire	Dam
DNA		
Genomic		

KJA 170029
LEMOENVLEI DORA
Age 7y | AFC 36m | ICP 379d
Calves 5 | Weaned 5 | Wean Mat. 109
Avg. WI 110 | CCB 6.12 | CCW 41.5
Calvings: 20-10, 21-11, 22-11, 23-10, 24-12SLM 130041 HH
SYFERPAN STANMORE 1341
Wean Mat. 99KJA 130052
LEMOENVLEI DALEEN 352
Age 8y | AFC 28m | ICP 411d
Calves 6 | Weaned 6 | Wean Mat. 91
Avg. WI 94 | CCB 7.13 | CCW 40.6SLM 130041 HH
SYFERPAN STANMORE 1341
Wean Mat. 99KJA 120028
LEMOENVLEI DORA 228
Age 8y | AFC 37m | ICP 463d
Calves 5 | Weaned 5 | Wean Mat. 122
Avg. WI 115 | CCB 6.91 | CCW 40.947R
PDHR 20J STANMORE 47R
SLM 030014
SYFERPAN CAROLINE 179TH
Age 17y | Avg. WI 106
Calves 12 | Weaned 10
LD 080171
MIQUILINE V.L.P. 171
KJA 100019
LEMOENVLEI DALEEN 0019
Age 8y | Avg. WI 106
Calves 6 | Weaned 6
47R
PDHR 20J STANMORE 47R
SLM 030014
SYFERPAN CAROLINE 179TH
Age 17y | Avg. WI 106
Calves 12 | Weaned 10
SLM 090019
SYFERPAN 919
KJA 040421
LEMOENVLEI DORA 421
Age 9y | Avg. WI 107
Calves 6 | Weaned 4

COW VALUE 108

110	Calving Ease Value
109	Calf Growth Value
107	Milk Value
86	Maintenance Value
88	Fertility Value

GROWTH VALUE 111

CARCASS VALUE 111

PRODUCTION VALUE 110

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
31kg	247kg 118 (22)	-	-	1585g/d 118 (10)	-	351mm (D1)	1.14

LOGIX
GENETICS
EBV Analysis 2026-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
111	100	109	107	113	83	96	103
76%	52%	72%	55%	73%	47%	28%	50%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
105	99	95	114	112	109	101	113	87
47%	65%	7%	44%	75%	72%	64%	58%	57%

LOT 2 (M)



KJA 230002

LEMOENVLEI ROUX 302

Herd Book	SP
Birth date	2023-09-29
Age	2y 12m
Inbreeding	8%

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape
0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS
132, COLESBERG, 9795

Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

KJA 180051 HH
LEMOENVLEI LANTERN
Wean Mat. 108

Parentage	Sire	Dam
DNA		
Genomic		

KJA 200046
LEMOENVLEI KLEINGELD
Age 5y | AFC 33m | ICP 395d
Calves 3 | Weaned 3 | Wean Mat. 107
Avg. WI 100 | CCB 7.87 | CCW 45.3
Calvings: 23-09, 24-11, 25-11SLM 130041 HH
SYFERPAN STANMORE 1341
Wean Mat. 99KJA 130052
LEMOENVLEI DALEEN 352
Age 8y | AFC 28m | ICP 411d
Calves 6 | Weaned 6 | Wean Mat. 91
Avg. WI 94 | CCB 7.13 | CCW 40.6SLM 140006 HH
SYFERPAN 406
Wean Mat. 107KJA 170023
LEMOENVLEI KLEINGELD K
Age 4y | AFC 39m | ICP -
Calves 1 | Weaned 1 | Wean Mat. 112
Avg. WI 108 | CCB 8.6 | CCW 38.247R
PDHR 20J STANMORE 47R
SLM 030014
SYFERPAN CAROLINE 179TH
Age 17y | Avg. WI 106
Calves 12 | Weaned 10
LD 080171
MIQUILINE V.L.P. 171
KJA 100019
LEMOENVLEI DALEEN 0019
Age 8y | Avg. WI 106
Calves 6 | Weaned 6
43092364
CHURCHILL SENSATION 028X
SLM 050006
SYFERPAN CAROLINE 196 TH
Age 16y | Avg. WI 103
Calves 11 | Weaned 8
SLM 130041 HH
SYFERPAN STANMORE 1341
KJA 120023
LEMOENVLEI KLEINGELD K 223
Age 8y | Avg. WI 113
Calves 6 | Weaned 6

COW VALUE 89

86	Calving Ease Value
102	Calf Growth Value
106	Milk Value
99	Maintenance Value
86	Fertility Value

GROWTH VALUE 83

CARCASS VALUE 98

PRODUCTION VALUE 86

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
36kg	226kg 104 (22)	-	-	1212g/d 90 (10)	-	320mm (D1)	1.16

LOGIX
GENETICS
EBV Analysis 2026-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
90	92	102	106	85	85	91	102
76%	49%	71%	53%	73%	47%	27%	48%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
100	94	103	99	90	99	90	101	63
48%	64%	6%	43%	74%	71%	64%	58%	57%

LOT 3 (M)



KJA 230052

LEMOENVLEI ROSS 352

SA HEREFORD
SINCE 1917

J.F.L. KRUGER

Colesberg, Northern Cape

0833241535

wicuskruiger2@gmail.com

ZAAIFONTEIN, POSBUS
132, COLESBERG, 9795

Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

Kuddeboek	SP
Geb. dtm	2023-12-30
Oud.	2j 9m
Inteling	2%

KJA 180051 HH
LEMOENVLEI LANTERN
Spn Mat. 108

Ouerskap	Vaar	Moer
DNS		
Genomies		

KJA 200005
LEMOENVLEI KLEINGELD
Oud. 5j | OEK 25m | TKP 359d
Kalwers 4 | Gespeen 4 | Spn. Mat. 100
Gem. SI 102 | KKG 8.27 | KKS 45.3
Kalwings: 22-11, 23-12, 24-11, 25-10SLM 130041 HH
SYFERPAN STANMORE 1341
Spn Mat. 99KJA 130052
LEMOENVLEI DALEEN 352
Oud. 8j | OEK 28m | TKP 411d
Kalwers 6 | Gespeen 6 | Spn. Mat. 91
Gem. SI 94 | KKG 7.13 | KKS 40.6SLM 140006 HH
SYFERPAN 406
Spn Mat. 107KJA 160026
LEMOENVLEI KLEINGELD K
Oud. 8j | OEK 30m | TKP 406d
Kalwers 6 | Gespeen 4 | Spn. Mat. 89
Gem. SI 86 | KKG 6.98 | KKS 38.947R
PDHR 20J STANMORE 47R
SLM 030014
SYFERPAN CAROLINE 179TH
Oud. 17j | Gem. SI 106
Kalwers 12 | Gespeen 10
LD 080171
MIQUILINE V.L.P. 171
KJA 100019
LEMOENVLEI DALEEN 0019
Oud. 8j | Gem. SI 106
Kalwers 6 | Gespeen 6
43092364
CHURCHILL SENSATION 028X
SLM 050006
SYFERPAN CAROLINE 196 TH
Oud. 16j | Gem. SI 103
Kalwers 11 | Gespeen 8
KJA 110057
LEMOENVLEI CAMPBELL 157K
KJA 130029
LEMOENVLEI KLEINGELD K 329
Oud. 6j | Gem. SI 91
Kalwers 3 | Gespeen 3

KOEIWAARDE 109

103	Kalfgemak Waarde
93	Kalfgroei Waarde
105	Melk Waarde
109	Onderhoudswaarde
97	Vrugbaarheidswaarde

GROEI WAARDE 86

KARKAS WAARDE 99

PRODUKSIE WAARDE 106

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	229kg 105 (22)	-	-	1212g/d 90 (10)	-	330mm (D1)	1.19

LOGIX
EBV Analise 2026-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
103	101	93	105	90	99	95	104
76%	51%	72%	54%	73%	47%	27%	48%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
92	90	92	89	72	92	91	116	87
47%	64%	6%	46%	74%	71%	64%	58%	57%

LOT 4 (M)



GH 240041

GANZEKRAAL SKYE 441



GANZEKRAAL HEREFORDS

George, Eastern Cape

0722866633

lynnecamppher@gmail.com

POSBUS 100,,HEROLD, 6615



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

Kuddeboek	SP
Geb. dtm	2024-07-12
Oud.	2j 2m
Inteling	6%

GH 210016 HH
GANZEKRAAL ORION 116
Spn Mat. 84

Ouerskap	Vaar	Moer
DNS		
Genomies		

GH 220045
GANZEKRAAL THRUSH 245
Oud. 4j | OEK 23m | TKP 390d
Kalwers 2 | Gespeen 2 | Spn. Mat. 81
Gem. SI 94 | KKG 6.74 | KKS 38.4
Kalwings: 24-07, 25-08HVR 180004 HH
HOEKLAND LUTHER 804
Spn Mat. 87GH 170002 HH
GANZEKRAAL THRUSH 702
Oud. 8j | OEK 25m | TKP 353d
Kalwers 7 | Gespeen 6 | Spn. Mat. 90
Gem. SI 99 | KKG 6.3 | KKS 41GH 190032 HH
GANZEKRAAL MIKE 932
Spn Mat. 88GH 180018
GANZEKRAAL THRUSH 818
Oud. 8j | OEK 22m | TKP 363d
Kalwers 6 | Gespeen 6 | Spn. Mat. 93
Gem. SI 100 | KKG 6.41 | KKS 40.6SLM 130041 HH
SYFERPAN STANMORE 1341
HVR 130022 HH
HOEKLAND PHYLLIDA 1322
Oud. 10j | Gem. SI 108
Kalwers 8 | Gespeen 8
SLM 110017
SYFERPAN 117
GH 090033
GANZEKRAAL THRUSH 933
Oud. 13j | Gem. SI 90
Kalwers 12 | Gespeen 6
SLM 140006 HH
SYFERPAN 406
GH 150063 HH
GANZEKRAAL GELLIE 563
Oud. 8j | Gem. SI 100
Kalwers 6 | Gespeen 5
SLM 140006 HH
SYFERPAN 406
GH 150021
GANZEKRAAL THRUSH 521
Oud. 7j | Gem. SI 91
Kalwers 6 | Gespeen 5

KOEIWAARDE 91

100	Kalfgemak Waarde
96	Kalfgroei Waarde
83	Melk Waarde
107	Onderhoudswaarde
93	Vrugbaarheidswaarde

GROEI WAARDE 104

KARKAS WAARDE 88

PRODUKSIE WAARDE 92

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
31kg	247kg 96 (26)	-	-	824g/d 107 (11)	-	318mm (D1)	1.16

LOGIX
EBV Analise 2026-09-19

Kalf en Moeder					Vrugbaarheid		
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
98	107	96	83	84	101	88	100
75%	43%	70%	48%	71%	39%	21%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
97	102	102	93	107	99	100	64	43
55%	61%	5%	38%	73%	69%	64%	58%	56%

LOT 5 (M)

GH 240015
GANZEKRAAL SERGIO 415

Herd Book	SP
Birth date	2024-06-24
Age	2y 3m
Inbreeding	5%

GH 200011 HH
GANZEKRAAL NERO 011
Wean Mat. 110

Parentage	Sire	Dam
DNA		
Genomic		

GH 170018
GANZEKRAAL CAROLINE 718
Age 9y | AFC 23m | ICP 370d
Calves 7 | Weaned 7 | Wean Mat. 103
Avg. WI 105 | CCB 6.36 | CCW 46.8
Calvings: 19-07, 20-07, 21-07,
22-06, 23-07, 24-06, 25-08

HVR 180004 HH
HOEKLAND LUTHER 804
Wean Mat. 87

GH 180010 HH
GANZEKRAAL GELLIE 810
Age 8y | AFC 23m | ICP 366d
Calves 6 | Weaned 6 | Wean Mat. 118
Avg. WI 105 | CCB 6.57 | CCW 46.2

SLM 110017
SYFERPAN 117
Wean Mat. 110

GH 110018
GANZEKRAAL CAROLINE 118
Age 9y | AFC 25m | ICP 362d
Calves 8 | Weaned 4 | Wean Mat. 73
Avg. WI 98 | CCB 6.19 | CCW 48.7

SLM 130041 HH
SYFERPAN STANMORE 1341
HVR 130022 HH
HOEKLAND PHYLLIDA 1322
Age 10y | Avg. WI 108
Calves 8 | Weaned 8
SLM 140006 HH
SYFERPAN 406
GH 150034
GANZEKRAAL GELLIE 534
Age 10y | Avg. WI 103
Calves 9 | Weaned 7
SLM 070020
SYFERPAN W 8
SLM 030028
SYFERPAN CAROLINE 183RD
Age 10y | Avg. WI 101
Calves 8 | Weaned 7
KV 080021
BLINKSAAD ZHIVAGO
GH 090001
GANZEKRAAL GH 090001
Age 10y | Avg. WI 93
Calves 5 | Weaned 1

GANZEKRAAL HEREFORDS



George, Eastern Cape
0722866633
lynnecampner@gmail.com

POSBUS 100,,HEROLD, 6615

COW VALUE 113

125	Calving Ease Value
69	Calf Growth Value
107	Milk Value
130	Maintenance Value
101	Fertility Value

GROWTH VALUE 77

CARCASS VALUE 78

PRODUCTION VALUE 109

Birth Weight	205D Weight
32kg	251kg 97 (26)

LOGIX
EBV Analysis 2026-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
122	109	69	107	71	115	90	92
76%	52%	72%	56%	73%	44%	24%	47%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
70	91	106	72	91	79	94	87	147
58%	64%	5%	45%	75%	71%	67%	61%	59%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
32kg	251kg 97 (26)	-	-	706g/d 91 (11)	-	319mm (D1)	1.15



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 6 (M)

GH 240046
GANZEKRAAL STORM 446

Herd Book	SP
Birth date	2024-07-21
Age	2y 2m
Inbreeding	10%

GH 200011 HH
GANZEKRAAL NERO 011
Wean Mat. 110

Parentage	Sire	Dam
DNA		
Genomic		

GH 180006 HH
GANZEKRAAL GELLIE 806
Age 8y | AFC 23m | ICP 362d
Calves 6 | Weaned 6 | Wean Mat. 101
Avg. WI 96 | CCB 6.05 | CCW 39.1
Calvings: 20-07, 21-07, 22-06,
23-07, 24-07, 25-06

HVR 180004 HH
HOEKLAND LUTHER 804
Wean Mat. 87

GH 180010 HH
GANZEKRAAL GELLIE 810
Age 8y | AFC 23m | ICP 366d
Calves 6 | Weaned 6 | Wean Mat. 118
Avg. WI 105 | CCB 6.57 | CCW 46.2

SLM 140006 HH
SYFERPAN 406
Wean Mat. 107

GH 150025
GANZEKRAAL GELLIE 525
Age 11y | AFC 25m | ICP 360d
Calves 9 | Weaned 9 | Wean Mat. 112
Avg. WI 103 | CCB 6.31 | CCW 45.1

SLM 130041 HH
SYFERPAN STANMORE 1341
HVR 130022 HH
HOEKLAND PHYLLIDA 1322
Age 10y | Avg. WI 108
Calves 8 | Weaned 8
SLM 140006 HH
SYFERPAN 406
GH 150034
GANZEKRAAL GELLIE 534
Age 10y | Avg. WI 103
Calves 9 | Weaned 7
43092364
CHURCHILL SENSATION 028X
SLM 050006
SYFERPAN CAROLINE 196 TH
Age 16y | Avg. WI 103
Calves 11 | Weaned 8
SLM 110017
SYFERPAN 117
GH 040018
GANZEKRAAL GH 040018
Age 15y | Avg. WI 92
Calves 10 | Weaned 1

GANZEKRAAL HEREFORDS



George, Eastern Cape
0722866633
lynnecampner@gmail.com

POSBUS 100,,HEROLD, 6615

COW VALUE 94

89	Calving Ease Value
100	Calf Growth Value
81	Milk Value
107	Maintenance Value
117	Fertility Value

GROWTH VALUE 109

CARCASS VALUE 99

PRODUCTION VALUE 96

Birth Weight	205D Weight
42kg	275kg 103 (26)

LOGIX
EBV Analysis 2026-09-19

Calf and Mother				Fertility			
Birth Dir.	Birth Mat.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.
83	117	100	81	99	120	115	84
87%	81%	86%	82%	86%	45%	78%	81%

Post-Wean Growth			Frame			Carcass		
Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
97	103	100	94	96	90	93	96	145
66%	84%	78%	80%	86%	85%	84%	83%	83%

Birth Weight	205D Weight	365D Weight	540D Weight	ADG Index	FCR Index	Scrotum	LH
42kg	275kg 103 (26)	-	-	824g/d 107 (11)	-	343mm (D1)	1.17



Myostatin

Q204X	Not Tested
NT821	Not Tested
F94L	Not Tested

SELLER REMARKS:

LOT 7 (M)

SA HEREFORD
SINCE 1917GH 240052
GANZEKRAAL SLINGER 452

GANZEKRAAL HEREFORDS



George, Eastern Cape

0722866633

lynnecampner@gmail.com

POSBUS 100,,HEROLD, 6615

Kuddeboek	SP
Geb. dtm	2024-08-01
Oud.	2j 2m
Inteling	9%

GH 210016 HH
GANZEKRAAL ORION 116
Spn Mat. 84

Ouerskap	Vaar	Moer
DNS		
Genomies		

GH 220044
GANZEKRAAL OYSTER PIP 244
Oud. 4j | OEK 23m | TKP 395d
Kalwers 2 | Gespeen 2 | Spn. Mat. 108
Gem. SI 104 | KKG 7.87 | KKS 44
Kalwings: 24-08, 25-08HVR 180004 HH
HOEKLAND LUTHER 804
Spn Mat. 87GH 170002 HH
GANZEKRAAL THRUSH 702
Oud. 8j | OEK 25m | TKP 353d
Kalwers 7 | Gespeen 6 | Spn. Mat. 90
Gem. SI 99 | KKG 6.3 | KKS 41GH 200011 HH
GANZEKRAAL NERO 011
Spn Mat. 110GH 150008
GANZEKRAAL OYSTER PIP 508
Oud. 10j | OEK 20m | TKP 371d
Kalwers 8 | Gespeen 7 | Spn. Mat. 108
Gem. SI 106 | KKG 6.98 | KKS 47.4SLM 130041 HH
SYFERPAN STANMORE 1341
HVR 130022 HH
HOEKLAND PHYLLIDA 1322
Oud. 10j | Gem. SI 108
Kalwers 8 | Gespeen 8
SLM 110017
SYFERPAN 117
GH 090033
GANZEKRAAL THRUSH 933
Oud. 13j | Gem. SI 90
Kalwers 12 | Gespeen 6
HVR 180004 HH
HOEKLAND LUTHER 804
GH 180010 HH
GANZEKRAAL GELLIE 810
Oud. 8j | Gem. SI 105
Kalwers 6 | Gespeen 6
SLM 070008
SYFERPAN W 2
SLM 060040
SYFERPAN OYSTER PIP
Oud. 13j | Gem. SI 111
Kalwers 7 | Gespeen 1

KOEIWAARDE 98

96	Kalfgemak Waarde
91	Kalfgroei Waarde
98	Melk Waarde
104	Onderhoudswaarde
103	Vrugbaarheidswaarde

GROEI WAARDE 83

KARKAS WAARDE 88

PRODUKSIE WAARDE 95

LOGIX
SINCE 2016
EBV Analise 2026-09-19

Kalf en Moeder				Vrugbaarheid			
Geb. Dir.	Geb. Mat.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lanklew.
94	105	91	98	70	111	93	100
73%	43%	70%	48%	71%	38%	19%	41%

Na-Speen Groei			Raam			Karkas		
Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	97	-	95	84	76	94	78	123
55%	62%		35%	73%	69%	64%	58%	57%

Geb. Gewig	205D Gewig	365D Gewig	540D Gewig	GDT Indeks	VOV Indeks	Skrotum	LH
36kg	250kg 95 (26)	-	-	647g/d 84 (11)	-	315mm (D1)	1.12



Miostatien

Q204X	Nie Getoets
NT821	Nie Getoets
F94L	Nie Getoets

VERKOPER OPMERKINGS:

Dier Info				Actual Values						Expected Breeding Values										Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average										0.77	0.57	18.0	8.0	33	34	133	-75	16.0	22.0	31.0						
Auction Average				35	246	7.05	45.3	1.16	321	0.76	0.40	15.6	7.4	36	27	120	-75	9.6	18	23	103	98	87	102	4.0	115
1	KJA 230008	M	SP	31	247	5.86	53.5	1.14	355	-0.04	0.58	21.9	10.0	45.0	48.5	128	-69	22.6	30	40	118	118	113	110	5	105
2	KJA 230002	M	SP	36	226	7.45	49.5	1.16	310	1.54	0.91	18.8	9.7	42.1	33.0	110	-79	8.2	16	29	104	90	85	100	3	104
3	KJA 230052	M	SP	36	229	7.83	37	1.19	300	0.55	0.55	15.2	9.3	36.0	22.8	94	-65	11.1	5	23	105	90	90	102	4	121
4	GH 240041	M	SP	31	247	6.74	45.2	1.16	315	0.93	0.29	16.2	3.1	38.6	27.0	141	-78	7.7	27	30	96	107	84	94	2	120
5	GH 240015	M	SP	32	251	6.53	45.7	1.15	325	-0.88	0.21	5.1	10.1	19.6	4.6	99	-83	1.3	17	10	97	91	71	105	7	118
6	GH 240046	M	SP	42	275	6.56	41.9	1.17	350	2.05	-0.12	18.0	2.4	37.1	27.4	143	-75	15.3	20	20	103	107	99	96	6	118
7	GH 240052	M	SP	36	250	8.37	44	1.12	295	1.20	0.37	14.1	7.2	32.3	28.6	123	0	1.1	12	7	95	84	70	104	2	120

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated Breeding Value	EBV	EBV	Beraamde Teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years	AGE	OU.D.	Ouderdom in jaar
Age at First Calving	AFC	OEK	Ouderdom met Eerst Kalwing
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Number of calvings	Calvings	Kalwings	Aantal kalwings
Number of calves weaned	Weaned	Gespeen	Aantal kalwers gespeen
Average Wean index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigoties Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference (mm)	Scr. Circ.	Skr. Omt.	Skrotum omtrek (mm)
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename (g/dag)
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset verhouding (kg:kg)
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spiersse vet)
Actual birth weight	Birth Wt.	Geb. gewig	Werklike geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte verhouding
Cow's average Cow-Calf birth weight ratio	CCB	KKG	Koei se gemiddelde Koei-Kalf geboortegewig verhouding
Cow's average Cow-Calf wean weight ratio	CCW	KKS	Koei se gemiddelde Koei-Kalf speengewig verhouding
Average Weaning Index	Avg. WI	Gem. SI	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik