

AMPTELIKE VEILINGSKATALOGUS VIR / OFFICIAL AUCTION CATALOGUE FOR

NU ALCADE GROEP

Veilingsdatum / Auction Date:
28 September 2023

Data soos op / Data as on:
04 September 2023



SALES UNDER AUSPICES OF BONSMARA SA

Bonsmara stud breeding is subject to the stipulations of the Livestock Improvement Act and conforms to the standards of Bonsmara SA. The Society therefore has the right to implement certain controls to ensure the accuracy of information regarding Parentage, Performance and Estimated Breeding Values.

Information regarding Parentage, Performance and Estimated Breeding Values of animals, as supplied by the breeder, have been verified and compared to the official database of LOGIX BEEF. Bonsmara SA therefore, confirms the accuracy of such information.

To the knowledge of the Society these controls have been carried out accurately. However, the Society does not take any responsibility for incorrect information through printing errors or incorrect information provided by the breeder.

Animals on such sales have been visually screened by Inspectors of Bonsmara SA and comply with the Bonsmara Minimum Breed Standards as stipulated by the Society.

The Society DOES NOT have any control over:

- Immunization and health status of animals
- Pregnancy status of cows and heifers
- Suitability of a bull for breeding
- Fertility status as well as venereal diseases and
- Commercial animals

Since the above is not classified as information regarding Parentage, Performance and Estimated Breeding Values, it DOES NOT fall within the jurisdiction of the meaning "Under the Auspices of Bonsmara SA".



VEILINGS ONDER BESKERMING VAN BONSMARA SA

Bonsmara stoetteling wat onderhewig is aan die bepalings van die Veeverbeteringswet, vind plaas onder die vaandel van Bonsmara SA. Daarom behou die Genootskap hom die reg voor om kontroles volgens bepaalde prosedures uit te oefen ten opsigte van Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes.

Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes soos deur die teler voorsien vir die doel van hierdie katalogus, is gekontroleer en vergelyk met die amptelike databasis soos gehou deur LOGIX BEEF. Bonsmara SA bevestig dus die korrektheid van sodanige inligting.

Alhoewel die kontroles na die beste wete van die Genootskap gedoen is, kan die Genootskap egter nie verantwoordelik gehou word vir foutiewe inligting as gevolg van drukkersfoute of verkeerde inligting deur die telers verskaf nie.

Diere wat op hierdie veilings aangebied word, is onderwerp aan 'n proses van visuele inspeksie deur Keurders van Bonsmara SA en voldoen aan die Bonsmara Minimum Rasstandaarde soos bepaal deur die Genootskap.

Die Genootskap het egter GEEN beheer oor:

- Immunisering en gesondheidstatus van diere
- Dragtigheidstatus van koeie en verse
- Teelgeskiktheid van bulle
- Vrugbaarheidstatus, asook geslagsiektes en
- Kommersiële diere nie.

Aangesien bogenoemde nie val onder die bedoeling met Ouerskap inligting, Prestasiedata en Beraamde Teelwaardes nie, sorteer dit NIE onder die jurisdiksie van die bedoeling "Onder beskerming van Bonsmara SA" nie.



ANIMAL AND PEDIGREE INFORMATION

LOT 1
1

THE RED CATTLE FARM
2

3

ABC 150029
4

2015-02-03
5

SP
6

Parentage
Sire
Dam

DNA
✓

Genomic
✓

DEF 100066 P

DEF 050022
7

GHI 070076 HH(c)
8

AGE/CALV. 14/10
AVG. Wt/CALV. 92/10
ICP 395

JKL 000077 P

ABC 080011

AGE/CALV. 13/9
AVG. Wt/CALV. 105/9
ICP 417

MNO 030002
12

AGE/CALV. 19/10
AVG. Wt/CALV. 109/10
ICP 407

- Lot Number
- Owner of the animal
- Herd's logo (if available)
- Animal Identification Number
- Birth date
- Herd book section - NFR / PEN / F0 / A / B / SP
- Four (4) generation pedigree
- Genomic testing - it is indicated with the GT logo
- Polled Status - the status will only be printed for animals that have been tested
- Parentage Verification - a green tick (✓) indicates that the sire and/or dam has been verified via either microsatellite (DNA), or Genomic testing
- QR Code - This code can be scanned with a smart device. It redirects to the animal's information on www.SABeefBulls.com where all information for the animal is available.
- Dam information
 - Age and Number of Calvings
 - Average Wean Index and Number of Calves Weaned
 - Intercalving Period


MYOSTATIN STATUS

The animal's status, if tested for myostatin variants, is indicated as follows:

- Not Tested
- 0 - Normal
- 1 - Heterozygous / Carrier of Double-Muscling gene
- 2 - Homozygous / Double-Muscled

LOGIX SELECTION VALUES

Calving Ease Value	Weaner Calf Value	Fertility Value	Maintenance Value	Cow Value	Growth Value	Carcass Value
109	98	111	99	101	98	103
1	2	3	4	5	6	7




5 L♀ GIX Cow Value

Selection of:

- Fertile cows,
- with low maintenance,
- that calf easily,
- and wean heavy calves

- 1 Calving Ease Value EBVs Birth Direct & Maternal
- Calf Growth Value EBV Wean Direct
- 3 Fertility Value EBVs Cow & Heifer Fertility, EBV Longevity
- Milk Value EBV Wean Maternal
- 4 Maintenance Value EBVs Mature weight & Milk



2 L♀ GIX Weaner Calf Value


Selection of:

- Heavier weaning weights,
- with more milk,
- but restricted birth weight



7 L♀ GIX Carcass Value


Selection for higher meat yield on carcass



6 L♀ GIX Growth Value

Selection of efficient growers on veld & in the feedlot

INTERPRETATION OF BREEDING VALUE INDICES



EXPLANATION OF BREEDING VALUES AND SELECTION VALUES

Traits				Description/Measurement	Goal	General Guidelines					
						<80	<90	90-110	>110	>120	
Selection Values	5	Cow Value	CV	Combination of Calving Ease, Calf Growth, Milk, Maintenance and Fertility Values (Rand-Value)	Profitable Cow	Loss					Profit
	1	Calving Ease Value	CEV	Risk for calving problems (calf too heavy) vs calf too small	Average birth weight	High					Low
		Calf Growth Value	CGrV	Calf's genetic ability for pre-weaning growth	Heavy weaner calf	Light					Heavy
		Milk Value	MlkV	Cow's genetic mothering and milking ability	Enough milk for the calf	Less					More
	4	Maintenance Value	MntV	Maintenance requirements of cow (cow weight and milk)	Low cow maintenance	High				*	Low
	3	Fertility Value	FertV	Fertility and retention of cows and heifers	Fertile cows	Low					High
	2	Weaner Calf Value	WnCV	Combination of calf's weight and cow's milk	Heavy weaner calves	Light					Heavy
	6	Growth Value	GV	Efficient growth on veld and in feedlot (Rand-value)	Profitable growth	Loss					Profit
	7	Carcass Value	VarcV	Meat on carcass (Weight and RTU EBVs)	More meat on the carcass	Less					More
	Production Value	PV	Combination of Cow- and Growth values (Rand-value)	Profitable animals	Loss					Profit	
Cow & Heifer	8	Birth Weight Direct	BD	Birth weight (Calf's genetic ability)	Average birth weight	Heavy					Light
		Birth Weight Maternal	BM	Birth weight (Cow's genetic ability)	Easy calving	Heavy					Light
	9	Weaning Weight Direct	WD	Weaning weight (Calf's genetic ability)	Heavy weaner calves	Light					Heavy
	10	Weaning Weight Maternal	WM	Weaning weight (Cow's genetic ability)	Good mothers	Poor					Good
		Mature Cow Weight	MW	Cow weight at weaning of first three calves	Average mature cow weight	Light			*	*	Heavy
		Cow-Calf Birth	CCB	EBV Birth Direct / EBV Mature Cow weight	Average	Low					High
	Cow-Calf Wean	CCW	EBV Wean Direct / EBV Mature Cow weight	High calf-cow ratio	Low					High	
Fertility	12	Heifer Fertility	HF	Age at first calving	Fertile heifers	Less					More
	13	Cow Fertility	CFE	First 3 inter-calving periods (ICPs)	Fertile cows	Less					More
	11	Scrotal Circumference	SC	Scrotal circumference as measured during the growth test	Fertile bulls	Less					More
	14	Longevity	LG	Retention of progeny	Acceptable progeny	Poor					Good
Growth & Frame	15	Post-Wean Weight	PWn	12- and 18 month weights	Good post-wean growth	Low				*	High
	16	Average Daily Gain	ADG	Average daily gain	Good growth	Poor					Good
	17	Feed Conversion Ratio	FCR	100g feed intake / g weight gain	Feed efficiency	Poor					Good
		Final Test Weight	FW	Final weight in the growth test	Heavy carcass	Light				*	Heavy
	19	Height	H	Shoulder / Hip height in growth test	Average height	Short					Tall
	20	Length	L	Length in growth test	Longer for more muscle	Short					Long
	24	Length-Height Ratio	LH	EBV Length / EBV Height	Longer rather than tall	<1					>1
Carcass	21	Eye Muscle Area	EMA	RTU measured eye muscle area	Bigger steaks	Small					Big
	22	Fat Thickness	Fat	RTU measured P8 backfat thickness	Carcass quality	Thin					Thick
	23	Marbling	Mar	RTU measured % of intra-muscular fat	Juicy meat	Low					High
		Dressing Percentage	D%	Carcass weight / Live weight	High dressing percentage	Low					High

* Determined by own selection goal

GENETIC VALUES - BUILDING BLOCKS

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scrot. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
99	99	90	97	75	92	85	100	94	93	92	123	110	104	100	79
8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

The Logix Selection Values are compiled of specific genetic building blocks, as indicated in the selection value descriptions on the previous page. These genetic building blocks are indicated in the catalogue by their Breeding Value Indices.

PHENOTYPIC VALUES

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
109	104	105	122	117	327	1.22
			16	17	11	24

- Wean, 365D, 540D, ADG and FCR Indices - phenotypic index obtained within the animal's contemporary group
- Scrotum - adjusted scrotal circumference, in mm, as measured during the growth test
- Length-Height Ratio (LH) - the animal's length / height ratio as measured during the growth test

BULLS

LOT 1
LE FRE BONSMARA

LFB 200404
2020-10-05
SP

Parentage Sire Dam
DNA ☒
Genomic ☒



JMP 100370
AGE/CALV. 12/10
AVG. WJ/CALV. 92/10
ICP 382

PAD 060050

LAR 990381
AGE/CALV. 14/10
AVG. WJ/CALV. 101/7
ICP 424

MNE 010013

MCH 020102
AGE/CALV. 12/9
AVG. WJ/CALV. 111/8
ICP 394

HJL 000023
AG 950201
AGE/CALV. 19/16
AVG. WJ/CALV. 103/16

LAR 960067
LAR 920320
AGE/CALV. 13/11
AVG. WJ/CALV. 111/10

VV 940061

CTZ 940009
AGE/CALV. 13/8
AVG. WJ/CALV. 105/8

MCH 940029
MCH 930175
AGE/CALV. 10/8
AVG. WJ/CALV. 111/6

Calving Ease Value 105	Weaner Calf Value 87	Fertility Value 85	Maintenance Value 91	Cow Value 81	Growth Value 106	Carcass Value 105
----------------------------------	--------------------------------	------------------------------	--------------------------------	------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
111	101	79	119	89	84	105	105	104	95	110	95	100	102	115	109

Wean Index 94	365D Index -	540D Index -	ADG Index 97	FCR Index -	Scrotum 374	LH 1.24
-------------------------	-----------------	-----------------	------------------------	----------------	-----------------------	-------------------

Myostatin	
Q204X	0
NT821	0
F94L	0

LOT 2
J.A. BENEKE

JAB 200114
2020-10-30
SP

Parentage Sire Dam
DNA ☒
Genomic ☒



JAB 100097
AGE/CALV. 12/9
AVG. WJ/CALV. 113/7
ICP 434

PAD 100242

KDT 090005
AGE/CALV. 12/10
AVG. WJ/CALV. 101/9
ICP 369

WJP 060012

JAB 050062
AGE/CALV. 9/6
AVG. WJ/CALV. 106/6
ICP 408

CSW 010014
EI 020119
AGE/CALV. 17/12
AVG. WJ/CALV. 101/12

AG 050085
AG 960075
AGE/CALV. 17/13
AVG. WJ/CALV. 103/12

AG 020251

AG 900237
AGE/CALV. 16/13
AVG. WJ/CALV. 110/12

JJF 010038
JAB 010019
AGE/CALV. 12/10
AVG. WJ/CALV. 109/9

Calving Ease Value 90	Weaner Calf Value 101	Fertility Value 75	Maintenance Value 96	Cow Value 86	Growth Value 110	Carcass Value 104
---------------------------------	---------------------------------	------------------------------	--------------------------------	------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	97	119	103	80	80	100	92	99	99	101	113	101	102	112	112

Wean Index 105	365D Index -	540D Index -	ADG Index 116	FCR Index -	Scrotum 374	LH 1.19
--------------------------	-----------------	-----------------	-------------------------	----------------	-----------------------	-------------------

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Goeie sprong van rib en kapasiteit. Lank en breed. Gebruik op koeie vir teël van speenkalwers.

LOGIX EBV Analysis: 2023-08-23

LOT 3
THINUS MARITZ BOERDERY

TMB 200121 HH(c)
2020-03-31
SP

Parentage Sire Dam
DNA ☒
Genomic ☒



HJS 090010
AGE/CALV. 13/11
AVG. WJ/CALV. 107/10
ICP 384

CEF 110301 HH(c)

CEF 130317 HH(c)

CEF 100161
AGE/CALV. 13/9
AVG. WJ/CALV. 103/7
ICP 387

LAR 000084

HJS 060076
AGE/CALV. 3/1
AVG. WJ/CALV. 94/1
ICP -

CEF 080338
CEF 080218
AGE/CALV. 9/6
AVG. WJ/CALV. 103/16

HOT 060054
CEF 020218
AGE/CALV. 11/7
AVG. WJ/CALV. 91/8

AG 960059

LAR 970205
AGE/CALV. 11/8
AVG. WJ/CALV. 104/7

HJS 030016

HJS 000302
AGE/CALV. 11/8
AVG. WJ/CALV. 105/8

Calving Ease Value 110	Weaner Calf Value 125	Fertility Value 105	Maintenance Value 83	Cow Value 121	Growth Value 124	Carcass Value 130
----------------------------------	---------------------------------	-------------------------------	--------------------------------	-------------------------	----------------------------	-----------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
104	124	99	132	94	104	120	125	119	109	119	92	108	116	128	127

Wean Index 112	365D Index -	540D Index -	ADG Index 92	FCR Index -	Scrotum 387	LH 1.22
--------------------------	-----------------	-----------------	------------------------	----------------	-----------------------	-------------------

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: In kudde gebruik. Sterk manlike bul met goeie toplyn, lengte en breedte. Gebruik op verse en koeie. Teël van speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

BULLE

LOT 4
INTERSWART INGDIENSTE EDMS BPK

FDS 200123
 2020-10-07
 SP
 Ouerskap Vaar Moer
 DNS ☒
 Genomies ☒

ABB 160024 HH(c)
ABB 130114
 OUD/KALW. 10/8
 GEM. SI/KALW. 99/7
 TKP 372
AEK 040007
FDS 110084
 OUD/KALW. 11/9
 GEM. SI/KALW. 103/8
 TKP 379
FDS 070067
 OUD/KALW. 13/11
 GEM. SI/KALW. 98/10
 TKP 363

HDE 050160
ABB 070256
 OUD/KALW. 3/1
 GEM. SI/KALW. 106/1
KAN 090003
ABB 090216
 OUD/KALW. 5/3
 GEM. SI/KALW. 100/3
AG 960059
AEK 010164
 OUD/KALW. 13/12
 GEM. SI/KALW. 108/8
NFS 020136
FDS 980101
 OUD/KALW. 13/5
 GEM. SI/KALW. 89/5

Geboortegemak Waarde 96	Speenkalf Waarde 120	Vrugbaarheids-waarde 100	Onderhouds-waarde 90	Koeiwaarde 113	Groei-waarde 113	Karkas-waarde 107
--	---------------------------------------	---	---------------------------------------	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	121	103	111	87	115	104	118	107	105	109	118	118	97	79	91

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
111	-	-	112	-	375	1.25

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Sterk manlike kop, goeie lengte, breedte en kapasiteit. Gebruik op koeie vir teël van speenkalwers.

LOGIX EBV Analise: 2023-08-23

LOT 5
OUHOUDT BONSMARAS

OUH 200098
 2020-11-06
 SP
 Ouerskap Vaar Moer
 DNS ☐
 Genomies ☐

OUH 170144

OUH 140073
 OUD/KALW. 9/7
 GEM. SI/KALW. 110/7
 TKP 369
OUH 120021
 OUD/KALW. 3/1
 GEM. SI/KALW. 103/1
 TKP -

KBS 140163
HDT 120107
 OUD/KALW. 5/3
 GEM. SI/KALW. 95/3
 TKP 402
OUH 100036
OUH 080006
 OUD/KALW. 7/5
 GEM. SI/KALW. 101/5
OUH 090062
OUH 070009
 OUD/KALW. 7/5
 GEM. SI/KALW. 95/5

Geboortegemak Waarde 123	Speenkalf Waarde 86	Vrugbaarheids-waarde 107	Onderhouds-waarde 120	Koeiwaarde 104	Groei-waarde 98	Karkas-waarde 87
---	--------------------------------------	---	--	---------------------------------	----------------------------------	-----------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
138	68	118	102	109	97	107	82	101	96	82	97	95	113	75	89

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	-	-	102	-	366	1.23

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Goeie toplyn, lengte en balans. Oopmaak van ouer verse en teël van vervangings verse.

LOGIX EBV Analise: 2023-08-23

LOT 6
BESTRINA TRUST BOERDERY
BTB 210003
 2021-02-09
 SP
 Ouerskap Vaar Moer
 DNS ☒
 Genomies ☐

LAR 170394 HH(c)

LAR 110338
 OUD/KALW. 11/9
 GEM. SI/KALW. 104/8
 TKP 392
LAR 080069
LAR 020030
 OUD/KALW. 16/12
 GEM. SI/KALW. 104/11
 TKP 386

LAR 140064 HH(c)
LAR 110195
 OUD/KALW. 12/8
 GEM. SI/KALW. 98/7
 TKP 432
LAR 080050
LAR 040350
 OUD/KALW. 18/15
 GEM. SI/KALW. 104/14
GCD 050148
LAR 050073
 OUD/KALW. 13/10
 GEM. SI/KALW. 100/8
AG 970053
LAR 990346
 OUD/KALW. 9/7
 GEM. SI/KALW. 104/7

Geboortegemak Waarde 90	Speenkalf Waarde 100	Vrugbaarheids-waarde 106	Onderhouds-waarde 106	Koeiwaarde 103	Groei-waarde 111	Karkas-waarde 107
--	---------------------------------------	---	--	---------------------------------	-----------------------------------	------------------------------------

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	101	103	111	110	95	110	103	113	103	93	100	107	118	94	109

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
107	-	-	111	-	347	1.24

Miostatien	
Q204X	0
NT821	0
F94L	0

OPMERKINGS: Diep bul met goeie agterkwart spier lengte. Gebruik vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analise: 2023-08-23

BULLS

LOT 7

LE FRE BONSMARA

LFB 200408
2020-10-13
SP

Parentage Sire Dam
DNA ☒
Genomic ☒



LAR 090212
AGE/CALV. 16/14
AVG. Wt/CALV. 100/13
ICP 368

LAR 040287
AGE/CALV. 18/12
AVG. Wt/CALV. 98/12
ICP 437

VV 020337
AGE/CALV. 15/12
AVG. Wt/CALV. 102/12
ICP 388

LAR 020101
LAR 000299
AGE/CALV. 11/8
AVG. Wt/CALV. 102/9
AG 980338
LAR 020272
AGE/CALV. 7/5
AVG. Wt/CALV. 106/4
VV 990304
VV 940250
AGE/CALV. 11/9
AVG. Wt/CALV. 100/9
HOT 940201
DB 990055
AGE/CALV. 9/6
AVG. Wt/CALV. 95/6

Calving Ease Value
92

Weaner Calf Value
122

Fertility Value
104

Maintenance Value
101

Cow Value
117

Growth Value
129

Carcass Value
124

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
93	120	104	126	93	118	98	126	125	104	97	111	119	122	83	88

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	123	-	372	1.24

Myostatin
Q204X 0
NT821 0
F94L 0

REMARKS: Sterk nek en skof goeie sprong van rib en kapasiteit.
Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

LOT 8

THINUS MARITZ BOERDERY

TMB 190426 HH(c)
2019-09-17
SP

Parentage Sire Dam
DNA ☒ ☒
Genomic ☒



TMB 160668
AGE/CALV. 4/3
AVG. Wt/CALV. 102/2
ICP 392

AG 120043
AGE/CALV. 12/10
AVG. Wt/CALV. 97/9
MMJ 080102
TMB 110069
AGE/CALV. 10/8
AVG. Wt/CALV. 102/6
RCO 980037
HJS 010038
AGE/CALV. 18/14
AVG. Wt/CALV. 103/13
CEF 100516
TMB 120224
AGE/CALV. 10/9
AVG. Wt/CALV. 96/9

Calving Ease Value
121

Weaner Calf Value
112

Fertility Value
99

Maintenance Value
125

Cow Value
116

Growth Value
110

Carcass Value
108

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
123	98	99	108	101	99	98	93	108	105	78	92	98	105	101	109

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
101	-	-	107	-	334	1.24

Myostatin
Q204X 1
NT821 0
F94L 0

REMARKS: In kudde gebruik. Bul met besondere, Lengte x
Breedte x Diepte = "Hoë volume"! Gebruik op koeie vir teël van
speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

LOT 9

J.A. BENEKE

JAB 200166
2020-12-05
SP

Parentage Sire Dam
DNA ☒
Genomic ☒



KDT 140025
AGE/CALV. 12/10
AVG. Wt/CALV. 101/9
ICP 369

PAD 100242
AGE/CALV. 12/10
AVG. Wt/CALV. 101/12
AG 050085
AG 960075
AGE/CALV. 17/13
AVG. Wt/CALV. 103/12
GCD 090111
DAJ 080134
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10
AG 970048
BBN 950006
AGE/CALV. 12/5
AVG. Wt/CALV. 103/5

Calving Ease Value
92

Weaner Calf Value
96

Fertility Value
70

Maintenance Value
123

Cow Value
80

Growth Value
89

Carcass Value
95

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
87	94	94	91	74	78	99	95	101	106	79	78	88	87	86	79

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
98	-	-	91	-	357	1.22

Myostatin
Q204X 0
NT821 0
F94L 0

REMARKS: Manlike kop, sterk bek. Goeie sprong van rib met
diepte en breedte. Gebruik op koeie vir teël van speenkalwers.

LOGIX EBV Analysis: 2023-08-23

BULLE

LOT 10 THINUS MARITZ BOERDERY

TMB 200218 HH(c)
2020-07-29
SP

Ouerskap **Vaar** **Moer**

DNS ✓

Genomies ✓

CEF 110301 HH(c)
CEF 080338
CEF 080218
OUD/KALW. 9/6
GEM. SI/KALW. 103/6
HOT 060054
CEF 020218
OUD/KALW. 11/7
GEM. SI/KALW. 91/8
FCT 080118
BBM 120122 HH(c)
BBM 100027 HH(c)
OUD/KALW. 13/11
GEM. SI/KALW. 105/10
WJK 070028
TMB 110025
OUD/KALW. 5/3
GEM. SI/KALW. 98/3

TMB 180416
OUD/KALW. 5/3
GEM. SI/KALW. 95/3
TKP 368

TMB 130159
OUD/KALW. 10/8
GEM. SI/KALW. 103/8
TKP 375

CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7
TKP 387

Geboortegemak Waarde
126

Speenkalf Waarde
117

Vrugbaarheids-waarde
116

Onderhouds-waarde
81

Koeiwaarde
122

Groei-waarde
127

Karkas-waarde
132

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam		Karkas				
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
122	120	82	144	107	107	122	125	123	107	123	92	111	120	127	138

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
100	-	-	102	-	401	1.24

OPMERKINGS: Sterk manlike bul met goeie toplyn, diepte ,lengte en breedte. "All rounder" Gebruik op verse en koeie. Teël van speenkalwers en vervangings verse.

LOGIX EBV Analise: 2023-08-23

Miostation
Q204X 0
NT821 0
F94L 0

LOT 11 LE FRE BONSMARA

LAR 120227

LFB 200457
2020-11-25
SP

Ouerskap **Vaar** **Moer**

DNS ✓

Genomies

MMJ 060226
MMJ 030164
MMJ 020249
OUD/KALW. 11/7
GEM. SI/KALW. 105/7
GCD 050148
LAR 050107
OUD/KALW. 5/3
GEM. SI/KALW. 105/3
AG 920097
LAR 970354
OUD/KALW. 15/12
GEM. SI/KALW. 104/9
HDT N 0076
HDT 920073
OUD/KALW. 15/12
GEM. SI/KALW. 101/12

LAR 080024
OUD/KALW. 11/9
GEM. SI/KALW. 97/8
TKP 396

LAR 010234

HDT 060032
OUD/KALW. 16/14
GEM. SI/KALW. 102/14
TKP 383

HDT 990095
OUD/KALW. 18/13
GEM. SI/KALW. 101/13
TKP 398

Geboortegemak Waarde
96

Speenkalf Waarde
99

Vrugbaarheids-waarde
93

Onderhouds-waarde
95

Koeiwaarde
95

Groei-waarde
106

Karkas-waarde
93

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam		Karkas				
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
95	98	111	96	101	85	100	98	103	106	103	96	93	105	71	91

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
90	-	-	104	-	342	1.18

OPMERKINGS: Goieie sprong van rib, lende ontwikkeling, kruis en stertaanhegting. Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analise: 2023-08-23

Miostation
Q204X 1
NT821 0
F94L 0

LOT 12 THINUS MARITZ BOERDERY

TMB 190535 HH(c)
2019-10-13
SP

Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies

CEW 110234
CEW 080156
CEW 080220 HH(c)
OUD/KALW. 10/8
GEM. SI/KALW. 100/8
AG 060401
AG 020147
OUD/KALW. 15/11
GEM. SI/KALW. 110/11
AG 980338
AG 990187
OUD/KALW. 14/12
GEM. SI/KALW. 105/12
AG 970005
HTC 980051
OUD/KALW. 13/10
GEM. SI/KALW. 100/10

AG 100734
OUD/KALW. 11/9
GEM. SI/KALW. 101/9
TKP 371

AG 040158

AG 160402

AG 080090
OUD/KALW. 13/11
GEM. SI/KALW. 105/11
TKP 370

HTC 010028
OUD/KALW. 15/10
GEM. SI/KALW. 110/10
TKP 402

Geboortegemak Waarde
85

Speenkalf Waarde
108

Vrugbaarheids-waarde
108

Onderhouds-waarde
96

Koeiwaarde
107

Groei-waarde
104

Karkas-waarde
107

Kalf en Moeder			Vrugbaarheid			Na-Speen Groei			Raam		Karkas				
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
82	111	103	120	94	112	119	103	101	97	102	97	105	100	94	118

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
101	-	-	110	-	374	1.25

OPMERKINGS: In kudde gebruik. Behou een mede eienaarskap. Manlike bul met goeie diepte, lengte en breedte. Gebruik op koeie vir teël van speenkalwers en vervangings verse. Nageslag van 51 met geboorte gewig van gemiddeld 37kg

LOGIX EBV Analise: 2023-08-23

Miostation
Q204X 0
NT821 0
F94L 0

BULLS

LOT 13

J.A. BENEKE

JAB 200156
2020-11-19
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		



JAB 160063
AGE/CALV. 7/5
AVG. Wt/CALV. 104/4
ICP 421

CEF 080025
AGE/CALV. 13/10
AVG. Wt/CALV. 100/9

CEF 070151
AGE/CALV. 15/13
AVG. Wt/CALV. 101/12
ICP 379

LAR 100237

JAB 110054
AGE/CALV. 12/10
AVG. Wt/CALV. 94/9
ICP 385

AG 020251

CEF 020146
AGE/CALV. 13/10
AVG. Wt/CALV. 100/9

CEF 040415

CEF 030096
AGE/CALV. 13/8
AVG. Wt/CALV. 105/7

LAR 070234

AG 010345
AGE/CALV. 16/13
AVG. Wt/CALV. 97/13

JAB 080006

JAB 060147
AGE/CALV. 13/10
AVG. Wt/CALV. 98/9

Calving Ease Value	99
--------------------	----

Weaner Calf Value	101
-------------------	-----

Fertility Value	100
-----------------	-----

Maintenance Value	112
-------------------	-----

Cow Value	103
-----------	-----

Growth Value	108
--------------	-----

Carcass Value	105
---------------	-----

Calf and Mother		
Birth Dir.	Wean Dir.	Wean Mat.
102	95	107

Fertility		
Scr. Circ.	Heifer Fert.	Cow Fert.
89	102	92

Post-Wean Growth		
Post Wean	ADG	FCR
98	107	104

Frame		
Mature Weight	Height	Length
89	75	88

Carcass		
EMA	Fat	Mar
113	111	90

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Goed bevelesde bul met lengte en kapasiteit. Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

LOT 14

LE FRE BONSMARA

LFB 200037
2020-08-08
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		



LFB 160370
AGE/CALV. 6/4
AVG. Wt/CALV. 106/4
ICP 402

PAD 060050
AGE/CALV. 19/16
AVG. Wt/CALV. 103/16

LAR 990381
AGE/CALV. 14/10
AVG. Wt/CALV. 101/7
ICP 424

LAR 090212

VBB 070192
AGE/CALV. 14/11
AVG. Wt/CALV. 105/11
ICP 384

HJL 000023

AG 950201
AGE/CALV. 19/16
AVG. Wt/CALV. 103/16

LAR 960067

LAR 920320
AGE/CALV. 13/11
AVG. Wt/CALV. 111/10

LAR 040287

LAR 050038
AGE/CALV. 18/12
AVG. Wt/CALV. 98/12

LAR 000084

JBR 030041
AGE/CALV. 5/2
AVG. Wt/CALV. 101/2

Calving Ease Value	86
--------------------	----

Weaner Calf Value	117
-------------------	-----

Fertility Value	96
-----------------	----

Maintenance Value	91
-------------------	----

Cow Value	107
-----------	-----

Growth Value	118
--------------	-----

Carcass Value	118
---------------	-----

Calf and Mother		
Birth Dir.	Wean Dir.	Wean Mat.
88	119	109

Fertility		
Scr. Circ.	Heifer Fert.	Cow Fert.
139	93	97

Post-Wean Growth		
Post Wean	ADG	FCR
126	116	107

Frame		
Mature Weight	Height	Length
108	100	113

Carcass		
EMA	Fat	Mar
115	92	94

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Sterk kop, bek, skof, toplyn en mooi balans. Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

LOT 15

THINUS MARITZ BOERDERY

TMB 200459 HH(c)
2020-09-24
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	



TMB 110050
AGE/CALV. 12/10
AVG. Wt/CALV. 103/10
ICP 372

CEF 110301 HH(c)

CEF 130317 HH(c)

CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7
ICP 387

MMJ 070181

MMJ 080177
AGE/CALV. 8/5
AVG. Wt/CALV. 100/5
ICP 416

CEF 080338

CEF 080218
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6

HOT 060054

CEF 020218
AGE/CALV. 11/7
AVG. Wt/CALV. 91/8

MMJ 050151

MMJ 040167
AGE/CALV. 11/9
AVG. Wt/CALV. 96/8

AG 040310

MMJ 060122
AGE/CALV. 12/10
AVG. Wt/CALV. 99/9

Calving Ease Value	132
--------------------	-----

Weaner Calf Value	108
-------------------	-----

Fertility Value	113
-----------------	-----

Maintenance Value	87
-------------------	----

Cow Value	117
-----------	-----

Growth Value	111
--------------	-----

Carcass Value	118
---------------	-----

Calf and Mother		
Birth Dir.	Wean Dir.	Wean Mat.
126	103	94

Fertility		
Scr. Circ.	Heifer Fert.	Cow Fert.
113	106	105

Post-Wean Growth		
Post Wean	ADG	FCR
106	112	107

Frame		
Mature Weight	Height	Length
113	82	102

Carcass		
EMA	Fat	Mar
110	143	125

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Sterk bek, nek en skof. Baie goeie lengte en breedte. Gebruik op verse en koeie vir die teël van speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

BULLE

LOT 16 **INTERSWART INGDIENSTE EDMS BPK**

FDS 200129
2020-10-11
SP

Querskap Vaar Moer

DNS ☒ ☒

Genomies

FDS 140191 HH(c)

FDS 130018
OUD/KALW. 10/8
GEM. SI/KALW. 107/6
TKP 390

NFS 080186

FDS 100101
OUD/KALW. 8/7
GEM. SI/KALW. 96/4
TKP 359

NFS 080240

FDS 090077
OUD/KALW. 6/4
GEM. SI/KALW. 98/4
TKP 359

NFS 050213

NFS 060318
OUD/KALW. 15/13
GEM. SI/KALW. 99/11

NFS 010276

FDS 000056
OUD/KALW. 11/4
GEM. SI/KALW. 101/4

RGR 030116

NFS 050097
OUD/KALW. 14/11
GEM. SI/KALW. 104/10

AEK 040007

FDS 070049
OUD/KALW. 10/8
GEM. SI/KALW. 101/8

Geboortegemak Waarde **90**

Speenkalf Waarde **127**

Vrugbaarheids-waarde **104**

Onderhouds-waarde **84**

Koeiwaarde **120**

Groei-waarde **110**

Karkas-waarde **113**

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
88	121	123	128	92	114	105	116	109	97	115	125	126	108	95	103

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
113	-	-	101	-	385	1.23

OPMERKINGS: Sterk bul, goeie kruislengte, breedte en kapasiteit. Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analise: 2023-08-23

Miostatien	
Q204X	0
NT821	0
F94L	0

LOT 17 **THINUS MARITZ BOERDERY**

TMB 200300 HH(c)
2020-08-23
SP

Querskap Vaar Moer

DNS ☒

Genomies

CEF 110301 HH(c)

CEF 130317 HH(c)

HJS 170356
OUD/KALW. 6/4
GEM. SI/KALW. 98/4
TKP 363

CEF 100161
OUD/KALW. 13/9
GEM. SI/KALW. 103/7
TKP 387

HJS 130451

HJS 100167
OUD/KALW. 13/11
GEM. SI/KALW. 99/11
TKP 362

CEF 080338

CEF 080218
OUD/KALW. 9/6
GEM. SI/KALW. 103/6

HOT 060054

CEF 020218
OUD/KALW. 11/7
GEM. SI/KALW. 91/8

LEL 080010

HJS 090166
OUD/KALW. 14/11
GEM. SI/KALW. 104/10

HJS 070016

HJS 070481
OUD/KALW. 4/1
GEM. SI/KALW. 104/1

Geboortegemak Waarde **109**

Speenkalf Waarde **114**

Vrugbaarheids-waarde **111**

Onderhouds-waarde **84**

Koeiwaarde **117**

Groei-waarde **131**

Karkas-waarde **140**

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
108	115	99	138	97	113	119	123	131	115	117	97	115	116	151	147

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
98	-	-	103	-	401	1.26

OPMERKINGS: Sterk bek, nek en skof. Goeie lengte breedte en balans. "All rounder" Gebruik op verse en koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analise: 2023-08-23

Miostatien	
Q204X	0
NT821	0
F94L	0

LOT 18 **LE FRE BONSMARA**

LFB 200416
2020-10-29
SP

Querskap Vaar Moer

DNS ☒ ☒

Genomies

PAD 110072

LFB 140406
OUD/KALW. 9/6
GEM. SI/KALW. 118/4
TKP 430

PAD 060050

LAR 990381
OUD/KALW. 14/10
GEM. SI/KALW. 101/7
TKP 424

AG 040289

GBS 040075
OUD/KALW. 16/13
GEM. SI/KALW. 102/13
TKP 387

HJL 000023

AG 950201
OUD/KALW. 19/16
GEM. SI/KALW. 103/16

LAR 960067

LAR 920320
OUD/KALW. 13/11
GEM. SI/KALW. 111/10

AG 020193

AG 950012
OUD/KALW. 16/9
GEM. SI/KALW. 109/9

ZAK 990049

GBS 990153
OUD/KALW. 6/4
GEM. SI/KALW. 114/2

Geboortegemak Waarde **86**

Speenkalf Waarde **133**

Vrugbaarheids-waarde **91**

Onderhouds-waarde **80**

Koeiwaarde **116**

Groei-waarde **130**

Karkas-waarde **142**

Kalf en Moeder			Vrugbaarheid				Na-Speen Groei			Raam		Karkas			
Geb. Dir.	Spn. Dir.	Spn. Mat.	Skr. Omtr.	Vers Vrugb.	Koei Vrugb.	Lankl.	Na-Speen	GDT	VOV	Volw. Gewig	Hoogte	Lengte	OSO	Vet	Mar
86	130	121	141	83	100	108	140	135	121	122	115	130	132	106	106

Spn. Indeks	365D Indeks	540D Indeks	GDT Indeks	VOV Indeks	Skrotum	LH
110	-	-	116	-	361	1.29

OPMERKINGS: Goeie lengte en balans. Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analise: 2023-08-23

Miostatien	
Q204X	0
NT821	0
F94L	0

BULLS

LOT 19
BESTRINA TRUST BOERDERY

BTB 200041
2020-10-12
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic		



SYF 110073
AGE/CALV. 12/9
AVG. Wt/CALV. 95/8
ICP 388

GEL 100113

SYF 070104
AGE/CALV. 14/12
AVG. Wt/CALV. 98/10
ICP 367

SYF 080011

SYF 080103
AGE/CALV. 9/5
AVG. Wt/CALV. 107/4
ICP 506

GEL 060132
GEL 050008
AGE/CALV. 7/5
AVG. Wt/CALV. 105/5

ADV 030016
SYF 000059
AGE/CALV. 15/12
AVG. Wt/CALV. 101/12

AG 020251
SYF 020020
AGE/CALV. 6/4
AVG. Wt/CALV. 98/3

GBS 030069
GBS 050197
AGE/CALV. 6/4
AVG. Wt/CALV. 94/3

Calving Ease Value 125	Weaner Calf Value 95	Fertility Value 98	Maintenance Value 114	Cow Value 99	Growth Value 81	Carcass Value 83
---	---------------------------------------	-------------------------------------	--	-------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
119	92	79	72	91	106	105	81	85	93	89	91	91	82	78	58

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
100	-	-	91	-	316	1.19

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Sterk manlike kop, nek en skof. Goeie toplyn en kruis. Gebruik op koeie vir teël van speenkalwers.

LOGIX EBV Analysis: 2023-08-23

LOT 20
THINUS MARITZ BOERDERY

TMB 200318 HH(c)
2020-08-26
SP

Parentage	Sire	Dam
DNA	✓	✓
Genomic	✓	



CEF 070017
AGE/CALV. 15/13
AVG. Wt/CALV. 102/13
ICP 371

CEF 110301 HH(c)

CEF 100161
AGE/CALV. 13/9
AVG. Wt/CALV. 103/7
ICP 387

CEF 040460

CEF 040091
AGE/CALV. 7/3
AVG. Wt/CALV. 104/4
ICP 616

CEF 080338
CEF 080218
AGE/CALV. 9/6
AVG. Wt/CALV. 103/6

HOT 060054
CEF 020218
AGE/CALV. 11/7
AVG. Wt/CALV. 91/8

CEF 020328
CEF 930057
AGE/CALV. 14/13
AVG. Wt/CALV. 103/12

CEF 990259
CEF 970062
AGE/CALV. 12/10
AVG. Wt/CALV. 95/10

Calving Ease Value 109	Weaner Calf Value 112	Fertility Value 107	Maintenance Value 75	Cow Value 108	Growth Value 130	Carcass Value 127
---	--	--------------------------------------	---------------------------------------	--------------------------------	-----------------------------------	------------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
107	123	80	105	99	111	106	130	124	109	132	110	118	110	99	121

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
102	-	-	109	-	323	1.23

Myostatin	
Q204X	0
NT821	0
F94L	0

REMARKS: Goed be vleesde bul met baie kapasiteit. Gebruik op koeie vir teël van speenkalwers en vervangings verse

LOGIX EBV Analysis: 2023-08-23

LOT 21
J.A. BENEKE

JAB 200150
2020-11-14
SP

Parentage	Sire	Dam
DNA	✓	
Genomic		



JAB 180053
AGE/CALV. 5/3
AVG. Wt/CALV. 96/3
ICP 352

CEF 100304 HH(c)

WJK 090043
AGE/CALV. 14/10
AVG. Wt/CALV. 102/9
ICP 399

JAB 140054

JAB 120156
AGE/CALV. 10/8
AVG. Wt/CALV. 104/8
ICP 368

CEF 080025
CEF 070151
AGE/CALV. 15/13
AVG. Wt/CALV. 101/12

CEF 030351
CEF 070036
AGE/CALV. 8/3
AVG. Wt/CALV. 110/3

LAR 100078
JAB 090123
AGE/CALV. 7/4
AVG. Wt/CALV. 111/3

BEI 090115
JAB 030028
AGE/CALV. 13/11
AVG. Wt/CALV. 100/11

Calving Ease Value 115	Weaner Calf Value 102	Fertility Value 112	Maintenance Value 126	Cow Value 114	Growth Value 98	Carcass Value 94
---	--	--------------------------------------	--	--------------------------------	----------------------------------	-----------------------------------

Calf and Mother			Fertility				Post-Wean Growth			Frame			Carcass		
Birth Dir.	Wean Dir.	Wean Mat.	Scr. Circ.	Heifer Fert.	Cow Fert.	Longev.	Post Wean	ADG	FCR	Mature Weight	Height	Length	EMA	Fat	Mar
113	92	94	96	113	104	103	91	100	99	76	86	91	98	110	110

Wean Index	365D Index	540D Index	ADG Index	FCR Index	Scrotum	LH
93	-	-	97	-	366	1.23

Myostatin	
Q204X	1
NT821	0
F94L	0

REMARKS: Manlike bul, met sterk bek, nek en skof en goeie balans. Gebruik op koeie vir teël van speenkalwers en vervangings verse.

LOGIX EBV Analysis: 2023-08-23

BULLE

LOT 22
LE FRE BONSMARA

LFB 200425
2020-11-03
SP



LFB 170041


Ouerskap **Vaar** **Moer**

DNS ✓

Genomies

LFB 140237
OUD/KALW. 8/6
GEM. SI/KALW. 105/4
TKP 373

LAR 090212
OUD/KALW. 18/12
GEM. SI/KALW. 98/12

PAD 080167
OUD/KALW. 10/7
GEM. SI/KALW. 106/7
TKP 409

LFB 100108

FAN 060062
OUD/KALW. 10/7
GEM. SI/KALW. 108/6
TKP 375

LAR 040287
LAR 050038
OUD/KALW. 18/12
GEM. SI/KALW. 98/12

EI 040038
AG 920320
OUD/KALW. 18/16
GEM. SI/KALW. 97/16

AG 040289
DNT 040063
OUD/KALW. 14/11
GEM. SI/KALW. 96/11

FAN 000012
FAN 020016
OUD/KALW. 12/10
GEM. SI/KALW. 115/6

Geboortegemak Waarde
83

Speenkalv Waarde
120

Vrugbaarheids-waarde
105

Onderhouds-waarde
94

Koeiwaarde
115

Groei-waarde
123

Karkas-waarde
120

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

Geb. Dir. 85

Spn. Dir. 118

Spn. Mat. 117

Skr. Omtr. 106

Vers Vrugb. 94

Koei Vrugb. 116

Lankl. 102

Na-Speen 120

GDT 117

VOV 103

Volw. Gewig 104

Hoogte 115

Lengte 122

OSO 111

Vet 96

Mar 93

Spn. Indeks 94

365D Indeks -

540D Indeks -

GDT Indeks 107

VOV Indeks -

Skrotum 351

LH 1.26

Miostation

Q204X 1

NT821 0

F94L 0

LOT 23
OUHOUDT BONSMARAS



OUH 200047
2020-10-03
SP



Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies

AG 150748 P
OUD/KALW. 7/6
GEM. SI/KALW. 96/5
TKP 364

TOR 090196
AG 120426
OUD/KALW. 10/7
GEM. SI/KALW. 104/6
TKP 440

AG 010195
OUD/KALW. 11/10
GEM. SI/KALW. 103/10

JJ 040115
MCU 050086 Pp(c)
OUD/KALW. 12/10
GEM. SI/KALW. 102/10

CEF 040431
AG 010117
OUD/KALW. 9/7
GEM. SI/KALW. 104/6

Geboortegemak Waarde
114

Speenkalv Waarde
96

Vrugbaarheids-waarde
109

Onderhouds-waarde
104

Koeiwaarde
105

Groei-waarde
96

Karkas-waarde
102

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

Geb. Dir. 110

Spn. Dir. 93

Spn. Mat. 95

Skr. Omtr. 98

Vers Vrugb. 100

Koei Vrugb. 110

Lankl. 111

Na-Speen 90

GDT 97

VOV 101

Volw. Gewig 94

Hoogte 94

Lengte 97

OSO 82

Vet 138

Mar 120

Spn. Indeks 99

365D Indeks -

540D Indeks -

GDT Indeks 112

VOV Indeks -

Skrotum 334

LH 1.21

Miostation

Q204X 0

NT821 0

F94L 0

LOT 24
BESTRINA TRUST BOERDERY

BTB 210025
2021-04-23
SP



Ouerskap **Vaar** **Moer**

DNS ✓ ✓

Genomies

BHB 130099
OUD/KALW. 9/8
GEM. SI/KALW. 106/6
TKP 381

THE 100126
THE 090029
OUD/KALW. 7/5
GEM. SI/KALW. 103/4
TKP 384

FCT 100106
BHB 080094
OUD/KALW. 11/8
GEM. SI/KALW. 105/8
TKP 394

RGR 050242
THE 050113
OUD/KALW. 14/11
GEM. SI/KALW. 105/10

THE 040056
THE 030074
OUD/KALW. 12/10
GEM. SI/KALW. 101/10

FCT 070121
FCT 040113
OUD/KALW. 7/4
GEM. SI/KALW. 103/4

MCH 050012
BHB 020448
OUD/KALW. 9/5
GEM. SI/KALW. 108/4

Geboortegemak Waarde
81

Speenkalv Waarde
109

Vrugbaarheids-waarde
100

Onderhouds-waarde
98

Koeiwaarde
102

Groei-waarde
99

Karkas-waarde
107

Kalf en Moeder

Vrugbaarheid

Na-Speen Groei

Raam

Karkas

Geb. Dir. 79

Spn. Dir. 113

Spn. Mat. 102

Skr. Omtr. 88

Vers Vrugb. 99

Koei Vrugb. 96

Lankl. 108

Na-Speen 108

GDT 101

VOV 107

Volw. Gewig 100

Hoogte 112

Lengte 106

OSO 109

Vet 112

Mar 95

Spn. Indeks 108

365D Indeks -

540D Indeks -

GDT Indeks 95

VOV Indeks -

Skrotum 336

LH 1.19

Miostation

Q204X 0

NT821 0

F94L 1

Dier Info				Actual Values					Expected Breeding Values											Indices			Dam			
LOT	Animal ID	Sex	SEC	Birth Wt (kg)	205d Wt (kg)	CCB Ratio	CCW Ratio	Length Height Ratio	Scr. Circ. (mm)	Birth Dir (kg)	Birth Mat (kg)	Wean Dir (kg)	Wean Mat (kg)	Post Wean (kg)	Mature Weight. (kg)	ADG (g/d)	FCR (kg:kg)	Scr. Circ. (mm)	Height. (mm)	Length (mm)	Wean	ADG	Scr. Circ.	Avg. Wean Index	Nr. Calves	Repr. Index
Breed Average Auction Average				36	242	6.76	45.4	1.23	362	1.09 0.91	-0.22 -0.40	14.6 17.6	3.8 4.2	24 33	10 12	107 156	-49 -57	11.6 19.1	1	23	102	105	112	103	8.0	112
1	LFB 200404	M	SP	33	205	5.56	33.6	1.24	374	-0.11	0.80	14.8	-2.4	29.1	20.6	129	-39	24.3	-3	15	94	97	119	92	10	111
2	JAB 200114	M	SP	38	241	-	45.2	1.19	374	2.44	-0.58	13.2	9.4	20.6	10.8	101	-48	13.6	12	16	105	116	103	113	9	102
3	TMB 200121	M	SP	33	280	6.02	41.4	1.22	387	0.63	-1.10	25.3	3.5	47.8	30.6	198	-67	32.8	-6	25	112	92	132	107	11	112
4	FDS 200123	M	SP	42	255	7	44.4	1.25	375	1.66	-0.37	23.8	4.7	41.1	19.9	144	-59	18.5	17	39	111	112	111	103	9	110
5	OUH 200098	M	SP	30	260	7.25	36.9	1.23	366	-2.98	0.10	0.1	9.0	12.7	-10.2	111	-42	12.9	-2	9	110	102	102	110	7	117
6	BTB 210003	M	SP	42	193	7.07	45.5	1.24	347	1.66	0.55	15.1	4.7	27.8	1.8	170	-56	18.7	2	24	107	111	111	104	9	107
7	LFB 200408	M	SP	38	261	7.09	48.9	1.24	372	1.85	-0.11	23.5	5.0	47.3	6.3	228	-58	28.5	11	40	98	123	126	100	14	112
8	TMB 190426	M	SP	30	286	7.59	55.4	1.24	334	-1.30	-0.05	13.7	3.4	20.9	-14.9	144	-59	16.6	-5	13	101	107	108	101	4	119
9	JAB 200166	M	SP	38	190	-	47.8	1.22	357	2.52	-1.01	12.0	2.1	22.5	-13.1	110	-60	5.6	-17	0	98	91	91	94	4	94
10	TMB 200218	M	SP	24	271	5.77	57.9	1.24	401	-1.21	-0.99	23.4	-1.5	48.1	35.6	221	-63	40.7	-6	29	100	102	144	95	3	122
11	LFB 200457	M	SP	43	191	7.75	39.2	1.18	342	1.65	-0.42	13.6	6.9	24.6	13.3	124	-62	8.9	-2	7	90	104	96	102	14	111
12	TMB 190535	M	SP	38	295	6.9	47	1.25	374	3.01	-0.65	19.6	4.7	29.3	11.8	112	-43	24.5	-1	22	101	110	120	105	11	114
13	JAB 200156	M	SP	37	211	-	46.8	1.23	355	0.86	0.23	12.2	5.9	24.0	-2.2	141	-58	4.5	-20	-1	101	117	89	104	5	108
14	LFB 200037	M	SP	39	228	8.16	50.8	1.25	392	2.41	0.10	23.0	6.3	46.3	18.6	187	-63	37.4	1	32	102	116	139	106	4	107
15	TMB 200459	M	SP	30	293	5.21	44.1	1.25	373	-1.67	-1.26	15.7	2.2	32.7	24.9	167	-63	20.1	-14	18	106	91	113	103	10	115
16	FDS 200129	M	SP	39	256	7.82	53.5	1.23	385	2.36	-0.47	24.1	10.6	39.5	27.2	150	-42	29.8	22	50	113	101	128	107	8	110
17	TMB 200300	M	SP	34	278	7.14	52.5	1.26	401	0.26	-0.49	21.1	3.6	45.7	28.9	260	-79	36.4	-1	35	98	103	138	98	4	120
18	LFB 200416	M	SP	39	287	5.54	47.1	1.29	361	2.55	-0.20	28.0	10.0	58.4	34.0	280	-90	38.2	14	56	110	116	141	118	6	102
19	BTB 200041	M	SP	33	186	6.42	40.4	1.19	316	-0.89	-1.40	10.9	-2.4	12.9	-2.1	32	-34	-6.9	-6	4	100	91	72	95	9	108
20	TMB 200318	M	SP	36	289	5.94	48.8	1.23	323	0.36	-0.54	24.8	-2.0	50.7	45.7	228	-66	14.7	10	39	102	109	105	102	13	114
21	JAB 200150	M	SP	35	181	-	40.9	1.23	366	-0.28	-0.54	11.1	1.9	19.9	-16.8	105	-47	8.9	-10	4	93	97	96	96	3	117
22	LFB 200425	M	SP	40	253	-	39.7	1.26	351	2.68	0.13	22.7	8.7	42.1	13.9	190	-55	15.7	14	45	94	107	106	105	6	112
23	OUH 200047	M	SP	27	234	6.22	41.3	1.21	334	0.00	-0.92	11.3	2.5	20.2	3.7	94	-51	10.6	-4	11	99	112	98	96	6	119
24	BTB 210025	M	SP	45	190	7.94	41.3	1.19	336	3.30	-0.45	20.5	4.4	33.0	10.0	113	-63	4	12	23	108	95	88	106	8	115

EXPLANATION OF CATALOGUE ABBREVIATIONS

VERDUIDELIKING VAN KATALOGUS AFKORTINGS

Lot Number	LOT	LOT	Lot Nommer
Estimated breeding value	EBV	EBV	Beraamde teelwaarde
Parentage verification	Parentage	Ouerskap	Ouerskap verifikasie
Age in years / Number of calvings	AGE. / CALV.	OUD. / KALF.	Ouderdom in jaar / Aantal kalwings
Average Wean index / Number of calves weaned	Ave WI / CALV.	GEM SI / KALF.	Gemiddelde speen indeks / Aantal kalwers gespeen
Animal identification number	ID	ID	Dier se identifikasie nommer
Herd Book Section	SEC	AFD	Kuddeboek Afdeling
Herd Book Section: Pending Registration	PEN	PEN	Kuddeboek Afdeling: Wag vir Registrasie
Herd Book Section: Not for Registration	NFR	NFR	Kuddeboek Afdeling: Nie vir Registrasie
Herd Book Section: Foundation Generation	FO	FO	Kuddeboek Afdeling: Fondasie Generasie
Herd Book Section: Appendix A	A	A	Kuddeboek Afdeling: Aanhangsel A
Herd Book Section: Appendix B	B	B	Kuddeboek Afdeling: Aanhangsel B
Herd Book Section: Studbook Proper, a registered animal	SP	SP	Kuddeboek Afdeling: Studbook Proper, 'n geregistreerde dier
Genomically Tested	GT	GT	Genomies Getoets
Homozygous Horned (Celtic test)	HH(c)	HH(c)	Homosigoties horings (Celtic toets)
Homozygous Polled (Celtic test)	PP(c)	PP(c)	Homosigotiets Poena (Celtic toets)
Heterozygous Polled (Celtic test)	Pp(c)	Pp(c)	Heterosigoties Poena (Celtic toets)
Phenotypically Polled	P	P	Fenotopies Poena
Intercalving Period	ICP	TKP	Tussen-Kalf Periode
Birth Direct breeding value	Birth Dir.	Geb. Dir	Geboorte Direk teelwaarde
Wean Direct breeding value	Wean Dir.	Spn. Dir.	Speen Direk teelwaarde
Wean Maternal breeding value	Wean Mat.	SPn. Mat.	Speen Maternaal teelwaarde
Scrotal Circumference	Scr. Circ.	Skr. Omt.	Skrotum omtrek
Heifer Fertility	Heifer Fert.	Vers Vrugb.	Vers Vrugbaarheid
Cow Fertility	Cow Fert.	Koei Vrugb.	Koei Vrugbaarheid
Longevity	Longev.	Lankl.	Lanklewendheid
Mature Weight	Mat. Wt.	Volw. Gewig	Volwasse gewig
Average Daily Gain (g/day)	ADG	GDT	Gemiddelde Daaglikse Toename
Feed Conversion Ratio (kg:kg)	FCR	VOV	Voeromset Verhouding
Eye Muscle Area	EMA	OSO	Oogspier grootte
Backfat Thickness	Fat	Vet	Rugvet Diepte
Marbeling (intra-muscular fat)	Mar	Mar	Marmering (binne-spijse vet)
365-day weight index	365D Index	365D Indeks	365-dae gewig indeks
540-day weight index	540D Index	540D Indeks	540-dae gewig indeks
Length-Height ratio	LH	LH	Lengte-Hoogte Verhouding
Actual Birth weight	Birth Wt.	Geb. gewig	Werklike Geboorte gewig
205-day Dam-age corrected weight	205d Wt.	205d gewig	205-dag Moeder-ouderdom gekorrigeerde gewig
Cow-Calf Birth Ratio	CCG	KKG	Koei-Kalf Geboorte Verhouding
Cow-Calf Wean Ratio	CCW	KKS	Koei-Kalf Speen Verhouding
Average Weaning Index	Avg. Wean Index	Gem. Spn. Indeks	Gemiddelde speen indeks
Number of Calves	Nr. Calves	Aant. Kalw.	Aantal kalwers
Reproduction Index	Repr. Index	Repr. Indeks	Reproduksie indeks
Animal sex: M - Male, F - Female	M / F	M / V	Dier geslag: M - Manlik, V - Vroulik