

Subject: RE: ON TOP VROULIKE KUDDELYS REGSTELLINGS

From: <elisca@wilzak.co.za>

Date: 2024/06/03, 04:44 pm

To: "'Marietjie Delport'" <marietjie@studbook.co.za>

Hi Marietjie

Baie dankie. Net weer laaste paar regstellings:

1. TOP21-302 wys steeds F2 en "culled". Sal julle haar asb her-instel? Sy moet SP wees, beide haar ouers is SP. Ek heg weer DNA ook aan.
2. TOP23-135 se keuring wys steeds nie. Sy is op 06/03/2024 goedgekeur deur Marius Barkhuizen.
3. TOP23-308 is nou gelaai, maar haar DNA is pending. Ek het weer haar DNA aangeheg.
4. TOP23-311 is ook nou gelaai, maar DNA is pending. DNA aangeheg.

Dankie vir julle moeite.

Lekker dag verder.

Elisca

From: Marietjie Delport <marietjie@studbook.co.za>

Sent: Monday, June 3, 2024 1:58 PM

To: elisca@wilzak.co.za

Cc: 'Droughtmaster SA' <office@droughtmastersa.co.za>

Subject: Re: ON TOP VROULIKE KUDDELYS REGSTELLINGS

--

Kind regards / Groete



Marietjie Delport

Teamleader Data Clerk: Afrikaners, Angus S.A., Borguni, Charolais, Droughtmasters, Santa Gertrudis

E marietjie@studbook.co.za P +27 51 410 0912

LOGIX

South African Stud Book and Animal Improvement Association

118 Henry Street, Westdene, Bloemfontein, South Africa



www.StudBook.co.za | www.LOGIX.org.za | www.SADairyBulls.co.za | www.SABeefBulls.co.za

The content of this email is confidential and intended for the recipient specified in message only. It is strictly forbidden to share any part of this message with any third party, without a written consent of the sender. If you received this message by mistake, please reply to this message and follow with its deletion, so that we can ensure such a mistake does not occur in the future. Please read the full [disclaimer here](#).

On 2024/06/03 08:50 am, elisca@wilzak.co.za wrote:

Goeie more Marietjie

Aangeheg is 'n lys van regstellings vir ons vroulike diere, asb. Die gewigte se regstellings sal ek direk aan Ann stuur.

Ek het ook DNA aangeheg van die diere op ons foutelys. Asook die embrio inplantingslys van daardie groep.

Ek werk binnekort deur die manlike lys ook dan stuur ek weer aan.

Lekker dag verder.



Elisca Pistorius

📞 083 985 5815
✉️ elisca@wilzak.co.za
🌐 www.wilzak.co.za

Attachments:

DNA TOP21292-TOP22104.pdf	66,1 KB
DNA TOP23299-TOP23320.pdf	52,5 KB

Batch Detail Report

Batch : 7389U
Owner : JIF Pistorius
Farm : Paardefontein
Account : PISJ01
Invoice To : Owner

Created : 2022-01-18

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7389U001	TOP21-0225 (N/S,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Not Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7389U002	TOP21-0229 (N/S,91)	CATTLE	DROUGHT MASTER (91)	C08-0426 (F,91)(Not Valid)	C11-0151 (M,91)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7389U003	TOP21-0292 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0171 (F,91)(Valid)	TOP18-0127 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U004	TOP21-0293 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U005	TOP21-0294 (N/S,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0017 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U006	TOP21-0295 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U007	TOP21-0296 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0155 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U008	TOP21-0297 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0146 (F,91)(Valid)	HOT16-0303 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U009	TOP21-0298 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U010	TOP21-0299 (N/S,91)	CATTLE	DROUGHT	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Jan-2022 09:27

Page 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7389U011	TOP21-0300 (N/S,91)	CATTLE	MASTER (91)	C09-0032 (F,91)(Not Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Dam Valid, Sire Valid	
7389U012	TOP21-0301 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
7389U013	TOP21-0302 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0155 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U014	TOP21-0303 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U015	TOP21-0304 (N/S,91)	CATTLE	DROUGHT MASTER (91)		TOP17-0235 (M,91)(Valid)	PAR_C	mNDXSV : Multiple Nominated Dams Excluded, Sire Valid	
7389U016	TOP21-0305 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U017	TOP21-0306 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U018	TOP21-0307 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0155 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U019	TOP21-0308 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U020	TOP21-0309 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 26-Jan-2022 09:27

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
7389U021	TOP21-0310 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0205 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U022	TOP21-0311 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U023	TOP21-0312 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0255 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U024	TOP21-0313 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U025	TOP21-0314 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U026	TOP22-0100 (N/S,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
7389U027	TOP22-0101 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0255 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U028	TOP22-0102 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U029	TOP22-0103 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
7389U030	TOP22-0104 (N/S,91)	CATTLE	DROUGHT MASTER (91)	TOP18-0165 (F,91)(Valid)	SWAN16-0036 (M,91)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Jan-2022 09:27

Page 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee.
This Certificate replaces all previously issued certificates.

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 15392U
Owner : JIF Pistorius
Farm : Paardefontein
Account : PISJ01
Origin : PRIVATE
Invoice To : Owner

Created : 2023-10-09

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15392U001	TOP23-0299 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0486 (F,91)(Valid)	TOP20-0128 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U002	TOP23-0300 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0197 (F,91)(Valid)	TOP20-0128 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U003	TOP23-0301 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U004	TOP23-0302 (F,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U005	TOP23-0303 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0153 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U006	TOP23-0304 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0115 (F,91)(Valid)	TOP20-0128 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U007	TOP23-0305 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0150 (F,91)(Valid)	TOP20-0128 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U008	TOP23-0306 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0209 (F,91)(Valid)	TOP20-0128 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U009	TOP23-0307 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0153 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924

Report Date : 09-Nov-2023 10:16

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15392U010	TOP23-0308 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0068 (F,91)(Valid)	PIONEER U9C2232 (M,91)(Valid)	PAR_C	Hair	Valid	46924
15392U011	TOP23-0309 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0153 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U012	TOP23-0310 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP20-0152 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U013	TOP23-0311 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0068 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U014	TOP23-0312 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0190 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U015	TOP23-0313 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0153 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U016	TOP23-0314 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0151 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U017	TOP23-0315 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0181 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U018	TOP23-0316 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0176 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U019	TOP23-0317 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U020	TOP23-0318 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0153 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924

Report Date : 09-Nov-2023 10:16

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15392U021	TOP23-0319 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0153 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924
15392U022	TOP23-0320 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP20-0135 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	46924

Report Date : 09-Nov-2023 10:16

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER