

Batch Detail Report

Batch : 828U
Created : 11-Jun-2020 09:27
Owner : Hans-Willi Wiplinger/Optimum
Farm : Optimum Bonsmaras/Corneliasrus
Account : WIPH01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U001	OPT19-0194 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U002	OPT19-0195 (F,1)	CATTLE	BONSMARA (1)			PAT_C	mNSX : Multiple Nominated Sires Excluded	34879
828U003	OPT19-0196 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U004	OPT19-0197 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U005	OPT19-0198 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U006	OPT19-0199 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U007	OPT19-0200 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U008	OPT19-0201 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U009	OPT19-0202 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U010	OPT19-0204 (F,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U011	OPT19-0205 (M,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U012	OPT19-0206 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U013	OPT19-0207 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U014	OPT19-0208 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U015	OPT19-0209 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U016	OPT19-0210 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U017	OPT19-0211 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U018	OPT19-0212 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U019	OPT19-0214 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U020	OPT19-0215 (M,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U021	OPT19-0216 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U022	OPT19-0217 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U023	OPT19-0218 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U024	OPT19-0220 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U025	OPT19-0221 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U026	OPT19-0222 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U027	OPT19-0223 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U028	OPT19-0224 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U029	OPT19-0225 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U030	OPT19-0226 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U031	OPT19-0227 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U032	OPT19-0228 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U033	OPT19-0229 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U034	OPT19-0231 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U035	OPT19-0232 (F,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U036	OPT19-0233 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U037	OPT19-0234 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U038	OPT19-0235 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U039	OPT19-0236 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U040	OPT19-0237 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U041	OPT19-0240 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U042	OPT19-0241 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U043	OPT19-0242 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U044	OPT19-0243 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U045	OPT19-0244 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid) DBP15-0215 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879

Report Date : 03-Sep-2020 09:27

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U046	OPT19-0245 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U047	OPT19-0246 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U048	OPT19-0248 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U049	OPT19-0250 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U050	OPT19-0251 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U051	OPT19-0252 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U052	OPT19-0253 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U053	OPT19-0254 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U054	OPT19-0255 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U055	OPT19-0256 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U056	OPT19-0257 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U057	OPT19-0258 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U058	OPT19-0259 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U059	OPT19-0261 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U060	OPT19-0262 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U061	OPT19-0263 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U062	OPT19-0264 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U063	OPT19-0265 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U064	OPT19-0266 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0202 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U065	OPT19-0267 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U066	OPT19-0268 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U067	OPT19-0269 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U068	OPT19-0270 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U069	OPT19-0271 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U070	OPT19-0272 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U071	OPT19-0273 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U072	OPT19-0274 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U073	OPT19-0275 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U074	OPT19-0276 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U075	OPT19-0277 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U076	OPT19-0278 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U077	OPT19-0279 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U078	OPT19-0280 (M,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U079	OPT19-0281 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U080	OPT19-0282 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U081	OPT19-0283 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U082	OPT19-0284 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U083	OPT19-0285 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U084	OPT19-0286 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U085	OPT19-0287 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U086	OPT19-0288 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U087	OPT19-0290 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U088	OPT19-0291 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U089	OPT19-0292 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U090	OPT19-0293 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OLI14-0239 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U091	OPT19-0294 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U092	OPT19-0295 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U093	OPT19-0296 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U094	OPT19-0297 (M,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U095	OPT19-0298 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U096	OPT19-0299 (M,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U097	OPT19-0300 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U098	OPT19-0301 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U099	OPT19-0302 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U100	OPT19-0303 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U101	OPT19-0304 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U102	OPT19-0305 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U103	OPT19-0306 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U104	OPT19-0307 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U105	OPT19-0308 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U106	OPT19-0309 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U107	OPT19-0310 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U108	OPT19-0311 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U109	OPT19-0312 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U110	OPT19-0313 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U111	OPT19-0314 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U112	OPT19-0315 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U113	OPT19-0316 (M,1)	CATTLE	BONSMARA (1)			PROF_C	HER04 : No sample in envelope/bag	01
828U114	OPT19-0317 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U115	OPT19-0318 (F,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U116	OPT19-0319 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U117	OPT19-0320 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U118	OPT19-0321 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U119	OPT19-0323 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U120	OPT19-0324 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U121	OPT19-0325 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U122	OPT19-0326 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U123	OPT19-0327 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0202 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U124	OPT19-0328 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U125	OPT19-0329 (F,1)	CATTLE	BONSMARA		PAD13-0201 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U126	OPT19-0330 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U127	OPT19-0331 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U128	OPT19-0332 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U129	OPT19-0333 (F,1)	CATTLE	BONSMARA (1)		OPT17-0159 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U130	OPT19-0334 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U131	OPT19-0335 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U132	OPT19-0336 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U133	OPT19-0337 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U134	OPT19-0338 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U135	OPT19-0339 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U136	OPT19-0340 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U137	OPT19-0341 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U138	OPT19-0342 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U139	OPT19-0343 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U140	OPT19-0345 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U141	OPT19-0346 (F,1)	CATTLE	BONSMARA		OLI14-0239 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 9

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U142	OPT19-0347 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U143	OPT19-0348 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U144	OPT19-0349 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U145	OPT19-0350 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U146	OPT19-0351 (M,1)	CATTLE	BONSMARA (1)			PROF_C	HER04 : No sample in envelope/bag	01
828U147	OPT19-0352 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U148	OPT19-0353 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U149	OPT19-0354 (F,1)	CATTLE	BONSMARA (1)		OPT17-0159 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U150	OPT19-0355 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U151	OPT19-0356 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U152	OPT19-0357 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U153	OPT19-0358 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U154	OPT19-0359 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U155	OPT19-0360 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OLI14-0239 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U156	OPT19-0361 (M,1)	CATTLE	BONSMARA (1)			PROF_C	HER04 : No sample in	01

Report Date : 03-Sep-2020 09:27

Page 10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							envelope/bag	
828U157	OPT19-0362 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U158	OPT19-0363 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U159	OPT19-0364 (M,1)	CATTLE	BONSMARA (1)			PROF_C	HER04 : No sample in envelope/bag	01
828U160	OPT19-0365 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U161	OPT19-0366 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U162	OPT19-0367 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U163	OPT19-0368 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U164	OPT19-0369 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U165	OPT19-0370 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U166	OPT19-0371 (F,1)	CATTLE	BONSMARA (1)		OPT17-0159 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U167	OPT19-0372 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U168	OPT19-0373 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U169	OPT19-0374 (M,1)	CATTLE	BONSMARA (1)		OPT17-0202 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U170	OPT19-0375 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U171	OPT19-0376 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U172	OPT19-0377 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U173	OPT19-0378 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U174	OPT19-0379 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U175	OPT19-0380 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U176	OPT19-0381 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U177	OPT19-0382 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U178	OPT19-0383 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U179	OPT19-0384 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) WAT16-0056 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U180	OPT19-0385 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U181	OPT19-0386 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U182	OPT19-0387 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U183	OPT19-0388 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U184	OPT19-0389 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U185	OPT19-0390 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U186	OPT19-0391 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U187	OPT19-0392 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT16-0187 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated	34879

Report Date : 03-Sep-2020 09:27

Page 12

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Sires Valid	
828U188	OPT19-0393 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U189	OPT19-0394 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U190	OPT19-0395 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U191	OPT19-0396 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U192	OPT19-0397 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U193	OPT19-0398 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U194	OPT19-0399 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U195	OPT19-0400 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U196	OPT19-0401 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U197	OPT19-0402 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U198	OPT19-0403 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U199	OPT19-0404 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U200	OPT19-0405 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U201	OPT19-0407 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U202	OPT19-0408 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U203	OPT19-0409 (M,1)	CATTLE	BONSMARA		PAD13-0201 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 13

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U204	OPT19-0410 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U205	OPT19-0411 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U206	OPT19-0412 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U207	OPT19-0413 (F,1)	CATTLE	BONSMARA (1)		OPT17-0202 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U208	OPT19-0414 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U209	OPT19-0415 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U210	OPT19-0416 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U211	OPT19-0417 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U212	OPT19-0418 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U213	OPT19-0419 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U214	OPT19-0420 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U215	OPT19-0421 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U216	OPT19-0422 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U217	OPT19-0423 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U218	OPT19-0424 (F,1)	CATTLE	BONSMARA (1)		OPT17-0248 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U219	OPT19-0425 (M,1)	CATTLE	BONSMARA		OPT17-0181 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 14

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U220	OPT19-0426 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U221	OPT19-0427 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U222	OPT19-0428 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U223	OPT19-0429 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U224	OPT19-0430 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U225	OPT19-0431 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U226	OPT19-0432 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U227	OPT19-0433 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U228	OPT19-0434 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U229	OPT19-0435 (F,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U230	OPT19-0436 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U231	OPT19-0437 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U232	OPT19-0438 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U233	OPT19-0439 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U234	OPT19-0440 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U235	OPT19-0441 (M,1)	CATTLE	BONSMARA		DBP15-0215 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 15

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U236	OPT19-0443 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U237	OPT19-0444 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U238	OPT19-0445 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U239	OPT19-0446 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U240	OPT19-0447 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U241	OPT19-0448 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U242	OPT19-0449 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U243	OPT19-0450 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U244	OPT19-0451 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U245	OPT19-0452 (F,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U246	OPT20-0001 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U247	OPT20-0002 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U248	OPT20-0003 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U249	OPT20-0004 (F,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U250	OPT20-0005 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U251	OPT19-0442 (U,1)	CATTLE	BONSMARA		NFS15-0214 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 16

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U252	OPT20-0006 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U253	OPT20-0007 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U254	OPT20-0010 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U255	OPT20-0011 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U256	OPT20-0012 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U257	OPT20-0013 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U258	OPT20-0014 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U259	OPT20-0015 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U260	OPT20-0016 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U261	OPT20-0017 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U262	OPT20-0018 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U263	OPT20-0019 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U264	OPT20-0020 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U265	OPT20-0021 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U266	OPT20-0022 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0034 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879

Report Date : 03-Sep-2020 09:27

Page 17

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U267	OPT20-0023 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U268	OPT20-0024 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U269	OPT20-0025 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U270	OPT20-0026 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U271	OPT20-0027 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U272	OPT20-0028 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U273	OPT20-0029 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U274	OPT20-0030 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U275	OPT20-0031 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U276	OPT20-0032 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0069 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U277	OPT20-0033 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U278	OPT20-0034 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U279	OPT20-0035 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U280	OPT20-0036 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U281	OPT20-0037 (F,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U282	OPT20-0038 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 18

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U283	OPT20-0039 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U284	OPT20-0040 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U285	OPT20-0041 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U286	OPT20-0042 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U287	OPT20-0043 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U288	OPT20-0044 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U289	OPT20-0045 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U290	OPT20-0046 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U291	OPT20-0047 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U292	OPT20-0048 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid) OPT17-0034 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U293	OPT20-0049 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U294	OPT20-0050 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid) OPT17-0248 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U295	OPT20-0051 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U296	OPT20-0052 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U297	OPT20-0053 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U298	OPT20-0054 (M,1)	CATTLE	BONSMARA		OPT17-0069 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 19

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U299	OPT20-0055 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U300	OPT20-0056 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U301	OPT20-0057 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U302	OPT20-0059 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U303	OPT20-0060 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U304	OPT20-0061 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U305	OPT20-0062 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U306	OPT20-0063 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U307	OPT20-0064 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U308	OPT20-0065 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid) OPT17-0038 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U309	OPT20-0066 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U310	OPT20-0067 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U311	OPT20-0068 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U312	OPT20-0069 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U313	OPT20-0070 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 20

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U314	OPT20-0071 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U315	OPT20-0072 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U316	OPT20-0073 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U317	OPT20-0074 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U318	OPT20-0075 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U319	OPT20-0076 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U320	OPT20-0077 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U321	OPT20-0078 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U322	OPT20-0079 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U323	OPT20-0080 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U324	OPT20-0081 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U325	OPT20-0082 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U326	OPT20-0083 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U327	OPT20-0084 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U328	OPT20-0085 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U329	OPT20-0086 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 21

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
828U330	OPT20-0087 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U331	OPT20-0088 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid) OPT17-0192 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U332	OPT20-0089 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U333	OPT20-0090 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U334	OPT20-0091 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U335	OPT20-0092 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U336	OPT20-0093 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U337	OPT20-0094 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U338	OPT20-0095 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U339	OPT20-0096 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U340	OPT20-0097 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U341	OPT20-0098 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U342	OPT20-0099 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U343	OPT20-0100 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U344	OPT20-0101 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid) OLI14-0239 (M,1)(Valid)	PAT_C	mNSV : Multiple Nominated Sires Valid	34879
828U345	OPT20-0102 (M,1)	CATTLE	BONSMARA		OLI14-0239 (M,1)(Valid)	PAT_C	SV :	34879

Report Date : 03-Sep-2020 09:27

Page 22

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
828U346	OPT20-0104 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879
828U347	OPT20-0105 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)	PAT_C	SV : Sire Valid	34879

Report Date : 03-Sep-2020 09:27

Page 23

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR