

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Testing Type	RESULT	INVOICE
18444U023	PSB23-0431 (F.31)	CATTLE	BEEFMASTER (31)	SPB19-0034 (F.31)(Valid)	RLR16-0077 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U024	PSB23-0432 (F.31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U025	PSB23-0433 (F.31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U026	PSB23-0437 (F.31)	CATTLE	BEEFMASTER (31)	PSB20-0258 (F.31)(Valid)	V820-0394 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U027	PSB23-0438 (F.31)	CATTLE	BEEFMASTER (31)	PSB20-0259 (F.31)(Valid)	V820-0394 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U028	PSB23-0439 (F.31)	CATTLE	BEEFMASTER (31)		PSB19-0314 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U029	PSB23-0440 (F.31)	CATTLE	BEEFMASTER (31)		AL19-0421 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U030	PSB23-0441 (F.31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
18444U031	PSB23-0442 (F.31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
18444U032	PSB23-0443 (F.31)	CATTLE	BEEFMASTER (31)		AL19-0421 (M.31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U033	PSB23-0445 (F.31)	CATTLE	BEEFMASTER (31)	PSB18-0208 (F.31)(Valid)		PAR_C	Hair	DVnmNSX : Dam Valid, Multiple Nominated Sires Excluded	
18444U034	PSB23-0446 (F.31)	CATTLE	BEEFMASTER (31)	PSB20-0267 (F.31)(Valid)	PSB19-0314 (M.31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U035	PSB23-0447 (F.31)	CATTLE	BEEFMASTER (31)			PAR_C	Hair	mNSX : Multiple Nominated	

Report Date : 10-Jul-2024 13:42

Unistel report these results on the promise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	EBRED	DAM	DATE	TEST	Test Type	RESULT	INVOICE
18444U048	PSB23-0616 (F,31)	CATTLE	(31) BEEFMASTER (31)	SPB14-0082 (F,31)(Valid)	SPB21-0023 (M,31)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	
18444U049	PSB23-0801 (F,31)	CATTLE	(31) BEEFMASTER (31)	JVH20-0459 (F,31)(Valid)	JVH20-0313 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
18444U050	PSB23-0802 (F,31)	CATTLE	(31) BEEFMASTER (31)	JVH20-0455 (F,31)(Valid)	JVH18-0461 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
18444U051	PSB23-0803 (F,31)	CATTLE	(31) BEEFMASTER (31)	JVH20-0183 (F,31)(Valid)	JVH20-0027 (M,31)(Valid) JVH21-0217 (M,31)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
18444U052	PSB23-0804 (F,31)	CATTLE	(31) BEEFMASTER (31)	JVH20-0005 (F,31)(Valid)		PAR_C	Hair	DVSU : Dam Valid, Multiple Nominated Sires Excluded	
18444U053	PSB23-0806 (F,31)	CATTLE	(31) BEEFMASTER (31)	JVH20-0174 (F,31)(Valid)		PAR_C	Hair	DVSU : Dam Valid, Multiple Nominated Sires Excluded	
18444U054	PSB23-0807 (F,31)	CATTLE	(31) BEEFMASTER (31)	JVH20-0024 (F,31)(Not Valid)		PAR_C	Hair	DVSU : Dam Excluded, Multiple Nominated Sires Excluded	
18444U055	PSB23-0808 (F,31)	CATTLE	(31) BEEFMASTER (31)	SPB11-0224 (F,31)(Valid)		PAR_C	Hair	DVSU : Dam Valid, Multiple Nominated Sires Excluded	
18444U056	PSB23-0809 (F,31)	CATTLE	(31) BEEFMASTER (31)		AL19-0421 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U057	PSB23-0810 (F,31)	CATTLE	(31) BEEFMASTER (31)		SPB20-0020 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 10-Jul-2024 13:42

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Parent Type	RESULT	INVOICE
18444U058	PSB22-0387 (M,31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U059	PSB22-0399 (M,31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U060	PSB22-0501 (M,31)	CATTLE	BEEFMASTER (31)	PSB18-0215 (F,31)(Valid)	RLR16-0077 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U061	PSB22-0505 (M,31)	CATTLE	BEEFMASTER (31)	MB17-0378 (F,31)(Valid)	RLR16-0077 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U062	PSB22-0507 (M,31)	CATTLE	BEEFMASTER (31)	PSB18-0221 (F,31)(Valid)	PSB19-0316 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U063	PSB22-0519 (M,31)	CATTLE	BEEFMASTER (31)	SPB08-0177 (F,31)(Valid)	PSB19-0316 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U064	PSB23-0524 (M,31)	CATTLE	BEEFMASTER (31)		PSB19-0314 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U065	PSB23-0529 (M,31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U066	PSB23-0531 (M,31)	CATTLE	BEEFMASTER (31)	PSB20 0260 (F,31)(Valid)	V820-0394 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U067	PSB23-0532 (M,31)	CATTLE	BEEFMASTER (31)	PSB20-0265 (F,31)(Valid)	V820-0394 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U068	PSB23-0534 (M,31)	CATTLE	BEEFMASTER (31)	PSB20-0271 (F,31)(Valid)	V820-0394 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U069	PSB23-0536 (M,31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U070	PSB23-0541 (M,31)	CATTLE	BEEFMASTER (31)		AL19-0421 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 10-Jul-2024 13:42

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates International scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANNUAL	SPECIES	BREED	DAM	SIRE	TEST	Issue Type	RESULT	INVOICE
18444U071	PSB23-0701 (M,31)	CATTLE	BEEFMASTER (31)	SPB18-0016 (F,31)(Valid)	BOS18-8113 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U072	PSB23-0702 (M,31)	CATTLE	BEEFMASTER (31)	SPB20-0021 (F,31)(Valid)	V820-0394 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U073	PSB23-0703 (M,31)	CATTLE	BEEFMASTER (31)		RLR16-0077 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U074	PSB23-0706 (M,31)	CATTLE	BEEFMASTER (31)	SPB19-0031 (F,31)(Valid)	V820-0394 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U075	PSB23-0707 (M,31)	CATTLE	BEEFMASTER (31)	SPB17-0110 (F,31)(Valid)	PSB19-0314 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U076	PSB23-0715 (M,31)	CATTLE	BEEFMASTER (31)		AL19-0421 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
18444U077	PSB23-0901 (M,31)	CATTLE	BEEFMASTER (31)	JVH20-0168 (F,31)(Valid)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
18444U078	PSB23-0902 (M,31)	CATTLE	BEEFMASTER (31)	JVH20-0258 (F,31)(Valid)	JVH20-0230 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U079	PSB23-0904 (M,31)	CATTLE	BEEFMASTER (31)	JVH20-0470 (F,31)(Valid)	JVH18-0461 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U080	PSB23-0905 (M,31)	CATTLE	BEEFMASTER (31)	JVH20-0117 (F,31)(Valid)	JVH20-0313 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18444U081	PSB23-0907 (M,31)	CATTLE	BEEFMASTER (31)		AL19-0421 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 10-Jul-2024 13:42

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER