

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
672U038	AEJ20-0039	CATTLE	BONSMARA	AEJ17-0163 (F,1)(Valid)	AEJ13-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
672U039	AEJ20-0040	CATTLE	BONSMARA	AEJ14-0092 (F,1)(Valid)	AEJ13-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
672U040	AEJ20-0041 ✓	CATTLE	BONSMARA	Stmr 18/6/2020		PAR_C	HER02 : Test to be repeated by lab	
672U041	AEJ20-0043	CATTLE	BONSMARA			PAR_C	HER03 : Repeat requested - no roots on hair	
672U042	AEJ20-0044	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U043	AEJ20-0045	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U044	AEJ20-0047	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U045	AEJ20-0048	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U046	AEJ20-0049	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U047	AEJ20-0050	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U048	AEJ20-0051	CATTLE	BONSMARA			PAR_C	NSR : No Sample Received	
672U049	AEJ20-0001	CATTLE	BONSMARA		BRB16-0059 (M,1)(Valid)	PAR_C	SV : Sire Valid	
672U050	AEJ20-0042	CATTLE	BONSMARA			PAR_C	HER03 : Repeat requested - no roots on hair	

Report Date : 12-Jun-2020 12:46

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR