

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
1341U016	TMB18-0356 (M,1)	CATTLE	BONSMARA (1)		
1341U016	TMB18-0356 (M,1)	CATTLE	BONSMARA (1)		
1341U016	TMB18-0356 (M,1)	CATTLE	BONSMARA (1)		
1341U017	TMB18-0356 (M,1)	CATTLE	BONSMARA (1)		
1341U018	TMB18-0528 (M,1)	CATTLE	BONSMARA (1)	TMB12-0166 (F,1)(Valid)	TMB13-0363 (U,1)(Valid)
1341U019	TMB19-0075 (M,1)	CATTLE	BONSMARA (1)		TMB13-0363 (U,1)(Valid)
1341U020	TMB18-0294 (M,1)	CATTLE	BONSMARA (1)		BBM14-0034 (M,1)(Valid)
1341U021	TMB18-0496 (M,1)	CATTLE	BONSMARA (1)		BBM14-0034 (M,1)(Valid)
1341U022	TMB19-0043 (M,1)	CATTLE	BONSMARA (1)		BBM14-0034 (M,1)(Valid)
1341U023	TMB19-0104 (M,1)	CATTLE	BONSMARA (1)	TMB12-0057 (F,1)(Valid)	BBM14-0034 (M,1)(Valid)
1341U024	TMB18-0139 (M,1)	CATTLE	BONSMARA (1)		
1341U024	TMB18-0139 (M,1)	CATTLE	BONSMARA (1)		
1341U024	TMB18-0139 (M,1)	CATTLE	BONSMARA (1)		

Report Date : 02-Oct-2020 09:00

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract