

Subject: Vaderskappe
From: Chris Krugell <chris.krugell@gmail.com>
Date: 2020/11/02, 15:39
To: Lea <lea@studbook.co.za>

Hi Lea,

Hoop dit gaan goed.

Ek het vaderskappe gedoen en hul het nie almal opgelaai nie, kan jy dalk sien hoekom het bv 18-15 en 18-18 se vaderskappe nie opgedateer nie en asb net weer laai.

Groete
Chris

-- Attachments: --

200U (7).pdf

73.0 KB

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
200U062	CKB18-0005 (F.1)	CATTLE	BONSMARA (1)		CKB14-0035 (M.1)(Valid)	PAT_C	SV : Sire Valid.	34585
200U063	CKB18-0008 (F.1)	CATTLE	BONSMARA (1)		SYF13-0244 (M.1)(Valid)	PAT_C	SV : Sire Valid	34585
200U064	CKB18-0013 (F.1)	CATTLE	BONSMARA (1)		SYF13-0244 (M.1)(Valid)	PAT_C	SV : Sire Valid	34585
200U065	CKB18-0014 (F.1)	CATTLE	BONSMARA (1)		SYF13-0244 (M.1)(Valid)	PAT_C	SV : Sire Valid	34585
200U066	CKB18-0015 (F.1)	CATTLE	BONSMARA (1)		SYF13-0244 (M.1)(Valid)	PAT_C	SV : Sire Valid	34585
200U067	CKB18-0017 (F.1)	CATTLE	BONSMARA (1)		CKB15-0015 (M.1)(Valid)	PAT_C	SV : Sire Valid.	34585
200U068	CKB18-0018 (F.1)	CATTLE	BONSMARA (1)		SYF13-0244 (M.1)(Valid)	PAT_C	SV : Sire Valid	34585
200U069	CKB18-0020 (F.1)	CATTLE	BONSMARA (1)		ADV13-0332 (M.1)(Valid)	PAT_C	SV : Sire Valid	34585

BATUH 2004
30/09/20

Report Date : 30-Sep-2020 15:14

Page 11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR