

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
2379U036	AG20-0314 (F,1)	CATTLE	BONSMARA (1)	AG12-0434 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U037	AG20-0316 (M,1)	CATTLE	BONSMARA (1)	AG17-0339 (F,1)(Valid)	AG16-0456 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U038	AG20-0318 (F,1)	CATTLE	BONSMARA (1)	AG17-0463 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U039	AG20-0319 (F,1)	CATTLE	BONSMARA (1)	AG17-0228 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U040	AG20-0320 (M,1)	CATTLE	BONSMARA (1)	AG15-0013 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U041	AG20-0321 (M,1)	CATTLE	BONSMARA (1)	AG11-0039 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U042	AG20-0322 (M,1)	CATTLE	BONSMARA (1)	AG12-0303 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U043	AG20-0323 (F,1)	CATTLE	BONSMARA (1)	AG18-0115 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U044	AG20-0324 (M,1)	CATTLE	BONSMARA (1)	AG13-0299 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U045	AG20-0325 (F,1)	CATTLE	BONSMARA (1)	AG13-0236 (F,1)(Valid)	NFS16-0058 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U046	AG20-0326 (M,1)	CATTLE	BONSMARA (1)	AG14-0241 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2379U047	AG20-0327 (M,1)	CATTLE	BONSMARA (1)	AG15-0368 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Nov-2020 12:48

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR