

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2330U011	AG20-0221 (M,1)	CATTLE	BONSMARA (1)	AG13-0442 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U012	AG20-0222 (M,1)	CATTLE	BONSMARA (1)	AG13-0708 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U013	AG20-0223 (M,1)	CATTLE	BONSMARA (1)	AG17-0257 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U014	AG20-0224 (F,1)	CATTLE	BONSMARA (1)	AG16-0279 (F,1)(Valid)	AG15-0202 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U015	AG20-0225 (M,1)	CATTLE	BONSMARA (1)	AG18-0420 (F,1)(Valid)	AG16-0245 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U016	AG20-0226 (F,1)	CATTLE	BONSMARA (1)	FUZ13-0090 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
2330U017	AG20-0227 (F,1)	CATTLE	BONSMARA (1)	AG14-0341 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U018	AG20-0228 (M,1)	CATTLE	BONSMARA (1)	AG16-0002 (F,1)(Valid)	AG15-0202 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U019	AG20-0229 (F,1)	CATTLE	BONSMARA (1)	AG18-0120 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U020	AG20-0230 (F,1)	CATTLE	BONSMARA (1)	AG15-0760 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U021	AG20-0231 (M,1)	CATTLE	BONSMARA (1)	AG14-0291 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2330U022	AG20-0232 (M,1)	CATTLE	BONSMARA (1)	AG14-0390 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Nov-2020 12:29

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR