



Batch Detail Report

Created : 2024-06-21

Batch : 18538U
Owner :Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U001	WBT24-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0055 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U002	WBT24-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0574 (F,91)(Valid)	WBT21-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U003	WBT24-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	HS20-0552 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U004	WBT24-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0132 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U005	WBT24-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0058 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U006	WBT24-0067 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT22-0007 (F,186)(Valid)	WBT21-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U007	WBT24-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0587 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U008	WBT24-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0094 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U009	WBT24-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0078 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	49604

Report Date : 03-Sep-2024 13:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U010	WBT24-0071 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0084 (F,91)(Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U011	WBT24-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0071 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U012	WBT24-0074 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0093 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U013	WBT24-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0062 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U014	WBT24-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0630 (F,91)(Valid)	WBT21-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U015	WBT24-0077 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0071 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U016	WBT24-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0572 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U017	WBT24-0079 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0018 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U018	WBT24-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0034 (F,186)(Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U019	WBT24-0081 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0253 (F,91)(Not Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	49604
18538U020	WBT24-0082 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0080 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604

Report Date : 03-Sep-2024 13:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U021	WBT24-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0028 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U022	WBT24-0084 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0819 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U023	WBT24-0085 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0028 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U024	WBT24-0086 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0287 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U025	WBT24-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0018 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U026	WBT24-0088 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0024 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604

Report Date : 03-Sep-2024 13:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2024-07-23

Batch : 19004U
Owner :Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19004U001	WBT24-0089 (N/S,91)	CATTLE	DROUGHT MASTER (91)		WBT21-0006 (M,186)(Valid)	PAR_C	Hair	SV : Sire Valid	49959
19004U002	WBT24-0090 (N/S,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0013 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U003	WBT24-0091 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0116 (F,186)(Valid)		PAR_C	Hair	DVMNSX : Dam Valid, Multiple Nominated Sires Excluded	49959
19004U004	WBT24-0092 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT22-0020 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U005	WBT24-0094 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0068 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U006	WBT24-0095 (N/S,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0278 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U007	WBT24-0096 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0050 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U008	WBT24-0097 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0631 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U009	WBT24-0098 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0082 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	49959

Report Date : 03-Sep-2024 13:46

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19004U010	WBT24-0099 (N/S,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0780 (F,91)(Valid)	HOT15-0208 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	49959
19004U011	WBT24-0101 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0039 (F,186)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	49959
19004U012	WBT23-0329 (N/S,91)	CATTLE	DROUGHT MASTER (91)		TOP17-0175 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	49959
19004U013	WBT24-0072 (N/S,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0853 (F,91)(Valid)	HOT20-0730 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49959
19004U014	WBT24-0061 (N/S,91)	CATTLE	DROUGHT MASTER (91)	SGC17-0060 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49959

Report Date : 03-Sep-2024 13:46

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2024-05-14

Batch : 17966U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17966U001	WBT24-0007 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0010 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U002	WBT24-0009 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0041 (F,186)(Valid)	WBT20-0029 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U003	WBT24-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT22-0010 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U004	WBT24-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0106 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U005	WBT24-0012 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0116 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U006	WBT24-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0022 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U007	WBT24-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0040 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U008	WBT24-0015 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0098 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U009	WBT24-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0052 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 10-Jun-2024 13:49

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17966U010	WBT24-0017 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0088 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U011	WBT24-0018 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0051 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U012	WBT24-0019 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0050 (N/S,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U013	WBT24-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0097 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U014	WBT24-0021 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0183 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U015	WBT24-0022 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0082 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U016	WBT24-0023 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0031 (F,186)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U017	WBT24-0024 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0023 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U018	WBT24-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0002 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U019	WBT24-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0041 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U020	WBT24-0029 (M,91)	CATTLE	DROUGHT MASTER (91)	LVR13-0010 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jun-2024 13:49

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17966U021	WBT24-0030 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0098 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U022	WBT24-0031 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0034 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U023	WBT24-0032 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0073 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U024	WBT24-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB12-0113 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U025	WBT24-0035 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0087 (F,186)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U026	WBT24-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0072 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U027	WBT24-0037 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0047 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U028	WBT24-0038 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0087 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U029	WBT24-0039 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0037 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U030	WBT24-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0100 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U031	WBT24-0041 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0056 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U032	WBT24-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0084 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jun-2024 13:49

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Therapeutic Type	RESULT	INVOICE
17966U033	WBT24-0043 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0172 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U034	WBT24-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0063 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
17966U035	WBT24-0045 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0007 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U036	WBT24-0046 (M,91)	CATTLE	DROUGHT MASTER (91)	19-0115 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U037	WBT24-0047 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0091 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17966U038	WBT24-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0035 (F,91)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 10-Jun-2024 13:49

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2024-06-21

Batch : 18538U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U001	WBT24-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0055 (F,91)\(Valid)	CTM17-0017 (M,91)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U002	WBT24-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0574 (F,91)\(Valid)	WBT21-0001 (M,186)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U003	WBT24-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	HS20-0552 (F,91)\(Valid)	CTM17-0017 (M,91)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U004	WBT24-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0132 (F,91)\(Valid)	CTM17-0017 (M,91)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U005	WBT24-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0058 (F,186)\(Valid)	WBT21-0006 (M,186)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U006	WBT24-0067 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT22-0007 (F,186)\(Valid)	WBT21-0001 (M,186)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U007	WBT24-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0587 (F,91)\(Valid)	WBT21-0006 (M,186)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U008	WBT24-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0094 (F,91)\(Valid)	WBT21-0006 (M,186)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
18538U009	WBT24-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0078 (F,91)\(Valid)	CTM17-0017 (M,91)\(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire	

Report Date : 10-Jul-2024 09:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U010	WBT24-0071 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0084 (F,91)(Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U011	WBT24-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0071 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U012	WBT24-0074 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0093 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U013	WBT24-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0062 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U014	WBT24-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0630 (F,91)(Valid)	WBT21-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U015	WBT24-0077 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0071 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U016	WBT24-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0572 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U017	WBT24-0079 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0018 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U018	WBT24-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0034 (F,186)(Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U019	WBT24-0081 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0253 (F,91)(Not Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	
18538U020	WBT24-0082 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0080 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jul-2024 09:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U021	WBT24-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0028 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U022	WBT24-0084 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0819 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U023	WBT24-0085 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0028 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U024	WBT24-0086 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0287 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U025	WBT24-0087 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0018 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18538U026	WBT24-0088 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0024 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Jul-2024 09:26

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2024-06-18

Batch : 18482U
Owner :Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18482U001	WBT24-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0102 (F,186)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U002	WBT24-0051 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0133 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U003	WBT24-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT22-0006 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U004	WBT24-0053 (M,91)	CATTLE	DROUGHT MASTER (91)		CTM17-0017 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
18482U005	WBT24-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0102 (F,186)(Valid)	WBT21-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U006	WBT24-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0013 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U007	WBT24-0056 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0055 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U008	WBT24-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0039 (F,186)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U009	WBT24-0058 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0077 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 08-Jul-2024 07:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2024-07-23

Batch : 19004U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19004U001	WBT24-0089 (N/S,91)	CATTLE	DROUGHT MASTER (91)		WBT21-0006 (M,186)(Valid)	PAR_C	Hair	SV : Sire Valid	49959
19004U002	WBT24-0090 (N/S,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0013 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U003	WBT24-0091 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0116 (F,186)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	49959
19004U004	WBT24-0092 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT22-0020 (F,186)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U005	WBT24-0094 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0068 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U006	WBT24-0095 (N/S,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0278 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U007	WBT24-0096 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0050 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U008	WBT24-0097 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0631 (F,91)(Valid)	WBT21-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U009	WBT24-0098 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0082 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	49959

Report Date : 03-Sep-2024 13:46

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAq comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19004U010	WBT24-0039 (N/S,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0780 (F,91)(Valid)	HOT15-0208 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U011	WBT24-0101 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0039 (F,186)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	49959
19004U012	WBT23-0329 (N/S,91)	CATTLE	DROUGHT MASTER (91)		TOP17-0175 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	49959
19004U013	WBT24-0072 (N/S,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0853 (F,91)(Valid)	HOT20-0730 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U014	WBT24-0061 (N/S,91)	CATTLE	DROUGHT MASTER (91)	SGC17-0060 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959

Report Date : 03-Sep-2024 13:46

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2023-04-26

Batch : 13064U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13064U020	WBT23-0022 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0080 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45168

Report Date : 22-Dec-2023 08:10

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2024-01-08

Batch : 16379U
Owner :Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16379U001	WBT23-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0055 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U002	WBT23-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	OW17-0358 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U003	WBT23-0132 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0060 (F,186)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U004	WBT23-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB19-0112 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U005	WBT23-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0177 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U006	WBT23-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0097 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U007	WBT23-0137 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0003 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U008	WBT23-0138 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0116 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U009	WBT23-0139 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0047 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	47899

Report Date : 13-Aug-2024 11:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16379U010	WBT23-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0027 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U011	WBT23-0141 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0017 (F,186)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U012	WBT23-0142 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0033 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U013	WBT23-0143 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0058 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U014	WBT23-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB21-0001 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U015	WBT23-0145 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0066 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U016	WBT23-0146 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0124 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U017	WBT23-0147 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0086 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U018	WBT23-0148 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0008 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U019	WBT23-0149 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0046 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U020	WBT23-0150 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0068 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899

Report Date : 13-Aug-2024 11:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Tissue Type	RESULT	INVOICE
16379U021	WBT23-0151 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB19-0003 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U022	WBT23-0152 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0264 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U023	WBT23-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0019 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U024	WBT23-0154 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0054 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U025	WBT23-0155 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0120 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U026	WBT23-0156 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0039 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U027	WBT23-0157 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0116 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U028	WBT23-0158 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0079 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U029	WBT23-0159 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0003 (F,186)(Not Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	47899
16379U030	WBT23-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0014 (F,186)(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	47899
16379U031	WBT23-0161 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0020 (F,91)(Valid)	WBT21-0066 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899

Report Date : 13-Aug-2024 11:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2023-04-26

Batch : 13064U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13064U018	WBT23-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0051 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45168

Report Date : 18-Dec-2023 14:21

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2023-11-24

Batch : 15997U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15997U001	WBT23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP20-0180 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U002	WBT23-0090 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0038 (F,186)(Not Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
15997U003	WBT23-0092 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0055 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U004	WBT23-0093 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT15-0022 (F,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U005	WBT23-0094 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0088 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U006	WBT23-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0016 (F,186)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U007	WBT23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0061 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U008	WBT23-0097 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0040 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U009	WBT23-0098 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0067 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 07-Dec-2023 13:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SAFE	TEST	Tissue Type	RESULT	INVOICE
15997U010	WBT23-0099 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB18-0004 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U011	WBT23-0100 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0050 (F,186)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U012	WBT23-0101 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0065 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U013	WBT23-0111 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0038 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U014	WBT23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0069 (F,186)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U015	WBT23-0113 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0039 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U016	WBT23-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0043 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U017	WBT23-0115 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0277 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U018	WBT23-0116 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0073 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U019	WBT23-0118 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0079 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U020	WBT23-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0064 (F,186)(Not Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	

Report Date : 07-Dec-2023 13:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15997U021	WBT23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0049 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U022	WBT23-0121 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0042 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U023	WBT23-0122 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0031 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U024	WBT23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0032 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U025	WBT23-0124 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0054 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U026	WBT23-0127 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0006 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U027	WBT23-0128 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0121 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U028	WBT23-0129 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0043 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U029	HOT21-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO16-0105 (F,91)(Valid)	HOT16-0298 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 07-Dec-2023 13:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Batch Detail Report

Created : 2024-02-12

Batch : 16828U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16828U001	WBT22-0001 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0051 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U002	WBT23-0014 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0043 (F,91)(Not Valid) +	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16828U003	WBT23-0031 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0107 (F,91)(Valid) ✓	AGO18-0019 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U004	WBT23-0203 (N/S,91)	CATTLE	DROUGHT MASTER (91)	✓	CSA17-0062 (M,91)(Valid) ✓	PAR_C	Hair	SV : Sire Valid	
16828U005	WBT23-0230 (N/S,91)	CATTLE	DROUGHT MASTER (91)	W14-0478D (F,91)(Valid) ✓	CSA15-0008 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U006	WBT23-0235 (N/S,91) -	CATTLE	DROUGHT MASTER (91)	W14-0478D (F,91)(Valid)	CSA15-0008 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U007	WBT24-0001 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0051 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U008	WBT24-0002 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0017 (F,186)(Valid) ✖	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U009	WBT24-0003 (N/S,91)	CATTLE	DROUGHT MASTER (91)	✓	✓	PAR_C	Hair	HER02 : Test to be repeated by lab	

Report Date : 28-Feb-2024 11:23

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16828U010	WB124-0004 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB121-0076 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U011	WB124-0005 (N/S,91)	CATTLE	DROUGHT MASTER (91)	HOT15-0186 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U012	WB124-0006 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB119-0048 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16828U013	WB123-0035 (Sample =WB122-0035) (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB118-0004 (F,91)(Not Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	

Report Date : 28-Feb-2024 11:23

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2023-04-26

Batch : 13064U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAY	SIRE	TEST	Tissue Type	RESULT	INVOICE
P 13064U018	WBT23-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0051 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45168

Report Date : 18-Dec-2023 14:21

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2023-06-21

Batch : 13873U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U001	WBT23-0012 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0041 (F,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U002	WBT23-0014 (M,91)	CATTLE	DROUGHT MASTER (91)	✓	✓	PAR_C	Hair	NSR : No Sample Received	01
13873U003	WBT23-0019 (M,91)	CATTLE	DROUGHT MASTER (91)	✓	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U004	WBT23-0019 (M,91)	CATTLE	DROUGHT MASTER (91)			ST_C	Hair	Store : Store this sample	01
13873U005	WBT23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)	✓	✓	PAR_C	Hair	NSR : No Sample Received	01
13873U006	WBT23-0033 (M,91)	CATTLE	DROUGHT MASTER (91)	✓	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U007	WBT23-0035 (F,91)	CATTLE	DROUGHT MASTER (91)	✓	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U008	WBT23-0036 (M,91)	CATTLE	DROUGHT MASTER (91)	✓	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U009	WBT23-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	✓	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U010	WBT23-0038 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0065 (F,186)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U011	WBT23-0039 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0022 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U012	KPB23-0040 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0068 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U013	WBT23-0041 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0056 (F,186)(Valid) ✓	C10-0021 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U014	WBT23-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0004 (F,91)(Valid) ✓	OW17-0395 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U015	WBT23-0043 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0133 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U016	WBT23-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0015 (F,186)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U017	WBT23-0045 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0013 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U018	WBT23-0046 (F,91) ✓	CATTLE	DROUGHT MASTER (91)	WBT20-0104 (F,186)(Valid)	C10-0021 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U019	WBT23-0047 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0010 (F,186)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U020	WBT23-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0084 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U021	WBT23-0050 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0063 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U022	WB123-0051 (M,91)	CATTLE	DROUGHT MASTER (91)	WB113-0041 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U023	WB123-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	WB118-0031 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U024	WB123-0053 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0278 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U025	WB123-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	WB114-0018 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U026	WB123-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	WB118-0102 (F,186)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U027	WB123-0056 (F,91)	CATTLE	DROUGHT MASTER (91)	WB117-0087 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U028	WB123-0057 (F,91)	CATTLE	DROUGHT MASTER (91)	WB119-0087 (F,186)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U029	WB123-0200 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U030	WB123-0201 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U031	WB123-0202 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0206 (F,91)(Valid)	VOVA17-0017 (N/S,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U032	WB123-0203 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
13873U033	WBT23-0204 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U034	WBT23-0205 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U035	WBT23-0206 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0104 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U036	WBT23-0207 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U037	WBT23-0208 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U038	WBT23-0211 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U039	WBT23-0212 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U040	WBT23-0213 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U041	WBT23-0214 (M,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	C11-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U042	WBT23-0215 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0104 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923
13873U043	WBT23-0216 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0011 (F,91)(Valid)	C11-0034 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	45923

Report Date : 16-Jan-2024 07:25

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2023-11-24

Batch : 15997U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15997U001	WBT23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP20-0180 (F,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U002	WBT23-0090 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT13-0038 (F,186)(Not Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
15997U003	WBT23-0092 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0055 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U004	WBT23-0093 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT15-0022 (F,91)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U005	WBT23-0094 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0088 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U006	WBT23-0095 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0016 (F,186)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U007	WBT23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0061 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U008	WBT23-0097 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0040 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U009	WBT23-0098 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0067 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 07-Dec-2023 13:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15997U010	WBT23-0099 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB18-0004 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U011	WBT23-0100 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0050 (F,186)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U012	WBT23-0101 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0065 (F,91)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U013	WBT23-0111 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0038 (F,186)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U014	WBT23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0069 (F,186)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U015	WBT23-0113 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0039 (F,91)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U016	WBT23-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0043 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U017	WBT23-0115 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0277 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U018	WBT23-0116 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0073 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U019	WBT23-0118 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0079 (F,91)(Valid) ✓	WBT20-0112 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U020	WBT23-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0064 (F,186)(Not Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	

Report Date : 07-Dec-2023 13:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15997U021	WBT23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0049 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U022	WBT23-0121 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0042 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U023	WBT23-0122 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0031 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U024	WBT23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0032 (F,186)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U025	WBT23-0124 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0054 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U026	WBT23-0127 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0006 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U027	WBT23-0128 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0121 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U028	WBT23-0129 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0043 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15997U029	HOT21-0054 (F,91) ✓	CATTLE	DROUGHT MASTER (91)	AGO16-0105 (F,91)(Valid)	HOT16-0298 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 07-Dec-2023 13:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2023-08-08

Batch : 1455,
Owner : Carl Cro
Farm : Rudolph Boerdery Tr
Account : CROL
Origin : PRIVAT
Invoice To : Ownr

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TestType	RESULT	INVOICE
14554U001	WBT23-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0183 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U002	WBT23-0031 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0107 (F,186)(Valid)	AG018-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U003	KPB23-0032 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB19-0002 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U004	WBT23-0037 (F,91)	CATTLE	DROUGHT MASTER (91)	KPB14-0098 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U005	WBT23-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0050 (F,91)(Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U006	WBT23-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0093 (F,186)(Valid)	OW17-0395 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U007	WBT23-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0235 (M,91)(Not Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U008	WBT23-0067 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0101 (F,91)(Valid)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
14554U009	WBT23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0107 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid		

Report Date : 30-Aug-2023 14:31

Unisel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unisel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Breed		Dam		Sire		Test		Result		Invoice	
Animal ID	Sex/Age	Animal ID	Sex/Age	Animal ID	Sex/Age	Test Type	Result	Animal ID	Sex/Age	Animal ID	Sex/Age
14554U011	WTB23-0225 (M,91)	CATTLE	DROUGHT MASTER (91)	WTB17-0035 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U012	WTB23-0226 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)(Not Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U013	WTB23-0227 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0181 (F,91)(Not Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U014	WTB23-0228 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0043 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U015	WTB23-0229 (M,91)	CATTLE	DROUGHT MASTER (91)	OW18-0417 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U016	WTB23-0230 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0310 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U017	WTB23-0231 (F,91)	CATTLE	DROUGHT MASTER (91)	W14-0478D (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U018	WTB23-0232 (F,91)	CATTLE	DROUGHT MASTER (91)	LVH13-0012 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U019	WTB23-0233 (F,91)	CATTLE	DROUGHT MASTER (91)	OW15-0044 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U020	WTB23-0234 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0092 (F,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
14554U021	WTB23-0235 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0008 (M,91)(Valid)	✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded			
Report Date : 30-Aug-2023 14:31											
Unisiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unisiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unisiel Medical Laboratories participates in ISAG comparison to ensure the highest quality of results. Therefore incorporates international scoring standards in the generation of our STR profiles.											

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
14554U022	WBT23-0236 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0202 (F,91)/(Not Valid)	DO05-0021 (M,91)/(Not Valid) C11-0243 (M,91)/(Not Valid) C11-0505 (M,91)/(Not Valid)	PAR...C	Hair	Dam Excluded, Sire Valid	
								DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	

Report Date : 30-Aug-2023 14:31

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 19438U

Owner :Carl Crous

Farm :Rudolph Boerdery Trust

Account : CROU1

Origin : PRIVATE

Invoice To : Owner

Created : 2024-08-19

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19438U001	WB124-0102 (N/S,91) false	CATTLE	DROUGHT MASTER (91)	WB119-0002 (F,91)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U002	WB124-0103 (N/S,91)	CATTLE	DROUGHT MASTER (91)		WB120-0112 (M,186)(Valid) ✓	PAR_C	Hair	SV : Sire Valid	
19438U003	WB124-0105 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB120-0084 (N/S,186)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U004	WB124-0106 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB119-0063 (F,186)(Valid) ✓	WB120-0112 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U005	WB124-0107 (N/S,91)	CATTLE	DROUGHT MASTER (91)		WB121-0001 (M,186)(Valid) ✓	PAR_C	Hair	SV : Sire Valid	
19438U006	WB124-0108 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB120-0036 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U007	WB124-0109 (N/S,91) false	CATTLE	DROUGHT MASTER (91)	GRB16-0088 (F,91)(Not Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	
19438U008	WB124-0110 (N/S,91) false	CATTLE	DROUGHT MASTER (91)	WB123-0035 (N/S,91)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW

DIVISION MANAGER



Batch Detail Report

Created : 2024-06-18

Batch : 18482U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18482U001	WB124-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	WB118-0102 (F,186)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U002	WB124-0051 (F,91)	CATTLE	DROUGHT MASTER (91)	WB117-0133 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U003	WB124-0052 (M,91)	CATTLE	DROUGHT MASTER (91)	WB122-0006 (F,186)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U004	WB124-0053 (M,91)	CATTLE	DROUGHT MASTER (91)		CTM17-0017 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
18482U005	WB124-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	WB121-0102 (F,186)(Valid)	WB121-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U006	WB124-0055 (F,91)	CATTLE	DROUGHT MASTER (91)	WB113-0013 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U007	WB124-0056 (M,91)	CATTLE	DROUGHT MASTER (91)	WB119-0055 (F,91)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U008	WB124-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	WB120-0039 (F,186)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U009	WB124-0058 (F,91)	CATTLE	DROUGHT MASTER (91)	WB121-0077 (F,186)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 08-Jul-2024 07:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18482U010	WB124-0059 (F,91)	CATTLE	DROUGHT MASTER (91)	WB121-0108 (F,186)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
18482U011	WB124-0060 (F,91)	CATTLE	DROUGHT MASTER (91)	WB119-0065 (F,186)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 08-Jul-2024 07:55

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2024-01-08

Batch : 16379U
Owner : Carl Crous
Farm :Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16379U001	WBT23-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0055 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U002	WBT23-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	OW17-0358 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U003	WBT23-0132 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0060 (F,186)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U004	WBT23-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB19-0112 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U005	WBT23-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0177 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U006	WBT23-0136 (M,91) <i>Fake</i>	CATTLE	DROUGHT MASTER (91)	WBT19-0097 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U007	WBT23-0137 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0003 (F,186)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U008	WBT23-0138 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0116 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899
16379U009	WBT23-0139 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0047 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	47899

Report Date : 13-Aug-2024 11:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16379U010	WBT23-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0027 (F,91)(Valid) ✓	WBT20-0112 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U011	WBT23-0141 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0017 (F,186)(Valid) ✓	TOP17-0175 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U012	WBT23-0142 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0033 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U013	WBT23-0143 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0058 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U014	WBT23-0144 (M,91) <i>Fault</i>	CATTLE	DROUGHT MASTER (91)	KPB21-0001 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U015	WBT23-0145 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0066 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U016	WBT23-0146 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0124 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U017	WBT23-0147 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0086 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U018	WBT23-0148 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0008 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U019	WBT23-0149 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0046 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U020	WBT23-0150 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0068 (F,91)(Valid)	HOT18-0443 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899

Report Date : 13-Aug-2024 11:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. **Disclaimer:** While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract **Please note:** some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16379U021	WBT23-0151 (M,91)	CATTLE	DROUGHT MASTER (91)	KPB19-0003 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U022	WBT23-0152 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB19-0264 (F,91)(Valid) ✓	VOVA17-0017 (N/S,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U023	WBT23-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0019 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U024	WBT23-0154 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0054 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U025	WBT23-0155 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0120 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U026	WBT23-0156 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0039 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U027	WBT23-0157 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0116 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U028	WBT23-0158 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0079 (F,186)(Valid) ✓	HOT18-0443 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899
16379U029	WBT23-0159 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0003 (F,186)(Not Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	47899
16379U030	WBT23-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0014 (F,186)(Valid) ✓	WB121-0066 (M,186)(Valid) ✓	PAR_C	Hair	DVMSX : Dam Valid, Multiple Nominated Sires Excluded	47899
16379U031	WBT23-0161 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0020 (F,91)(Valid)	WB121-0066 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47899

FA
False

Report Date : 13-Aug-2024 11:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2024-06-21

Batch : 18538U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U001	WBT24-0062 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0055 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U002	WBT24-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0574 (F,91)(Valid) ✓	WBT21-0001 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U003	WBT24-0064 (F,91)	CATTLE	DROUGHT MASTER (91)	HS20-0552 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U004	WBT24-0065 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0132 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U005	WBT24-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0058 (F,186)(Valid) ✓	WBT21-0006 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U006	WBT24-0067 (M,91) <i>- Fake</i>	CATTLE	DROUGHT MASTER (91)	WBT22-0007 (F,186)(Valid)	WBT21-0001 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U007	WBT24-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0587 (F,91)(Valid) ✓	WBT21-0006 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U008	WBT24-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0094 (F,91)(Valid) ✓	WBT21-0006 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U009	WBT24-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0078 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604

Report Date : 03-Sep-2024 13:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
18538U010	WBT24-0071 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0084 (F,91)(Valid) ✓	HS19-0107 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U011	WBT24-0073 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT18-0071 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U012	WBT24-0074 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0093 (F,186)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U013	WBT24-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB16-0062 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U014	WBT24-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0630 (F,91)(Valid) ✓	WBT21-0001 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U015	WBT24-0077 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0071 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U016	WBT24-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0572 (F,91)(Valid) ✓	WBT21-0006 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U017	WBT24-0079 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB13-0018 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U018	WBT24-0080 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0034 (F,186)(Valid) ✓	HS19-0107 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604
18538U019	WBT24-0081 (F,91) <i>False</i>	CATTLE	DROUGHT MASTER (91)	HOT16-0253 (F,91)(Not Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Excluded, Sire Valid	49604
18538U020	WBT24-0082 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0080 (F,91)(Valid) ✓	WBT20-0112 (M,186)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49604

Report Date : 03-Sep-2024 13:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Teste Type	RESULT	INVOICE
18538U021	WBT24-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT19-0028 (F,186)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49604
18538U022	WBT24-0084 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT21-0819 (F,91)(Valid) ✓	WBT21-0006 (M,186)(Valid) ✓	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49604
18538U023	WBT24-0085 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0028 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49604
18538U024	WBT24-0086 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0287 (F,91)(Valid) ✓	CTM17-0017 (M,91)(Valid) ✓	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49604
18538U025	WBT24-0087 (F,91) Faulte	CATTLE	DROUGHT MASTER (91)	WBT17-0018 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49604
18538U026	WBT24-0088 (M,91) Faulte	CATTLE	DROUGHT MASTER (91)	WBT13-0024 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	49604

Report Date : 03-Sep-2024 13:48

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.



Batch Detail Report

Created : 2024-07-23

Batch : 19004U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19004U001	WB124-0089 (N/S,91) <i>False</i>	CATTLE	DROUGHT MASTER (91)		WB121-0006 (M,186)(Valid)	PAR_C	Hair	SV : Sire Valid	49959
19004U002	WB124-0090 (N/S,91) <i>False</i>	CATTLE	DROUGHT MASTER (91)	GRB16-0013 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U003	WB124-0091 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB120-0116 (F,186)(Valid)		PAR_C	Hair	DVMSNX : Dam Valid, Multiple Nominated Sires Excluded	49959
19004U004	WB124-0092 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB122-0020 (F,186)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U005	WB124-0094 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB118-0068 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U006	WB124-0095 (N/S,91)	CATTLE	DROUGHT MASTER (91)	GRB15-0278 (F,91)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U007	WB124-0096 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB113-0050 (F,186)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U008	WB124-0097 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB121-0631 (F,91)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U009	WB124-0098 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB119-0082 (F,91)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	49959

Report Date : 03-Sep-2024 13:46

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19004U010	WBT24-0099 (N/S,91)	CATTLE	DROUGHT MASTER (91)	HOT21-0780 (F,91)(Valid) ✓	HOT15-0208 (M,91)(Valid) ✓	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U011	WBT24-0101 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0039 (F,186)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	49959
19004U012	WBT23-0329 (N/S,91) - Fake	CATTLE	DROUGHT MASTER (91)		TOP17-0175 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	49959
19004U013	WBT24-0072 (N/S,91) -	CATTLE	DROUGHT MASTER (91)	HOT21-0853 (F,91)(Valid)	HOT20-0730 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959
19004U014	WBT24-0061 (N/S,91) - Fake	CATTLE	DROUGHT MASTER (91)	SGC17-0060 (F,91)(Valid)	WBT20-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	49959

Report Date : 03-Sep-2024 13:46

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2024-08-19

Batch : 19438U
Owner : Carl Crous
Farm : Rudolph Boerdery Trust
Account : CROU1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
19438U001	WB124-0102 (N/S,91) Fake	CATTLE	DROUGHT MASTER (91)	WB119-0002 (F,91)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U002	WB124-0103 (N/S,91) Fake	CATTLE	DROUGHT MASTER (91)		WB120-0112 (M,186)(Valid)	PAR_C	Hair	SV : Sire Valid	
19438U003	WB124-0105 (N/S,91) Fake	CATTLE	DROUGHT MASTER (91)	WB120-0084 (N/S,186)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U004	WB124-0106 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB119-0063 (F,186)(Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U005	WB124-0107 (N/S,91)	CATTLE	DROUGHT MASTER (91)		WB121-0001 (M,186)(Valid)	PAR_C	Hair	SV : Sire Valid	
19438U006	WB124-0108 (N/S,91)	CATTLE	DROUGHT MASTER (91)	WB120-0036 (F,91)(Valid)	CTM17-0017 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
19438U007	WB124-0109 (N/S,91) Fake	CATTLE	DROUGHT MASTER (91)	GRB16-0088 (F,91)(Not Valid)	WB120-0112 (M,186)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
19438U008	WB124-0110 (N/S,91) Fake	CATTLE	DROUGHT MASTER (91)	WB123-0035 (N/S,91)(Valid)	WB121-0006 (M,186)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Sep-2024 09:58

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER