

Batch Detail Report

Batch : 2126U
Created : 25-Sep-2020 11:35
Owner : PE Roux Trust
Farm : Hopefield
Account : PERO01
Origin : PRIVATE

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2126U001	PER12-0128 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U002	PER14-0210 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U003	PER15-0187 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U004	PER14-0112 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U005	PER14-0071 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U006	PER13-0153 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U007	PER13-0117 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U008	PER14-0135 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U009	PER13-0131 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U010	PER15-0108 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U011	PER14-0116 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U012	PER15-0032 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U013	PER11-0072 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	

Report Date : 12-Oct-2020 09:29

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2126U014	PER12-0080 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U015	PER08-0058 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	
2126U016	PER19-0196 (F,1)	CATTLE	BONSMARA (1)	PER12-0128 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U017	PER19-0206 (F,1)	CATTLE	BONSMARA (1)	PER14-0210 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U018	PER20-0053 (F,1)	CATTLE	BONSMARA (1)	PER15-0187 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U019	PER20-0055 (F,1)	CATTLE	BONSMARA (1)	PER14-0112 (F,1)(Valid)	JFE10-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U020	PER20-0072 (F,1)	CATTLE	BONSMARA (1)	PER14-0071 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U021	PER20-0077 (F,1)	CATTLE	BONSMARA (1)	PER13-0153 (F,1)(Valid)	JFE10-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U022	PER20-0088 (M,1)	CATTLE	BONSMARA (1)	PER13-0117 (F,1)(Valid)	PER13-0013 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U023	PER20-0094 (F,1)	CATTLE	BONSMARA (1)	PER14-0135 (F,1)(Valid)	PER13-0013 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U024	PER20-0057 (F,1)	CATTLE	BONSMARA (1)	PER13-0131 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U025	PER20-0066 (M,1)	CATTLE	BONSMARA (1)	PER15-0108 (F,1)(Valid)	JFE10-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U026	PER20-0069 (M,1)	CATTLE	BONSMARA (1)	PER14-0116 (F,1)(Valid)	JFE10-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Oct-2020 09:29

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2126U027	PER20-0081 (F,1)	CATTLE	BONSMARA (1)	PER13-0146 (F,1)(Valid)	PER13-0013 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U028	PER20-0064 (F,1)	CATTLE	BONSMARA (1)	PER15-0032 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U029	PER20-0065 (M,1)	CATTLE	BONSMARA (1)	PER11-0072 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U030	PER20-0071 (M,1)	CATTLE	BONSMARA (1)	PER12-0080 (F,1)(Valid)	PER10-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U031	PER20-0096 (M,1)	CATTLE	BONSMARA (1)	PER09-0045 (F,1)(Valid)	PER14-0043 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U032	PER20-0078 (F,1)	CATTLE	BONSMARA (1)	PER08-0058 (F,1)(Valid)	PER17-0010 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2126U033	PER20-0093 (M,1)	CATTLE	BONSMARA (1)	PER12-0024 (F,1)(Valid)	PER14-0043 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 12-Oct-2020 09:29

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR