

Batch Detail Report

Batch : 1705U
Created : 20-Aug-2020 13:27
Owner : Allem Brothers
Farm : Vlakpan
Account : ALLB01

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1705U001	ABB09-0210 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U002	ABB12-0418 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U003	ABB12-0329 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U004	ABB10-0349 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U005	JRP08-0027 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U006	BHB12-0091 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U007	NFS06-0309 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U008	LAR16-0108 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U009	NFS06-0309 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U010	NFS15-0131 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U011	CRV12-0058 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U012	CEF08-0085 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U013	ABB17-0149 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715

Report Date : 10-Nov-2020 16:56

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1705U014	ABB17-0242 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U015	ABB17-0213 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U016	ABB17-0006 (F,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U017	ABB16-0156 (M,1)	CATTLE	BONSMARA (1)			PROF_C	PU : Profile (Unistel)	35715
1705U017	ABB16-0156 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 : IGENITY 50K	
1705U018	ABB10-0076 (M,1)	CATTLE	BONSMARA (1)		WAT05-0078 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U018	ABB10-0076 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 : IGENITY 50K	
1705U018	ABB10-0076 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U019	ABB11-0233 (M,1)	CATTLE	BONSMARA (1)			PAR_C	mNSX : Multiple Nominated Sires Excluded	35715
1705U019	ABB11-0233 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	HER02 : Test to be repeated by lab	
1705U020	ABB11-0376 (M,1)	CATTLE	BONSMARA (1)		LPS06-0082 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U020	ABB11-0376 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U021	ABB11-0437 (M,1)	CATTLE	BONSMARA (1)		LAR07-0037 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U021	ABB11-0437 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U022	ABB11-0517 (M,1)	CATTLE	BONSMARA (1)		DZT06-0166 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U022	ABB11-0517 (M,1)	CATTLE	BONSMARA			SNP50_C	IG50 :	

Report Date : 10-Nov-2020 16:56

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)					
1705U023	ABB13-0201 (M,1)	CATTLE	BONSMARA (1)		ABB10-0076 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U023	ABB13-0201 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U024	ABB13-0501 (M,1)	CATTLE	BONSMARA (1)		ABB10-0076 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U024	ABB13-0501 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U025	ABB14-0515 (M,1)	CATTLE	BONSMARA (1)	NFS08-0053 (F,1)(Valid)	ABB10-0076 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U025	ABB14-0515 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U026	ABB14-0538 (M,1)	CATTLE	BONSMARA (1)	MCH05-0003 (F,1)(Valid)	JFE10-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U026	ABB14-0538 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U027	ABB15-0190 (M,1)	CATTLE	BONSMARA (1)	ABB09-0210 (F,1)(Valid)	ABB10-0076 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U027	ABB15-0190 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U028	ABB15-0354 (M,1)	CATTLE	BONSMARA (1)	ABB12-0418 (F,1)(Valid)	JFE10-0038 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U028	ABB15-0354 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U029	ABB16-0063 (M,1)	CATTLE	BONSMARA (1)	ABB12-0329 (F,1)(Valid)	NFS12-0037 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U029	ABB16-0063 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	

Report Date : 10-Nov-2020 16:56

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1705U030	ABB16-0223P (M,1)	CATTLE	BONSMARA (1)		ABB11-0437 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U030	ABB16-0223P (M,1)	CATTLE	BONSMARA (1)			POLL_C	POL2 : Heterozygous Polled	35715
1705U030	ABB16-0223P (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U031	ABB16-0385P (M,1)	CATTLE	BONSMARA (1)	ABB10-0349 (F,1)(Valid)	LAR07-0037 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U031	ABB16-0385P (M,1)	CATTLE	BONSMARA (1)			POLL_C	POL2 : Heterozygous Polled	35715
1705U031	ABB16-0385P (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U032	ABB17-0211 (M,1)	CATTLE	BONSMARA (1)	ABB07-0188 (F,1)(Valid)	NFS12-0187 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U032	ABB17-0211 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U033	ABB18-0323 (M,1)	CATTLE	BONSMARA (1)	JRP08-0027 (F,1)(Valid)	ABB10-0076 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U033	ABB18-0323 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U034	ABB18-0324 (M,1)	CATTLE	BONSMARA (1)	BHB12-0091 (F,1)(Valid)	ABB15-0354 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U034	ABB18-0324 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U035	ABB18-0364 (M,1)	CATTLE	BONSMARA (1)	AG06-0017 (F,1)(Valid)	AG13-0531 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U035	ABB18-0364 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U036	FCT09-0242 (M,1)	CATTLE	BONSMARA		FCT05-0127 (M,1)(Valid)	PAR_C	SV :	35715

Report Date : 10-Nov-2020 16:56

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Sire Valid	
1705U036	FCT09-0242 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U037	HCO16-0075 (M,1)	CATTLE	BONSMARA (1)		HCO12-0285 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U037	HCO16-0075 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U038	HTC12-0198 (M,1)	CATTLE	BONSMARA (1)		AEJ09-0020 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U038	HTC12-0198 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U039	HTC14-0033 (M,1)	CATTLE	BONSMARA (1)		AG05-0263 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U039	HTC14-0033 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U040	JHL16-0106 (M,1)	CATTLE	BONSMARA (1)	HDT10-0054 (F,1)(Valid)	BG08-0102 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U040	JHL16-0106 (M,1)	CATTLE	BONSMARA (1)			POLL_C	HH : HH = Homozygous Horned	35715
1705U040	JHL16-0106 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U041	JMP12-0176 (M,1)	CATTLE	BONSMARA (1)		NFS08-0032 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U041	JMP12-0176 (M,1)	CATTLE	BONSMARA (1)			POLL_C	HH : HH = Homozygous Horned	35715
1705U041	JMP12-0176 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U042	LAR15-0282 (M,1)	CATTLE	BONSMARA (1)		JRP11-0073 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U042	LAR15-0282 (M,1)	CATTLE	BONSMARA			SNP50_C	IG50 :	

Report Date : 10-Nov-2020 16:56

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)					
1705U043	LAR16-0446 (M,1)	CATTLE	BONSMARA (1)		ARB13-0063 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U043	LAR16-0446 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U044	LAR18-0012 (M,1)	CATTLE	BONSMARA (1)	LAR08-0057 (F,1)(Valid)	LAR14-0173 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U044	LAR18-0012 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U045	MCU17-0229 (M,1)	CATTLE	BONSMARA (1)	MCU13-0095 (F,1)(Valid)	MCU14-0134 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U045	MCU17-0229 (M,1)	CATTLE	BONSMARA (1)			POLL_C	POL2 : Heterozygous Polled	35715
1705U045	MCU17-0229 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U046	NFS14-0013 (M,1)	CATTLE	BONSMARA (1)		LAR07-0037 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U046	NFS14-0013 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U047	NFS16-0296 (M,1)	CATTLE	BONSMARA (1)	NFS11-0073 (F,1)(Valid)	WAT10-0247 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U047	NFS16-0296 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U048	NFS18-0303 (M,1)	CATTLE	BONSMARA (1)	NFS06-0309 (F,1)(Valid)	JPL12-0167 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U048	NFS18-0303 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U049	TMB14-0111 (M,1)	CATTLE	BONSMARA (1)		CEF03-0351 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715

Report Date : 10-Nov-2020 16:56

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1705U049	TMB14-0111 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 : IGENITY 50K	
1705U050	WAT16-0056 (M,1)	CATTLE	BONSMARA (1)	WAT09-0099 (F,1)(Valid)	WAT11-0153 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U050	WAT16-0056 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U051	WAT16-0202 (M,1)	CATTLE	BONSMARA (1)	WAT10-0065 (F,1)(Valid)	FCT11-0002 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U051	WAT16-0202 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U052	WBB16-0478 (M,1)	CATTLE	BONSMARA (1)		FCT12-0053 (M,1)(Valid)	PAR_C	SV : Sire Valid	35715
1705U052	WBB16-0478 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U053	ABB19-0285 (M,1)	CATTLE	BONSMARA (1)	LAR16-0108 (F,1)(Valid)	AG15-0738 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U053	ABB19-0285 (M,1)	CATTLE	BONSMARA (1)			SNP50_C	IG50 :	
1705U054	ABB19-0288 (F,1)	CATTLE	BONSMARA (1)	NFS06-0309 (F,1)(Not Valid) ABB17-0003 (F,1)(Not Valid) ABB13-0261 (F,1)(Not Valid) ABB12-0543 (F,1)(Not Valid) CRV11-0289 (F,1)(Not Valid)	NFS14-0154 (M,1)(Not Valid)	PAR_C	mNDXSX : Multiple Nominated Dams Excluded, Sire Excluded	35715
1705U055	ABB19-0312 (M,1)	CATTLE	BONSMARA (1)	AG09-0093 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U056	ABB19-0324 (F,1)	CATTLE	BONSMARA (1)	NFS15-0131 (F,1)(Valid)	NFS16-0296 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U057	ABB19-0330 (M,1)	CATTLE	BONSMARA (1)	CRV12-0058 (F,1)(Valid)	AG10-0179 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715

Report Date : 10-Nov-2020 16:56

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
1705U058	ABB19-0331 (F,1)	CATTLE	BONSMARA (1)	CRV12-0216 (F,1)(Valid)	CRV09-0338 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U059	ABB19-0353 (F,1)	CATTLE	BONSMARA (1)	AG08-0323 (F,1)(Valid)	AG17-0019 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U060	ABB19-0358 (M,1)	CATTLE	BONSMARA (1)	AG08-0312 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U061	ABB19-0375 (M,1)	CATTLE	BONSMARA (1)	AG09-0465 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U062	ABB19-0378 (F,1)	CATTLE	BONSMARA (1)	AG09-0276 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U063	ABB19-0333 (F,1)	CATTLE	BONSMARA (1)	CEF08-0085 (F,1)(Valid)	ABB15-0354 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	35715
1705U064	ABB19-0628 (M,1)	CATTLE	BONSMARA (1)	ABB17-0149 (F,1)(Valid)	ABB16-0156 (M,1)(Not Valid)	PAR_C	DVSX : Dam Valid, Sire Excluded	35715
1705U065	ABB19-0629 (F,1)	CATTLE	BONSMARA (1)	ABB17-0242 (F,1)(Valid)	ABB16-0156 (M,1)(Not Valid)	PAR_C	DVSX : Dam Valid, Sire Excluded	35715
1705U066	ABB19-0632 (M,1)	CATTLE	BONSMARA (1)	ABB17-0213 (F,1)(Valid)	ABB16-0156 (M,1)(Not Valid)	PAR_C	DVSX : Dam Valid, Sire Excluded	35715
1705U067	ABB19-0307 (M,1)	CATTLE	BONSMARA (1)	ABB17-0006 (F,1)(Valid)	ABB16-0156 (M,1)(Not Valid)	PAR_C	DVSX : Dam Valid, Sire Excluded	35715

Report Date : 10-Nov-2020 16:56

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR