

Batch Detail Report

Batch : 2504U
Created : 03-Nov-2020 12:52
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U001	AG20-0333 (F,1)	CATTLE	BONSMARA (1)	AG17-0659 (F,1)(Valid)	AG13-0147 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U002	AG20-0334 (F,1)	CATTLE	BONSMARA (1)	AG14-0230 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U003	AG20-0335 (M,1)	CATTLE	BONSMARA (1)	AG18-0030 (F,1)(Not Valid)	AG16-0456 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
2504U004	AG20-0336 (F,1)	CATTLE	BONSMARA (1)	AG12-0119 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U005	AG20-0337 (M,1)	CATTLE	BONSMARA (1)	AG17-0284 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U006	AG20-0338 (F,1)	CATTLE	BONSMARA (1)	AG15-0392 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U007	AG20-0339 (M,1)	CATTLE	BONSMARA (1)	AG17-0137 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U008	AG20-0340 (M,1)	CATTLE	BONSMARA (1)	AG15-0264 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U009	AG20-0342 (F,1)	CATTLE	BONSMARA (1)	AG15-0181 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U010	AG20-0343 (F,1)	CATTLE	BONSMARA (1)	AG18-0107 (F,1)(Valid)	AG16-0245 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 13-Nov-2020 11:48

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U011	AG20-0344 (M,1)	CATTLE	BONSMARA (1)	AG18-0494 (F,1)(Not Valid)	AG14-0311 (M,1)(Valid) AG15-0397 (M,1)(Valid) AG16-0090 (M,1)(Valid) AG16-0386 (M,1)(Valid) AG18-0741 (M,1)(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
2504U012	AG20-0345 (F,1)	CATTLE	BONSMARA (1)	AG15-0318 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U013	AG20-0346 (M,1)	CATTLE	BONSMARA (1)	AG15-0310 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U014	AG20-0347 (M,1)	CATTLE	BONSMARA (1)	AG11-0407 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U015	AG20-0348 (F,1)	CATTLE	BONSMARA (1)	AG16-0289 (F,1)(Valid)	MCU18-0096 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U016	AG20-0349 (M,1)	CATTLE	BONSMARA (1)	AG15-0354 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U017	AG20-0350 (F,1)	CATTLE	BONSMARA (1)	AG18-0289 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U018	AG20-0351 (F,1)	CATTLE	BONSMARA (1)	AG18-0289 (F,1)(Not Valid)	AG15-0009 (M,1)(Valid) AG15-0289 (M,1)(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	
2504U019	AG20-0352 (F,1)	CATTLE	BONSMARA (1)	AG12-0199 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U020	AG20-0353 (F,1)	CATTLE	BONSMARA (1)	AG18-0277 (F,1)(Valid)	AG16-0245 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U021	AG20-0354 (M,1)	CATTLE	BONSMARA (1)	AG14-0349 (F,1)(Valid)	AG16-0515 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U022	AG20-0355 (M,1)	CATTLE	BONSMARA (1)	AG12-0254 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 13-Nov-2020 11:48

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U023	AG20-0356 (F,1)	CATTLE	BONSMARA (1)	AG15-0309 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	
2504U024	AG20-0357 (M,1)	CATTLE	BONSMARA (1)	AG15-0200 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U025	AG20-0358 (F,1)	CATTLE	BONSMARA (1)	AG14-0129 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U026	AG20-0360 (M,1)	CATTLE	BONSMARA (1)	AG18-0114 (F,1)(Valid)	GZV16-0111 (U,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U027	AG20-0361 (F,1)	CATTLE	BONSMARA (1)	AG17-0790 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U028	AG20-0362 (M,1)	CATTLE	BONSMARA (1)	AG18-0756 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U029	AG20-0363 (F,1)	CATTLE	BONSMARA (1)	AG17-0717 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U030	AG20-0364 (F,1)	CATTLE	BONSMARA (1)	AG12-0151 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U031	AG20-0365 (F,1)	CATTLE	BONSMARA (1)	AG17-0429 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U032	AG20-0366 (M,1)	CATTLE	BONSMARA (1)	AG14-0197 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U033	AG20-0367 (M,1)	CATTLE	BONSMARA (1)	AG17-0238 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U034	AG20-0368 (F,1)	CATTLE	BONSMARA (1)	AG18-0352 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
Report Date : 13-Nov-2020 11:48								Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U035	AG20-0369 (F,1)	CATTLE	BONSMARA (1)	AG17-0307 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U036	AG20-0370 (M,1)	CATTLE	BONSMARA (1)	AG11-0780 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U037	AG20-0371 (F,1)	CATTLE	BONSMARA (1)	AG11-0164 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U038	AG20-0372 (M,1)	CATTLE	BONSMARA (1)	AG12-0407 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U039	AG20-0373 (F,1)	CATTLE	BONSMARA (1)	AG15-0447 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U040	AG20-0374 (F,1)	CATTLE	BONSMARA (1)	AG16-0463 (F,1)(Valid)	CCV15-0108 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U041	AG20-0375 (F,1)	CATTLE	BONSMARA (1)	AG18-0511 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U042	AG20-0376 (M,1)	CATTLE	BONSMARA (1)	AG17-0163 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U043	AG20-0378 (M,1)	CATTLE	BONSMARA (1)	AG17-0127 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U044	AG20-0379 (M,1)	CATTLE	BONSMARA (1)	AG14-0389 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U045	AG20-0380 (M,1)	CATTLE	BONSMARA (1)	AG15-0319 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U046	AG20-0381 (M,1)	CATTLE	BONSMARA (1)	AG15-0320 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U047	AG20-0382 (F,1)	CATTLE	BONSMARA	AG15-0785 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 13-Nov-2020 11:48

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U048	AG20-0383 (F,1)	CATTLE	BONSMARA (1)	AG17-0167 (F,1)(Not Valid)	AG15-0422 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U049	AG20-0384 (M,1)	CATTLE	BONSMARA (1)	AG17-0179 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U050	AG20-0385 (F,1)	CATTLE	BONSMARA (1)	AG15-0466 (F,1)(Valid)	AG05-0418 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U051	AG20-0386 (F,1)	CATTLE	BONSMARA (1)	AG15-0887 (F,1)(Valid)	RHU15-0002 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U052	AG20-0387 (F,1)	CATTLE	BONSMARA (1)	AG16-0121 (F,1)(Valid)	AG15-0006 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U053	AG20-0388 (F,1)	CATTLE	BONSMARA (1)	AG15-0847 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U054	AG20-0389 (F,1)	CATTLE	BONSMARA (1)	AG16-0432 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U055	AG20-0391 (M,1)	CATTLE	BONSMARA (1)	AG17-0022 (F,1)(Valid)	AG16-0090 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U056	AG20-0392 (M,1)	CATTLE	BONSMARA (1)	AG17-0209 (F,1)(Not Valid)	AG16-0090 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U057	AG20-0393 (M,1)	CATTLE	BONSMARA (1)	AG17-0711 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U058	AG20-0395 (F,1)	CATTLE	BONSMARA (1)	AG18-0502 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	
2504U059	AG20-0396 (M,1)	CATTLE	BONSMARA (1)	AG17-0267 (F,1)(Valid)	AG13-0147 (M,1)(Valid)	PAR_C	Dam Valid, Sire Valid	

Report Date : 13-Nov-2020 11:48

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U060	AG20-0397 (F,1)	CATTLE	BONSMARA (1)	AG18-0455 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	
2504U061	AG20-0398 (F,1)	CATTLE	BONSMARA (1)	AG18-0896 (F,1)(Valid)	GZV16-0111 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U062	AG20-0400 (M,1)	CATTLE	BONSMARA (1)	AG14-0596 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U063	AG20-0401 (M,1)	CATTLE	BONSMARA (1)	AG14-0467 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U064	AG20-0402 (M,1)	CATTLE	BONSMARA (1)	AG15-0726 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U065	AG20-0403 (F,1)	CATTLE	BONSMARA (1)	AG12-0500 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U066	AG20-0404 (M,1)	CATTLE	BONSMARA (1)	AG13-0121 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U067	AG20-0405 (F,1)	CATTLE	BONSMARA (1)	AG11-0295 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U068	AG20-0406 (F,1)	CATTLE	BONSMARA (1)	AG11-0194 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U069	AG20-0407 (F,1)	CATTLE	BONSMARA (1)	AG17-0156 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U070	AG20-0409 (M,1)	CATTLE	BONSMARA (1)	AG18-0453 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U071	AG20-0411 (F,1)	CATTLE	BONSMARA (1)	AG17-0333 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 13-Nov-2020 11:48

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U072	AG20-0412 (F,1)	CATTLE	BONSMARA (1)	AG15-0306 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U073	AG20-0413 (M,1)	CATTLE	BONSMARA (1)	AG13-0090 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U074	AG20-0414 (F,1)	CATTLE	BONSMARA (1)	AG15-0717 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U075	AG20-0415 (F,1)	CATTLE	BONSMARA (1)	AG13-0157 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U076	AG20-0416 (F,1)	CATTLE	BONSMARA (1)	AG18-0399 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U077	AG20-0417 (M,1)	CATTLE	BONSMARA (1)		AG16-0314 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2504U078	AG20-0419 (M,1)	CATTLE	BONSMARA (1)	AG15-0374 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U079	AG20-0420 (F,1)	CATTLE	BONSMARA (1)	AG15-0119 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U080	AG20-0421 (AG20-0420) (M,1)	CATTLE	BONSMARA (1)	AG16-0459 (F,1)(Valid)	BBP13-0257 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U081	AG20-0422 (AG20-0420) (M,1)	CATTLE	BONSMARA (1)	AG12-0031 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U082	AG20-0423 (M,1)	CATTLE	BONSMARA (1)	AG11-0189 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U083	AG20-0424 (F,1)	CATTLE	BONSMARA (1)	AG15-0002 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2504U084	AG20-0426 (M,1)	CATTLE	BONSMARA (1)	AG18-0908 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 13-Nov-2020 11:48

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U085	AG20-0427 (F,1)	CATTLE	BONSMARA (1)	AG18-0528 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	Valid DVSU : Dam Valid, Sire Valid	
2504U086	AG20-0428 (F,1)	CATTLE	BONSMARA (1)	AG18-0139 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U087	AG20-0429 (F,1)	CATTLE	BONSMARA (1)	AG19-0011 (F,1)(Valid)	AG15-0956 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U088	AG20-0430 (F,1)	CATTLE	BONSMARA (1)	AG13-0335 (F,1)(Valid)	AG15-0289 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U089	AG20-0431 (M,1)	CATTLE	BONSMARA (1)	AG15-0936 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U090	AG20-0432 (F,1)	CATTLE	BONSMARA (1)	AG15-0337 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U091	AG20-0433 (F,1)	CATTLE	BONSMARA (1)	AG15-0444 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U092	AG20-0434 (M,1)	CATTLE	BONSMARA (1)	AG13-0358 (F,1)(Valid)	AG16-0050 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U093	AG20-0435 (F,1)	CATTLE	BONSMARA (1)	AG15-0750 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U094	AG20-0436 (F,1)	CATTLE	BONSMARA (1)	AG15-0456 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U095	AG20-0437 (M,1)	CATTLE	BONSMARA (1)	AG15-0716 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2504U096	AG20-0438 (F,1)	CATTLE	BONSMARA (1)	AG16-0108 (F,1)(Valid)	AG15-0006 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 13-Nov-2020 11:48

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR