

Batch Detail Report

Batch : 2536U
Created : 05-Nov-2020 11:04
Owner : Tribet Inv T/A Hassim Bonsmara
Farm : Hassim Bonsmara
Account : TRIB01
Origin : PRIVATE

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2536U001	BLN17-0079 (M,1)	CATTLE	BONSMARA (1)		AG11-0536 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2536U002	HAS19-0109 (F,1)	CATTLE	BONSMARA (1)	HAS13-0110 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U003	HAS19-0112 (F,1)	CATTLE	BONSMARA (1)	LAR14-0252 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U004	HAS19-0144 (F,1)	CATTLE	BONSMARA (1)	HAS12-0011 (U,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U005	HAS19-0159 (F,1)	CATTLE	BONSMARA (1)	JL09-0559 (F,1)(Valid)	HAS16-0081 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U006	HAS20-0081 (M,1)	CATTLE	BONSMARA (1)	SYF17-0205 (F,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U007	HAS20-0082 (M,1)	CATTLE	BONSMARA (1)	HAS16-0121 (U,1)(Valid)	SYF12-0293 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U008	HAS20-0083 (M,1)	CATTLE	BONSMARA (1)	BDX16-0077 (F,1)(Valid)	SYF16-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U009	HAS20-0084 (M,1)	CATTLE	BONSMARA (1)	BDX17-0055 (F,1)(Valid)	LAR09-0223 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U010	HAS20-0085 (M,1)	CATTLE	BONSMARA (1)	BDX17-0058 (F,1)(Valid)	LAR09-0223 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U011	HAS20-0086 (M,1)	CATTLE	BONSMARA	HAS14-0020 (U,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 18-Nov-2020 10:20

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
2536U012	HAS20-0087 (F,1)	CATTLE	BONSMARA (1)	BDX13-0039 (F,1)(Valid)	SYF16-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U013	HAS20-0088 (F,1)	CATTLE	BONSMARA (1)	BDX16-0048 (F,1)(Valid)	SYF15-0154 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U014	HAS20-0089 (M,1)	CATTLE	BONSMARA (1)	BDX09-0044 (F,1)(Valid)	SYF16-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U015	HAS20-0090 (M,1)	CATTLE	BONSMARA (1)	HAS17-0099 (U,1)(Valid)	SYF16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U016	HAS20-0091 (M,1)	CATTLE	BONSMARA (1)	SYF11-0311 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U017	HAS20-0092 (M,1)	CATTLE	BONSMARA (1)	AAM09-0010 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
2536U018	HAS20-0093 (F,1)	CATTLE	BONSMARA (1)	KRT15-0023 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
2536U019	HAS20-0094 (M,1)	CATTLE	BONSMARA (1)	BDX11-0022 (F,1)(Valid)	SYF16-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U020	HAS20-0095 (F,1)	CATTLE	BONSMARA (1)	SYF10-0276 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
2536U021	HAS20-0096 (F,1)	CATTLE	BONSMARA (1)	LAR15-0292 (F,1)(Valid)	HAS16-0081 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U022	HAS20-0098 (F,1)	CATTLE	BONSMARA (1)	SYF15-0203 (F,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 18-Nov-2020 10:20

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2536U023	HAS20-0100 (F,1)	CATTLE	BONSMARA (1)	AAM09-0091 (F,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U024	HAS20-0102 (F,1)	CATTLE	BONSMARA (1)	HAS17-0119 (U,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U025	HAS20-0106 (F,1)	CATTLE	BONSMARA (1)	SYF11-0017 (F,1)(Valid)	SYF14-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U026	HAS20-0107 (F,1)	CATTLE	BONSMARA (1)	HAS18-0024 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U027	HAS20-0108 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U028	HAS20-0109 (F,1)	CATTLE	BONSMARA (1)	HAS18-0016 (U,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U029	HAS20-0110 (F,1)	CATTLE	BONSMARA (1)	HAS18-0026 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U030	HAS20-0111 (F,1)	CATTLE	BONSMARA (1)	SYF17-0293 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U031	HAS20-0112 (M,1)	CATTLE	BONSMARA (1)	HAS18-0006 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U032	HAS20-0114 (M,1)	CATTLE	BONSMARA (1)	HAS17-0108 (U,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U033	HAS20-0117 (M,1)	CATTLE	BONSMARA (1)	SYF17-0283 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U034	HAS20-0118 (F,1)	CATTLE	BONSMARA (1)	KRT16-0006 (F,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 18-Nov-2020 10:20

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2536U035	HAS20-0120 (F,1)	CATTLE	BONSMARA (1)	HAS17-0167 (U,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U036	HAS20-0122 (M,1)	CATTLE	BONSMARA (1)	LAR10-0013 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U037	HAS20-0123 (M,1)	CATTLE	BONSMARA (1)	HAS14-0076 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U038	HAS20-0126 (M,1)	CATTLE	BONSMARA (1)	HAS16-0115 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U039	HAS20-0127 (F,1)	CATTLE	BONSMARA (1)	HAS16-0125 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U040	HAS20-0128 (F,1)	CATTLE	BONSMARA (1)	HAS16-0004 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U041	HAS20-0129 (M,1)	CATTLE	BONSMARA (1)	HAS16-0063 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U042	HAS20-0132 (M,1)	CATTLE	BONSMARA (1)	SYF17-0305 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U043	HAS20-0133 (F,1)	CATTLE	BONSMARA (1)	HAS17-0027 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U044	HAS20-0134 (F,1)	CATTLE	BONSMARA (1)	HAS16-0039 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U045	HAS20-0136 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U046	HAS20-0137 (M,1)	CATTLE	BONSMARA (1)	HAS16-0061 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U047	HAS20-0138 (F,1)	CATTLE	BONSMARA	HAS14-0053 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 18-Nov-2020 10:20

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
2536U048	HAS20-0139 (F,1)	CATTLE	BONSMARA (1)	BDX10-0045 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U049	HAS20-0140 (M,1)	CATTLE	BONSMARA (1)	KVB09-0133 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U050	HAS20-0142 (F,1)	CATTLE	BONSMARA (1)	HAS13-0216 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U051	HAS20-0143 (F,1)	CATTLE	BONSMARA (1)	SYF11-0244 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U052	HAS20-0144 (M,1)	CATTLE	BONSMARA (1)	VIL11-0234 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U053	HAS20-0145 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U054	HAS20-0148 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U055	HAS20-0149 (M,1)	CATTLE	BONSMARA (1)	HAS16-0022 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U056	HAS20-0152 (F,1)	CATTLE	BONSMARA (1)	HAS15-0090 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U057	HAS20-0154 (F,1)	CATTLE	BONSMARA (1)	HAS16-0107 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U058	HAS20-0155 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U059	HAS20-0157 (F,1)	CATTLE	BONSMARA (1)	HAS14-0041 (F,1)(Valid)	SYF15-0097 (M,1)(Valid) CKB11-0010 (M,1)(Valid)	PAR_C	DVmNSV : Dam Valid, Multiple	

Report Date : 18-Nov-2020 10:20

Page 5

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Nominated Sires Valid	
2536U060	HAS20-0158 (M,1)	CATTLE	BONSMARA (1)	BDX15-0023 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U061	HAS20-0159 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U062	HAS20-0160 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U063	HAS20-0161 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U064	HAS20-0162 (F,1)	CATTLE	BONSMARA (1)	LAR08-0299 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U065	HAS20-0164 (F,1)	CATTLE	BONSMARA (1)	SYF11-0358 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U066	HAS20-0165 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U067	HAS20-0166 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U068	HAS20-0168 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U069	HAS20-0169 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U070	HAS20-0171 (F,1)	CATTLE	BONSMARA (1)	HAS17-0034 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U071	HAS20-0172 (M,1)	CATTLE	BONSMARA (1)	HAS15-0041 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 18-Nov-2020 10:20

Page 6

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Valid	
2536U072	HAS20-0173 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U073	HAS20-0175 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U074	HAS20-0176 (F,1)	CATTLE	BONSMARA (1)	HAS16-0123 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U075	HAS20-0177 (M,1)	CATTLE	BONSMARA (1)	HAS16-0016 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U076	HAS20-0178 (F,1)	CATTLE	BONSMARA (1)	HAS17-0033 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U077	HAS20-0180 (F,1)	CATTLE	BONSMARA (1)	SYF14-0255 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U078	HAS20-0183 (F,1)	CATTLE	BONSMARA (1)	JL12-1268 (F,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U079	HAS20-0184 (F,1)	CATTLE	BONSMARA (1)	SYF07-0006 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U080	HAS20-0187 (F,1)	CATTLE	BONSMARA (1)	HAS15-0001 (U,1)(Valid)	SYF15-0097 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U081	HAS20-0188 (F,1)	CATTLE	BONSMARA (1)	BDX17-0019 (F,1)(Valid)	SYF16-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U082	HAS20-0189 (M,1)	CATTLE	BONSMARA (1)	HAS17-0012 (U,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U083	HAS20-0191 (M,1)	CATTLE	BONSMARA (1)	BDX14-0070 (F,1)(Valid)	SYF16-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 18-Nov-2020 10:20

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2536U084	HAS20-0193 (F,1)	CATTLE	BONSMARA (1)	HAS17-0031 (U,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U085	HAS20-0195 (F,1)	CATTLE	BONSMARA (1)	SYF14-0240 (U,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U086	HAS20-0197 (M,1)	CATTLE	BONSMARA (1)	AG10-0276 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U087	HAS20-0199 (F,1)	CATTLE	BONSMARA (1)	SYF14-0017 (U,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U088	HAS20-0200 (F,1)	CATTLE	BONSMARA (1)	HAS14-0040 (U,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U089	HAS20-0201 (M,1)	CATTLE	BONSMARA (1)	JL09-0420 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U090	HAS20-0203 (M,1)	CATTLE	BONSMARA (1)	SYF14-0320 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U091	HAS20-0206 (F,1)	CATTLE	BONSMARA (1)	SYF14-0138 (U,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U092	HAS20-0208 (F,1)	CATTLE	BONSMARA (1)	SYF11-0310 (F,1)(Valid)	SYF15-0155 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U093	HAS20-0209 (F,1)	CATTLE	BONSMARA (1)	ADV11-0289 (U,1)(Valid)		PAR_C	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
2536U094	HAS20-0210 (F,1)	CATTLE	BONSMARA (1)	VIL14-0210 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U095	HAS20-0211 (F,1)	CATTLE	BONSMARA (1)	ADV17-0271 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 18-Nov-2020 10:20

Page 8

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2536U096	HAS20-0212 (F,1)	CATTLE	BONSMARA (1)	HAS16-0128 (U,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U097	HAS20-0215 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2536U098	HAS20-0217 (M,1)	CATTLE	BONSMARA (1)	HAS17-0172 (U,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U099	HAS20-0218 (F,1)	CATTLE	BONSMARA (1)	HAS17-0035 (U,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U100	HAS20-0219 (F,1)	CATTLE	BONSMARA (1)	SYF17-0311 (F,1)(Valid)	LAR16-0332 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U101	HAS20-0220 (F,1)	CATTLE	BONSMARA (1)	HVD12-0004 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U102	HAS20-0221 (F,1)	CATTLE	BONSMARA (1)	SYF13-0009 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U103	HAS20-0222 (M,1)	CATTLE	BONSMARA (1)	BDX15-0050 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U104	HAS20-0223 (M,1)	CATTLE	BONSMARA (1)	SYF11-0328 (F,1)(Valid)	SYF18-0226 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U105	HAS20-0224 (M,1)	CATTLE	BONSMARA (1)	SYF15-0102 (F,1)(Valid)	SYF16-0057 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U106	HAS20-0225 (F,1)	CATTLE	BONSMARA (1)	SYF14-0318 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U107	HAS20-0226 (U,1)	CATTLE	BONSMARA (1)	AG11-0728 (F,1)(Valid)	LAR15-0423 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2536U108	HAS20-0124 (U,1)	CATTLE	BONSMARA			PAR_C	mNSV :	

Report Date : 18-Nov-2020 10:20

Page 9

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Multiple Nominated Sires Valid	
2536U109	HAS20-0121 (U,1)	CATTLE	BONSMARA (1)		HAS17-0149 (U,1)(Valid) SYF15-0097 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
2536U110	HAS20-0207 (U,1)	CATTLE	BONSMARA (1)		LAR15-0423 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2536U111	HAS20-0146 (U,1)	CATTLE	BONSMARA (1)		LAR16-0332 (M,1)(Valid) ADV12-0034 (M,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
2536U112	HAS20-0214 (U,1)	CATTLE	BONSMARA (1)		ADV10-0321 (M,1)(Valid) SYF16-0057 (M,1)(Valid) HAS16-0080 (U,1)(Valid)	PAR_C	mNSV : Multiple Nominated Sires Valid	
2536U113	ADV15-0257 (M,1)	CATTLE	BONSMARA (1)			PROFX_C	PEX : External Profile	
2536U114	BLN16-0027 (M,1)	CATTLE	BONSMARA (1)			PROFX_C	PEX : External Profile	
2536U115	SYF15-0154 (M,1)	CATTLE	BONSMARA (1)			PROFX_C	PEX : External Profile	
2536U116	SYF15-0007 (M,1)	CATTLE	BONSMARA (1)			PROFX_C	PEX : External Profile	

Report Date : 18-Nov-2020 10:20

Page 10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR