

Batch Detail Report

Batch : 2539U

Owner :Jan Pienaar and seun

Farm :Kareeboombult

Account : PIEJ01

Origin : BONSMARA SA

Invoice To : Owner

Created : 2020-11-05

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2539U001	AEJ20-0141 (F,1)	CATTLE	BONSMARA (1)	AEJ12-0048 (F,1)(Valid)	AEJ18-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U002	AEJ20-0142 (M,1)	CATTLE	BONSMARA (1)	AEJ13-0014 (F,1)(Valid)	AEJ18-0017 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U003	AEJ20-0143 (F,1)	CATTLE	BONSMARA (1)	AEJ16-0098 (F,1)(Valid)	AEJ16-0167 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U004	AEJ20-0144 (F,1)	CATTLE	BONSMARA (1)	JMW10-0004 (F,1)(Valid)	AEJ17-0159 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U005	AEJ20-0146 (F,1)	CATTLE	BONSMARA (1)	AEJ17-0021 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U006	AEJ20-0147 (F,1)	CATTLE	BONSMARA (1)	AEJ17-0091 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U007	AEJ20-0148 (F,1)	CATTLE	BONSMARA (1)		AEJ18-0069 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2539U008	AEJ20-0149 (M,1)	CATTLE	BONSMARA (1)	HOT15-0055 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U009	AEJ20-0150 (F,1)	CATTLE	BONSMARA (1)	AEJ13-0191 (F,1)(Valid)	AEJ18-0069 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U010	AEJ20-0151 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER03 : Repeat requested - no roots on hair	
2539U011	AEJ20-0152 (M,1)	CATTLE	BONSMARA	AEJ17-0077 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV :	

Report Date : 19-Nov-2020 15:29

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
2539U012	AEJ20-0153 (M,1)	CATTLE	BONSMARA (1)	AEJ13-0142 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U013	AEJ20-0154 (F,1)	CATTLE	BONSMARA (1)	AEJ17-0028 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U014	AEJ20-0155 (M,1)	CATTLE	BONSMARA (1)	AEJ13-0120 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U015	AEJ20-0156 (M,1)	CATTLE	BONSMARA (1)	AEJ17-0126 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U016	AEJ20-0157 (M,1)	CATTLE	BONSMARA (1)	AEJ14-0096 (F,1)(Valid)	AEJ16-0167 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U017	AEJ20-0158 (M,1)	CATTLE	BONSMARA (1)	AEJ18-0104 (F,1)(Valid)	AEJ18-0132 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U018	AEJ20-0159 (F,1)	CATTLE	BONSMARA (1)	AEJ18-0041 (F,1)(Valid)	AEJ18-0132 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U019	AEJ20-0160 (M,1)	CATTLE	BONSMARA (1)	AEJ18-0077 (F,1)(Valid)	AEJ18-0132 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U020	AEJ20-0161 (F,1)	CATTLE	BONSMARA (1)	AEJ17-0017 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U021	AEJ20-0162 (M,1)	CATTLE	BONSMARA (1)	AEJ18-0027 (F,1)(Valid)	BRB16-0059 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U022	AEJ20-0163 (M,1)	CATTLE	BONSMARA (1)		AEJ17-0159 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2539U023	AEJ20-0164 (F,1)	CATTLE	BONSMARA (1)		AEJ17-0159 (M,1)(Valid)	PAR_C	SV : Sire Valid	

Report Date : 19-Nov-2020 15:29

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2539U024	AEJ20-0165 (M,1)	CATTLE	BONSMARA (1)	AEJ15-0169 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U025	AEJ20-0166 (M,1)	CATTLE	BONSMARA (1)		MCU16-0031 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2539U026	AEJ20-0167 (F,1)	CATTLE	BONSMARA (1)	AEJ15-0163 (F,1)(Valid)	MCU16-0031 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U027	AEJ20-0168 (F,1)	CATTLE	BONSMARA (1)	AEJ18-0007 (F,1)(Valid)	BRB16-0059 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U028	AEJ20-0169 (F,1)	CATTLE	BONSMARA (1)	AEJ17-0029 (F,1)(Valid)	AEJ17-0089 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2539U029	AEJ20-0190 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER03 : Repeat requested - no roots on hair	

Report Date : 19-Nov-2020 15:29

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR