

20284U010	ZCW24-0163 (F,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	Normal nt8NOR : Myostatin - nt821 Normal
20284U011	ZCW24-0164 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote
20284U012	ZCW24-0165 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote
20284U013	ZCW24-0166 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote
20284U014	ZCW24-0167 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U015	ZCW24-0168 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote
20284U016	ZCW24-0169 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U017	ZCW24-0170 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U018	ZCW24-0171 (F,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U019	ZCW24-0172 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U020	ZCW24-0173 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal

Report Date : 14-Nov-2024 13:55

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract. Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

20284U021	ZCW24-0174 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U022	ZCW24-0175 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U023	ZCW24-0176 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U024	ZCW24-0177 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U025	ZCW24-0178 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U026	ZCW24-0179 (F,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U027	ZCW24-0180 (F,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote
20284U028	ZCW24-0181 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U029	ZCW24-0182 (F,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote
20284U030	ZCW24-0183 (F,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U031	ZCW24-0184 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U032	ZCW24-0185 (M,31) A	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8HET : Myostatin - nt821

Report Date : 14-Nov-2024 13:55

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates International scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

20284U033	ZCW24-0186 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	Heterozygote nt8NOR : Myostatin - nt821 Normal
20284U034	ZCW24-0187 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U035	ZCW24-0188 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U036	ZCW24-0189 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U037	ZCW24-0190 (M,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U038	ZCW24-0191 (M,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U039	ZCW24-0192 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U040	ZCW24-0193 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal
20284U041	ZCW24-0194 (F,31)	^	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal

Report Date : 14-Nov-2024 13:55

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

16363U011	ZCW23-0710 (F,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	^
16363U012	ZCW23-0711 (F,31)	CATTLE	BEEFMASTER (31)	RLR20-0087 (F,31)(Valid)	BOS19-9251 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16363U012	ZCW23-0711 (F,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	^
16363U013	ZCW23-0712 (M,31)	CATTLE	BEEFMASTER (31)	DYS21-1077 (F,31)(Valid)	QR19-0057 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16363U013	ZCW23-0712 (M,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	^
16363U014	ZCW23-0713 (F,31)	CATTLE	BEEFMASTER (31)		WO14-0549 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16363U014	ZCW23-0713 (F,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	^
16363U015	ZCW23-0714 (F,31)	CATTLE	BEEFMASTER (31)		BOS19-9424 (M,31)(Valid)	PAR_C	Hair	SV : Sire Valid	
16363U015	ZCW23-0714 (F,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	^
16363U016	ZCW23-0715 (F,31)	CATTLE	BEEFMASTER (31)	JVH20-0222 (F,31)(Valid)	JVH20-0113 (M,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16363U016	ZCW23-0715 (F,31)	CATTLE	BEEFMASTER (31)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	^
16363U017	ZCW23-0716 (M,31)	CATTLE	BEEFMASTER (31)	WO18-0996 (F,31)(Valid)	ZCW19-0001 (N/S,31)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 30-Jan-2024 09:03

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Stuur in Busse

Batch : 13281U

Owner : CW van Heerden

Farm : Spitzkop/Gantouw Farming

Account : VHCW01

Origin : PRIVATE

Invoice To : Owner

Created : 2023-05-12

ANALYSE 14/6/2023

mf

13281U001	BOS20-0111 (F,31)	CATTLE	BEEFMASTER (31)	DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
13281U001	BOS20-0111 (F,31)	CATTLE	BEEFMASTER (31)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
13281U001	BOS20-0111 (F,31)	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	1
13281U002	MB20-0078 (F,31)	CATTLE	BEEFMASTER (31)	DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
* 13281U002	MB20-0078 (F,31)	CATTLE	BEEFMASTER (31)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
13281U002	MB20-0078 (F,31)	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	1
13281U003	MB20-0738 (F,31)	CATTLE	BEEFMASTER (31)	DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
13281U003	MB20-0738 (F,31)	CATTLE	BEEFMASTER (31)	DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
13281U003	MB20-0738 (F,31)	CATTLE	BEEFMASTER (31)	DMG-3_C	Hair	nt8NOR : Myostatin - nt821	

Report Date : 14-Jun-2023 09:34

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER