

Batch Detail Report

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U001	OPT19-0194 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U002	OPT19-0195 (F,1)	CATTLE	BONSMARA (1)		
828U003	OPT19-0196 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U004	OPT19-0197 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U005	OPT19-0198 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U006	OPT19-0199 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U007	OPT19-0200 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U008	OPT19-0201 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U009	OPT19-0202 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U010	OPT19-0204 (F,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)
828U011	OPT19-0205 (M,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)
828U012	OPT19-0206 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U013	OPT19-0207 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U014	OPT19-0208 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U015	OPT19-0209 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U016	OPT19-0210 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U017	OPT19-0211 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U018	OPT19-0212 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U019	OPT19-0214 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U020	OPT19-0215 (M,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)
828U021	OPT19-0216 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U022	OPT19-0217 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U023	OPT19-0218 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U024	OPT19-0220 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U025	OPT19-0221 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U026	OPT19-0222 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U027	OPT19-0223 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U028	OPT19-0224 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U029	OPT19-0225 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U030	OPT19-0226 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U031	OPT19-0227 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U032	OPT19-0228 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U033	OPT19-0229 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U034	OPT19-0231 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U035	OPT19-0232 (F,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)
828U036	OPT19-0233 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U037	OPT19-0234 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U038	OPT19-0235 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U039	OPT19-0236 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U040	OPT19-0237 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U041	OPT19-0240 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U042	OPT19-0241 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U043	OPT19-0242 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U044	OPT19-0243 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U045	OPT19-0244 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid) DBP15-0215 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U046	OPT19-0245 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U047	OPT19-0246 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U048	OPT19-0248 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U049	OPT19-0250 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U050	OPT19-0251 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U051	OPT19-0252 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U052	OPT19-0253 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U053	OPT19-0254 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U054	OPT19-0255 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U055	OPT19-0256 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U056	OPT19-0257 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U057	OPT19-0258 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U058	OPT19-0259 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U059	OPT19-0261 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U060	OPT19-0262 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U061	OPT19-0263 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U062	OPT19-0264 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U063	OPT19-0265 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U064	OPT19-0266 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0202 (M,1)(Valid)
828U065	OPT19-0267 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U066	OPT19-0268 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U067	OPT19-0269 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U068	OPT19-0270 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U069	OPT19-0271 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U070	OPT19-0272 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U071	OPT19-0273 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U072	OPT19-0274 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U073	OPT19-0275 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U074	OPT19-0276 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U075	OPT19-0277 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U076	OPT19-0278 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U077	OPT19-0279 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U078	OPT19-0280 (M,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)
828U079	OPT19-0281 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U080	OPT19-0282 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U081	OPT19-0283 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U082	OPT19-0284 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U083	OPT19-0285 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U084	OPT19-0286 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U085	OPT19-0287 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U086	OPT19-0288 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U087	OPT19-0290 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U088	OPT19-0291 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U089	OPT19-0292 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U090	OPT19-0293 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OLI14-0239 (M,1)(Valid)
828U091	OPT19-0294 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U092	OPT19-0295 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U093	OPT19-0296 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U094	OPT19-0297 (M,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)
828U095	OPT19-0298 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U096	OPT19-0299 (M,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)
828U097	OPT19-0300 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U098	OPT19-0301 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U099	OPT19-0302 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U100	OPT19-0303 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U101	OPT19-0304 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U102	OPT19-0305 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U103	OPT19-0306 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U104	OPT19-0307 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U105	OPT19-0308 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U106	OPT19-0309 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U107	OPT19-0310 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U108	OPT19-0311 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U109	OPT19-0312 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U110	OPT19-0313 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U111	OPT19-0314 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U112	OPT19-0315 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U113	OPT19-0316 (M,1)	CATTLE	BONSMARA (1)		
828U114	OPT19-0317 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U115	OPT19-0318 (F,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)
828U116	OPT19-0319 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U117	OPT19-0320 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U118	OPT19-0321 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U119	OPT19-0323 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U120	OPT19-0324 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U121	OPT19-0325 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U122	OPT19-0326 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U123	OPT19-0327 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0202 (M,1)(Valid)
828U124	OPT19-0328 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)
828U125	OPT19-0329 (F,1)	CATTLE	BONSMARA		PAD13-0201 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U126	OPT19-0330 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U127	OPT19-0331 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)
828U128	OPT19-0332 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U129	OPT19-0333 (F,1)	CATTLE	BONSMARA (1)		OPT17-0159 (M,1)(Valid)
828U130	OPT19-0334 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U131	OPT19-0335 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U132	OPT19-0336 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U133	OPT19-0337 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U134	OPT19-0338 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U135	OPT19-0339 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U136	OPT19-0340 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U137	OPT19-0341 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U138	OPT19-0342 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U139	OPT19-0343 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U140	OPT19-0345 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U141	OPT19-0346 (F,1)	CATTLE	BONSMARA		OLI14-0239 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U142	OPT19-0347 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U143	OPT19-0348 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U144	OPT19-0349 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U145	OPT19-0350 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U146	OPT19-0351 (M,1)	CATTLE	BONSMARA (1)		
828U147	OPT19-0352 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U148	OPT19-0353 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U149	OPT19-0354 (F,1)	CATTLE	BONSMARA (1)		OPT17-0159 (M,1)(Valid)
828U150	OPT19-0355 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U151	OPT19-0356 (F,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U152	OPT19-0357 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U153	OPT19-0358 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U154	OPT19-0359 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U155	OPT19-0360 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OLI14-0239 (M,1)(Valid)
828U156	OPT19-0361 (M,1)	CATTLE	BONSMARA (1)		

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U157	OPT19-0362 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U158	OPT19-0363 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U159	OPT19-0364 (M,1)	CATTLE	BONSMARA (1)		
828U160	OPT19-0365 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U161	OPT19-0366 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U162	OPT19-0367 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U163	OPT19-0368 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U164	OPT19-0369 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U165	OPT19-0370 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U166	OPT19-0371 (F,1)	CATTLE	BONSMARA (1)		OPT17-0159 (M,1)(Valid)
828U167	OPT19-0372 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U168	OPT19-0373 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)
828U169	OPT19-0374 (M,1)	CATTLE	BONSMARA (1)		OPT17-0202 (M,1)(Valid)
828U170	OPT19-0375 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U171	OPT19-0376 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U172	OPT19-0377 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U173	OPT19-0378 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U174	OPT19-0379 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U175	OPT19-0380 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U176	OPT19-0381 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U177	OPT19-0382 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U178	OPT19-0383 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U179	OPT19-0384 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) WAT16-0056 (M,1)(Valid)
828U180	OPT19-0385 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U181	OPT19-0386 (M,1)	CATTLE	BONSMARA (1)		OPT17-0228 (M,1)(Valid)
828U182	OPT19-0387 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U183	OPT19-0388 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U184	OPT19-0389 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)
828U185	OPT19-0390 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U186	OPT19-0391 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U187	OPT19-0392 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT16-0187 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U188	OPT19-0393 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U189	OPT19-0394 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U190	OPT19-0395 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U191	OPT19-0396 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U192	OPT19-0397 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U193	OPT19-0398 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U194	OPT19-0399 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U195	OPT19-0400 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U196	OPT19-0401 (M,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U197	OPT19-0402 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U198	OPT19-0403 (M,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U199	OPT19-0404 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U200	OPT19-0405 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U201	OPT19-0407 (F,1)	CATTLE	BONSMARA (1)		OPT17-0192 (M,1)(Valid)
828U202	OPT19-0408 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U203	OPT19-0409 (M,1)	CATTLE	BONSMARA		PAD13-0201 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U204	OPT19-0410 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U205	OPT19-0411 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U206	OPT19-0412 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U207	OPT19-0413 (F,1)	CATTLE	BONSMARA (1)		OPT17-0202 (M,1)(Valid)
828U208	OPT19-0414 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U209	OPT19-0415 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U210	OPT19-0416 (M,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid)
828U211	OPT19-0417 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U212	OPT19-0418 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U213	OPT19-0419 (F,1)	CATTLE	BONSMARA (1)		NFS15-0214 (M,1)(Valid)
828U214	OPT19-0420 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U215	OPT19-0421 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U216	OPT19-0422 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U217	OPT19-0423 (M,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U218	OPT19-0424 (F,1)	CATTLE	BONSMARA (1)		OPT17-0248 (M,1)(Valid)
828U219	OPT19-0425 (M,1)	CATTLE	BONSMARA		OPT17-0181 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U220	OPT19-0426 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U221	OPT19-0427 (F,1)	CATTLE	BONSMARA (1)		MCU14-0164 (M,1)(Valid)
828U222	OPT19-0428 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U223	OPT19-0429 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U224	OPT19-0430 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U225	OPT19-0431 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U226	OPT19-0432 (F,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid)
828U227	OPT19-0433 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U228	OPT19-0434 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U229	OPT19-0435 (F,1)	CATTLE	BONSMARA (1)		OPT16-0226 (M,1)(Valid)
828U230	OPT19-0436 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U231	OPT19-0437 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U232	OPT19-0438 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid)
828U233	OPT19-0439 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U234	OPT19-0440 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U235	OPT19-0441 (M,1)	CATTLE	BONSMARA		DBP15-0215 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U236	OPT19-0443 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U237	OPT19-0444 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U238	OPT19-0445 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U239	OPT19-0446 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U240	OPT19-0447 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U241	OPT19-0448 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U242	OPT19-0449 (F,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U243	OPT19-0450 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U244	OPT19-0451 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U245	OPT19-0452 (F,1)	CATTLE	BONSMARA (1)		GZV16-0106 (M,1)(Valid)
828U246	OPT20-0001 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U247	OPT20-0002 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U248	OPT20-0003 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U249	OPT20-0004 (F,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)
828U250	OPT20-0005 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U251	OPT19-0442 (U,1)	CATTLE	BONSMARA		NFS15-0214 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U252	OPT20-0006 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U253	OPT20-0007 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U254	OPT20-0010 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U255	OPT20-0011 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U256	OPT20-0012 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U257	OPT20-0013 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U258	OPT20-0014 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U259	OPT20-0015 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U260	OPT20-0016 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U261	OPT20-0017 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U262	OPT20-0018 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U263	OPT20-0019 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U264	OPT20-0020 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)
828U265	OPT20-0021 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U266	OPT20-0022 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0034 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U267	OPT20-0023 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U268	OPT20-0024 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U269	OPT20-0025 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U270	OPT20-0026 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U271	OPT20-0027 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)
828U272	OPT20-0028 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U273	OPT20-0029 (F,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U274	OPT20-0030 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U275	OPT20-0031 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid)
828U276	OPT20-0032 (F,1)	CATTLE	BONSMARA (1)		DBP15-0215 (M,1)(Valid) OPT17-0069 (M,1)(Valid)
828U277	OPT20-0033 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U278	OPT20-0034 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U279	OPT20-0035 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U280	OPT20-0036 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U281	OPT20-0037 (F,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)
828U282	OPT20-0038 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U283	OPT20-0039 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U284	OPT20-0040 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U285	OPT20-0041 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U286	OPT20-0042 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U287	OPT20-0043 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U288	OPT20-0044 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U289	OPT20-0045 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U290	OPT20-0046 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U291	OPT20-0047 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U292	OPT20-0048 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid) OPT17-0034 (M,1)(Valid)
828U293	OPT20-0049 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U294	OPT20-0050 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid) OPT17-0248 (M,1)(Valid)
828U295	OPT20-0051 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U296	OPT20-0052 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U297	OPT20-0053 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U298	OPT20-0054 (M,1)	CATTLE	BONSMARA		OPT17-0069 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U299	OPT20-0055 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)
828U300	OPT20-0056 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U301	OPT20-0057 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U302	OPT20-0059 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U303	OPT20-0060 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U304	OPT20-0061 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U305	OPT20-0062 (F,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U306	OPT20-0063 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U307	OPT20-0064 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U308	OPT20-0065 (M,1)	CATTLE	BONSMARA (1)		PAD13-0201 (M,1)(Valid) OPT17-0038 (M,1)(Valid)
828U309	OPT20-0066 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U310	OPT20-0067 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U311	OPT20-0068 (M,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U312	OPT20-0069 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U313	OPT20-0070 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U314	OPT20-0071 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U315	OPT20-0072 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U316	OPT20-0073 (M,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U317	OPT20-0074 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U318	OPT20-0075 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U319	OPT20-0076 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U320	OPT20-0077 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U321	OPT20-0078 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U322	OPT20-0079 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U323	OPT20-0080 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U324	OPT20-0081 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U325	OPT20-0082 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U326	OPT20-0083 (F,1)	CATTLE	BONSMARA (1)		OPT17-0038 (M,1)(Valid)
828U327	OPT20-0084 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U328	OPT20-0085 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U329	OPT20-0086 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
828U330	OPT20-0087 (F,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U331	OPT20-0088 (M,1)	CATTLE	BONSMARA (1)		OPT16-0187 (M,1)(Valid) OPT17-0192 (M,1)(Valid)
828U332	OPT20-0089 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U333	OPT20-0090 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U334	OPT20-0091 (M,1)	CATTLE	BONSMARA (1)		OPT17-0024 (M,1)(Valid)
828U335	OPT20-0092 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U336	OPT20-0093 (M,1)	CATTLE	BONSMARA (1)		OPT17-0034 (M,1)(Valid)
828U337	OPT20-0094 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U338	OPT20-0095 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U339	OPT20-0096 (M,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U340	OPT20-0097 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)
828U341	OPT20-0098 (M,1)	CATTLE	BONSMARA (1)		OPT17-0069 (M,1)(Valid)
828U342	OPT20-0099 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U343	OPT20-0100 (M,1)	CATTLE	BONSMARA (1)		WAT16-0056 (M,1)(Valid)
828U344	OPT20-0101 (F,1)	CATTLE	BONSMARA (1)		OLI13-0100 (M,1)(Valid) OLI14-0239 (M,1)(Valid)
828U345	OPT20-0102 (M,1)	CATTLE	BONSMARA		OLI14-0239 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
828U346	OPT20-0104 (F,1)	CATTLE	BONSMARA (1)		HVD16-0043 (M,1)(Valid)
828U347	OPT20-0105 (F,1)	CATTLE	BONSMARA (1)		OLI14-0239 (M,1)(Valid)

Report Date : 03-Sep-2020 09:27

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract