

Created : 2020-11-09

Batch Detail Report

Batch : 2574U
 Owner : Arthur de Villiers
 Farm : Arthur De Villiers and Son
 Account : ADV01
 Origin : PRIVATE
 Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2574U001	AG20-0528 (F.1)	CATTLE	BONSMARA (1)	AG17-0168 (F.1)(Valid)	AG15-0397 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U002	AG20-0539 (M.1)	CATTLE	BONSMARA (1)	AG16-0049 (F.1)(Valid)	AG15-0006 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U003	AG20-0540 (F.1)	CATTLE	BONSMARA (1)	AG17-0130 (F.1)(Valid)	AG15-0397 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U004	AG20-0541 (M.1)	CATTLE	BONSMARA (1)	AG18-0312 (F.1)(Valid)	AG16-0245 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U005	AG20-0545 (F.1)	CATTLE	BONSMARA (1)	AG18-0971 (F.1)(Valid)	GZV16-0111 (U.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U006	AG20-0546 (F.1)	CATTLE	BONSMARA (1)	AG17-0237 (F.1)(Valid)	AG15-0397 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U007	AG20-0547 (F.1)	CATTLE	BONSMARA (1)	AG18-0253 (F.1)(Valid)	AG14-0311 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U008	AG20-0549 (F.1)	CATTLE	BONSMARA (1)	AG12-0213 (F.1)(Valid)	AG16-0050 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U009	AG20-0550 (M.1)	CATTLE	BONSMARA (1)	AG12-0138 (F.1)(Valid)	CEFF15-0479 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U010	AG20-0551 (F.1)	CATTLE	BONSMARA (1)	AG15-0433 (F.1)(Valid)	AG16-0402 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 23-Nov-2020 15:32

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2574U011	AG20-0552 (F.1)	CATTLE	BONSMARA (1)	AG17-0098 (F.1)(Valid)	AG16-0090 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U012	AG20-0553 (M.1)	CATTLE	BONSMARA (1)	AG17-0266 (F.1)(Valid)	AG15-0397 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U013	AG20-0554 (M.1)	CATTLE	BONSMARA (1)	AG18-0241 (F.1)(Valid)	AG14-0311 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U014	AG20-0556 (F.1)	CATTLE	BONSMARA (1)	AG15-0903 (F.1)(Valid)	AG16-0087 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U015	AG20-0558 (F.1)	CATTLE	BONSMARA (1)	AG18-0131 (F.1)(Valid)	AG16-0314 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U016	AG20-0559 (F.1)	CATTLE	BONSMARA (1)	AG16-0057 (F.1)(Valid)	MCU18-0096 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U017	AG20-0561 (F.1)	CATTLE	BONSMARA (1)	AG18-0005 (F.1)(Valid)	AG16-0386 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U018	AG20-0562 (F.1)	CATTLE	BONSMARA (1)	AG15-0496 (F.1)(Valid)	CEW11-0234 (U.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U019	AG20-0563 (M.1)	CATTLE	BONSMARA (1)	AG14-0348 (F.1)(Valid)	CEFF15-0479 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U020	AG20-0564 (F.1)	CATTLE	BONSMARA (1)	AG16-0268 (F.1)(Valid)	AG15-0006 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2574U021	AG20-0565 (F.1)	CATTLE	BONSMARA (1)	AG15-0858 (F.1)(Valid)	AG16-0087 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 23-Nov-2020 15:32

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR