

Created : 2020-11-09

Batch Detail Report

Batch : 2588U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2588U001	AG20-0439 (M.1)	CATTLE	BONSMARA (1)	AG15-0314 (F.1)(Valid)	RHJ15-0002 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U002	AG20-0440 (M.1)	CATTLE	BONSMARA (1)	AG17-0303 (F.1)(Valid)	AG16-0456 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U003	AG20-0445 (F.1)	CATTLE	BONSMARA (1)	AG17-0206 (F.1)(Not Valid)	AG15-0422 (M.1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
2588U004	AG20-0446 (F.1)	CATTLE	BONSMARA (1)	AG15-0729 (F.1)(Valid)	AG16-0083 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U005	AG20-0447 (F.1)	CATTLE	BONSMARA (1)	AG12-0186 (F.1)(Valid)	AG14-0046 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U006	AG20-0448 (F.1)	CATTLE	BONSMARA (1)	AG13-0032 (F.1)(Valid)	AG17-0012 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U007	AG20-0449 (M.1)	CATTLE	BONSMARA (1)	AG13-0267 (F.1)(Valid)	AG17-0012 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U008	AG20-0450 (F.1)	CATTLE	BONSMARA (1)	AG14-0006 (F.1)(Valid)	AG14-0046 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U009	AG20-0451 (F.1)	CATTLE	BONSMARA (1)	AG13-0709 (F.1)(Valid)	AG15-0758 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U010	AG20-0452 (F.1)	CATTLE	BONSMARA (1)	AG12-0305 (F.1)(Valid)	AG14-0046 (M.1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Nov-2020 13:50

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2588U011	AG20-0453 (F,1)	CATTLE	BONSMARA (1)	AG15-0970 (F,1)(Valid)	AG16-0050 (M,1)(Valid) AG17-0019 (M,1)(Valid) AG16-0087 (M,1)(Valid)	PAR_C	DVMNSV : Dam Valid, Multiple Nominated Sires Valid	
2588U012	AG20-0456 (M,1)	CATTLE	BONSMARA (1)	AG15-0792 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U013	AG20-0457 (F,1)	CATTLE	BONSMARA (1)	AG15-0236 (F,1)(Valid)	CEW11-0234 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U014	AG20-0458 (F,1)	CATTLE	BONSMARA (1)	AG14-0388 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U015	AG20-0459 (F,1)	CATTLE	BONSMARA (1)	AG16-0102 (F,1)(Valid)	AG15-0006 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U016	AG20-0460 (M,1)	CATTLE	BONSMARA (1)	AG16-0032 (F,1)(Valid)	AG15-0202 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U017	AG20-0461 (M,1)	CATTLE	BONSMARA (1)	AG16-0232 (F,1)(Valid)	AG15-0006 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U018	AG20-0462 (M,1)	CATTLE	BONSMARA (1)	AG14-0177 (U,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U019	AG20-0463 (M,1)	CATTLE	BONSMARA (1)	AG12-0248 (F,1)(Valid)	NFS16-0058 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U020	AG20-0464 (F,1)	CATTLE	BONSMARA (1)	AG13-0401 (F,1)(Valid)	AG16-0050 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U021	AG20-0465 (M,1)	CATTLE	BONSMARA (1)	AG15-0765 (F,1)(Valid)	RHU15-0002 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U022	AG20-0466 (M,1)	CATTLE	BONSMARA (1)	AG17-0258 (F,1)(Not Valid)	AG15-0758 (M,1)(Valid) AG15-0215 (M,1)(Valid)	PAR_C	DxmNSV : Dam Excluded, Multiple Nominated Sires Valid	

Report Date : 26-Nov-2020 13:50

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2588U023	AG20-0467 (F,1)	CATTLE	BONSMARA (1)	AG17-0191 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U024	AG20-0468 (F,1)	CATTLE	BONSMARA (1)	AG17-0359 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U025	AG20-0480 (M,1)	CATTLE	BONSMARA (1)	AG18-0796 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U026	AG20-0481 (M,1)	CATTLE	BONSMARA (1)	AG18-1010 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U027	AG20-0483 (M,1)	CATTLE	BONSMARA (1)	AG17-0173 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U028	AG20-0484 (F,1)	CATTLE	BONSMARA (1)	RHJ15-0018 (F,1)(Valid)	AG16-0063 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U029	AG20-0485 (F,1)	CATTLE	BONSMARA (1)	AG15-0184 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U030	AG20-0486 (M,1)	CATTLE	BONSMARA (1)	AG12-0137 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U031	AG20-0487 (F,1)	CATTLE	BONSMARA (1)	AG14-0384 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U032	AG20-0488 (F,1)	CATTLE	BONSMARA (1)	AG14-0377 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U033	AG20-0489 (M,1)	CATTLE	BONSMARA (1)	AG11-0445 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U034	AG20-0491 (M,1)	CATTLE	BONSMARA (1)	AG18-0348 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U035	AG20-0493 (F,1)	CATTLE	BONSMARA	AG17-0029 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSU :	

Report Date : 26-Nov-2020 13:50

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2588U048	AG20-0508 (F.1)	CATTLE	BONSMARA (1)	AG17-0859 (F.1)(Valid)	AG16-0386 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U049	AG20-0509 (F.1)	CATTLE	BONSMARA (1)	AG17-0124 (F.1)(Valid)	AG15-0397 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U050	AG20-0511 (M.1)	CATTLE	BONSMARA (1)	AG15-0654 (U.1)(Valid)	AG16-0087 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U051	AG20-0512 (M.1)	CATTLE	BONSMARA (1)	AG16-0753 (F.1)(Valid)	GJN16-0218 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U052	AG20-0513 (M.1)	CATTLE	BONSMARA (1)	AG13-0214 (F.1)(Valid)	AG14-0046 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U053	AG20-0514 (M.1)	CATTLE	BONSMARA (1)	GJN17-0343 (F.1)(Valid)	AG15-0397 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U054	AG20-0515 (F.1)	CATTLE	BONSMARA (1)	AG15-0173 (F.1)(Valid)	AG16-0083 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U055	AG20-0516 (F.1)	CATTLE	BONSMARA (1)	JL12-1129 (U.1)(Valid)	AG16-0242 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U056	AG20-0517 (M.1)	CATTLE	BONSMARA (1)	AG12-0356 (F.1)(Valid)	AG16-0050 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U057	AG20-0518 (F.1)	CATTLE	BONSMARA (1)	AG15-0854 (F.1)(Valid)	CEW11-0234 (U.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U058	AG20-0520 (M.1)	CATTLE	BONSMARA (1)	AG16-0110 (F.1)(Valid)	AG15-0006 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U059	AG20-0521 (F.1)	CATTLE	BONSMARA (1)	AG17-1048 (F.1)(Valid)	AG15-0422 (M.1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U060	AG20-0523 (M.1)	CATTLE	BONSMARA	AG13-0203 (F.1)(Valid)	AG14-0046 (M.1)(Valid)	PAR_C	DVSU :	

Report Date : 26-Nov-2020 13:50

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
2588U061	AG20-0524 (F,1)	CATTLE	BONSMARA (1)	AG17-0160 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U062	AG20-0525 (F,1)	CATTLE	BONSMARA (1)	AG15-0487 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U063	AG20-0526 (F,1)	CATTLE	BONSMARA (1)	AG15-0271 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U064	AG20-0527 (M,1)	CATTLE	BONSMARA (1)	AG17-0118 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U065	AG20-0529 (F,1)	CATTLE	BONSMARA (1)	RHJ17-0005 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U066	AG20-0530 (F,1)	CATTLE	BONSMARA (1)	AG13-0161 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U067	AG20-0531 (M,1)	CATTLE	BONSMARA (1)	AG13-0089 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U068	AG20-0532 (M,1)	CATTLE	BONSMARA (1)	AG13-0371 (F,1)(Valid)	CEFF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U069	AG20-0533 (M,1)	CATTLE	BONSMARA (1)	AG15-0429 (F,1)(Not Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
2588U070	AG20-0534 (M,1)	CATTLE	BONSMARA (1)	AG13-0225 (F,1)(Valid)	AG15-0289 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U071	AG20-0535 (F,1)	CATTLE	BONSMARA (1)	AG15-0563 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U072	AG20-0536 (F,1)	CATTLE	BONSMARA (1)	AG13-0025 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Nov-2020 13:50

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2588U073	AG20-0537 (M,1)	CATTLE	BONSMARA (1)	AG15-0500 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U074	AG20-0542 (F,1)	CATTLE	BONSMARA (1)	AG18-0100 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U075	AG20-0543 (M,1)	CATTLE	BONSMARA (1)	AG11-0455 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2588U076	AG20-0544 (F,1)	CATTLE	BONSMARA (1)	AG16-0811 (F,1)(Valid)	GJN16-0011 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 26-Nov-2020 13:50

Page 7

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR