

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
2588U036	AG20-0494 (F,1)	CATTLE	BONSMARA (1)	AG18-0250 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U037	AG20-0495 (M,1)	CATTLE	BONSMARA (1)	AG18-0823 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U038	AG20-0496 (M,1)	CATTLE	BONSMARA (1)	AG18-0920 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U039	AG20-0497 (M,1)	CATTLE	BONSMARA (1)	AG16-0073 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U040	AG20-0498 (F,1)	CATTLE	BONSMARA (1)	AG16-0351 (F,1)(Valid)	GJN16-0011 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U041	AG20-0499 (F,1)	CATTLE	BONSMARA (1)		BBP13-0257 (M,1)(Valid)	PAR_C	SV : Sire Valid	
2588U042	AG20-0500 (M,1)	CATTLE	BONSMARA (1)	AG15-0518 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U043	AG20-0501 (M,1)	CATTLE	BONSMARA (1)	AG13-0496 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U044	AG20-0502 (M,1)	CATTLE	BONSMARA (1)	AG14-0380 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U045	AG20-0503 (M,1)	CATTLE	BONSMARA (1)	AG12-0360 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U046	AG20-0504 (M,1)	CATTLE	BONSMARA (1)	AG18-0491 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2588U047	AG20-0506 (M,1)	CATTLE	BONSMARA (1)	AG17-0055 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 26-Nov-2020 13:50

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR