

Created : 2020-11-16

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2659U001	UEJ19-0020 (U,1)	CATTLE	BONSMARA (1)	AG12-0327 (F,1)(Valid)	AG14-0051 (M,1)(Valid)
2659U002	UEJ19-0021 (U,1)	CATTLE	BONSMARA (1)	AG12-0181 (F,1)(Valid)	AG14-0051 (M,1)(Valid)
2659U003	UEJ19-0076 (U,1)	CATTLE	BONSMARA (1)	AG08-0764 (F,1)(Valid)	AG17-0019 (M,1)(Valid)
2659U004	UEJ19-0092 (U,1)	CATTLE	BONSMARA (1)	AG10-0409 (F,1)(Valid)	AG15-0009 (M,1)(Valid)
2659U005	UEJ19-0094 (U,1)	CATTLE	BONSMARA (1)	AG08-0014 (F,1)(Valid)	AG16-0402 (M,1)(Valid)
2659U006	UEJ19-0098 (U,1)	CATTLE	BONSMARA (1)	AG08-0016 (F,1)(Valid)	AG16-0402 (M,1)(Valid)

Report Date : 03-Dec-2020 08:45

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract