

Batch Detail Report

Batch : 2641U
Owner : Geldenhuys Familie Trust
Farm : Spitskop/Geldenhuys Bonsmaras
Account : GELD01
Origin : PRIVATE
Invoice To : Owner

Created : 2020-11-13

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2641U001	JCV20-0043 (M,1)	CATTLE	BONSMARA (1)		JCV17-0163 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U002	JCV20-0044 (M,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U003	JCV20-0045 (M,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U004	JCV20-0046 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U005	JCV20-0048 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U006	JCV20-0051 (F,1)	CATTLE	BONSMARA (1)		JCV17-0205 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U007	JCV20-0058 (F,1)	CATTLE	BONSMARA (1)		JCV17-0205 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U008	JCV20-0062 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U009	JCV20-0063 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U010	JCV20-0069 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U011	JCV20-0072 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U012	JCV20-0074 (M,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U013	JCV20-0075 (F,1)	CATTLE	BONSMARA (1)		JCV17-0163 (M,1)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 03-Dec-2020 13:08

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2641U014	JCV20-0076 (M,1)	CATTLE	BONSMARA (1)		JCV17-0163 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U015	JCV20-0083 (M,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U016	JCV20-0085 (M,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U017	JCV20-0087 (M,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U018	JCV20-0091 (M,1)	CATTLE	BONSMARA (1)		JCV17-0205 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U019	JCV20-0103 (M,1)	CATTLE	BONSMARA (1)		JCV17-0163 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U020	JCV20-0113 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U021	JCV20-0116 (F,1)	CATTLE	BONSMARA (1)		JCV15-0074 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U022	JCV20-0133 (M,1)	CATTLE	BONSMARA (1)		JCV17-0163 (M,1)(Valid)	PAT_C	SV : Sire Valid	
2641U023	JCV20-0136 (M,1)	CATTLE	BONSMARA (1)		JCV17-0163 (M,1)(Valid)	PAT_C	SV : Sire Valid	

Report Date : 03-Dec-2020 13:08

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR