

Batch Detail Report

Created : 2020-11-16

Batch : 2658U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2658U001	AG20-0557 (M,1)	CATTLE	BONSMARA (1)	AG17-0703 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U002	AG20-0567 (F,1)	CATTLE	BONSMARA (1)	AG15-0424 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U003	AG20-0569 (M,1)	CATTLE	BONSMARA (1)	AG15-0455 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U004	AG20-0580 (F,1)	CATTLE	BONSMARA (1)	AG16-0731 (F,1)(Valid)	BBP13-0257 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U005	AG20-0581 (F,1)	CATTLE	BONSMARA (1)	AG18-0429 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U006	AG20-0582 (M,1)	CATTLE	BONSMARA (1)	AG14-0303 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U007	AG20-0583 (F,1)	CATTLE	BONSMARA (1)	AG13-0243 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U008	AG20-0584 (F,1)	CATTLE	BONSMARA (1)	AG11-0112 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U009	AG20-0585 (F,1)	CATTLE	BONSMARA (1)	AG13-0428 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U010	AG20-0586 (M,1)	CATTLE	BONSMARA (1)	AG15-0068 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 03-Dec-2020 13:11

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2658U011	AG20-0587 (M,1)	CATTLE	BONSMARA (1)	AG14-0385 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U012	AG20-0588 (F,1)	CATTLE	BONSMARA (1)	AG14-0350 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U013	AG20-0589 (F,1)	CATTLE	BONSMARA (1)	AG13-0217 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U014	AG20-0590 (F,1)	CATTLE	BONSMARA (1)	AG11-0220 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U015	AG20-0591 (F,1)	CATTLE	BONSMARA (1)	AG18-0954 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U016	AG20-0593 (M,1)	CATTLE	BONSMARA (1)	AG12-0170 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U017	AG20-0594 (F,1)	CATTLE	BONSMARA (1)	AG16-0378 (F,1)(Valid)	BBP13-0257 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U018	AG20-0595 (M,1)	CATTLE	BONSMARA (1)	AG13-0084 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U019	AG20-0596 (M,1)	CATTLE	BONSMARA (1)	AG11-0071 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U020	AG20-0597 (M,1)	CATTLE	BONSMARA (1)	AG16-0719 (F,1)(Valid)	AG15-0006 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U021	AG20-0598 (M,1)	CATTLE	BONSMARA (1)	AG16-0015 (U,1)(Valid)	GJN16-0011 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U022	AG20-0599 (F,1)	CATTLE	BONSMARA (1)	AG14-0451 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U023	AG20-0601 (M,1)	CATTLE	BONSMARA	AG15-0313 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSU :	

Report Date : 03-Dec-2020 13:11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
			(1)				Dam Valid, Sire Valid	
2658U024	AG20-0603 (F,1)	CATTLE	BONSMARA (1)	AG17-0769 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U025	AG20-0604 (M,1)	CATTLE	BONSMARA (1)	AG11-0137 (F,1)(Valid)	NFS16-0058 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U026	AG20-0605 (F,1)	CATTLE	BONSMARA (1)	AG15-0394 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U027	AG20-0606 (F,1)	CATTLE	BONSMARA (1)	AG18-0252 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U028	AG20-0607 (M,1)	CATTLE	BONSMARA (1)	AG18-1003 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U029	AG20-0608 (F,1)	CATTLE	BONSMARA (1)	AG15-0837 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U030	AG20-0609 (M,1)	CATTLE	BONSMARA (1)	AG14-0357 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U031	AG20-0610 (M,1)	CATTLE	BONSMARA (1)	AG15-0799 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U032	AG20-0611 (M,1)	CATTLE	BONSMARA (1)	AG15-0816 (F,1)(Valid)	AG18-0394 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U033	AG20-0612 (M,1)	CATTLE	BONSMARA (1)	AG16-0146 (F,1)(Valid)	GJN16-0011 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U034	AG20-0613 (M,1)	CATTLE	BONSMARA (1)	AG15-0370 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U035	AG20-0615 (M,1)	CATTLE	BONSMARA (1)	RHJ17-0008 (F,1)(Valid)	AG15-0422 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 03-Dec-2020 13:11

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2658U036	AG20-0616 (M,1)	CATTLE	BONSMARA (1)	AG13-0449 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U037	AG20-0617 (F,1)	CATTLE	BONSMARA (1)	AG12-0200 (F,1)(Valid)	AG16-0050 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U038	AG20-0618 (F,1)	CATTLE	BONSMARA (1)	AG14-0087 (F,1)(Valid)	AG17-0012 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U039	AG20-0619 (M,1)	CATTLE	BONSMARA (1)	AG16-0766 (F,1)(Not Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
2658U040	AG20-0620 (F,1)	CATTLE	BONSMARA (1)	AG17-0459 (F,1)(Valid)	AG16-0386 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2658U041	AG20-0621 (M,1)	CATTLE	BONSMARA (1)	AG18-0135 (F,1)(Not Valid)	AG15-0202 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	

Report Date : 03-Dec-2020 13:11

Page 4

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR