

Created : 2020-11-18

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U001	PJJ07-0174 (F,1)	CATTLE	BONSMARA (1)		
2692U002	PJJ14-0158 (F,1)	CATTLE	BONSMARA (1)		
2692U003	PJJ15-0110 (F,1)	CATTLE	BONSMARA (1)		
2692U004	PJJ15-0094 (F,1)	CATTLE	BONSMARA (1)		
2692U005	PJJ16-0120 (F,1)	CATTLE	BONSMARA (1)		
2692U006	PJJ11-0020 (F,1)	CATTLE	BONSMARA (1)		
2692U007	PJJ16-0107 (F,1)	CATTLE	BONSMARA (1)		
2692U008	PJJ16-0057 (F,1)	CATTLE	BONSMARA (1)		
2692U009	PJJ15-0060 (F,1)	CATTLE	BONSMARA (1)		
2692U010	PJJ16-0049 (F,1)	CATTLE	BONSMARA (1)		
2692U011	PJJ16-0129 (F,1)	CATTLE	BONSMARA (1)		
2692U012	PJJ12-0084 (F,1)	CATTLE	BONSMARA (1)		
2692U013	PJJ14-0093 (F,1)	CATTLE	BONSMARA (1)		

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U014	PJJ16-0101 (F,1)	CATTLE	BONSMARA (1)		
2692U015	PJJ16-0124 (F,1)	CATTLE	BONSMARA (1)		
2692U016	PJJ15-0133 (F,1)	CATTLE	BONSMARA (1)		
2692U017	PJJ16-0126 (F,1)	CATTLE	BONSMARA (1)		
2692U018	PJJ16-0073 (F,1)	CATTLE	BONSMARA (1)		
2692U019	PJJ08-0193 (F,1)	CATTLE	BONSMARA (1)		
2692U020	PJJ13-0071 (F,1)	CATTLE	BONSMARA (1)		
2692U021	PJJ19-0205 (M,1)	CATTLE	BONSMARA (1)	PJJ07-0174 (F,1 2692U001)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U022	PJJ19-0222 (M,1)	CATTLE	BONSMARA (1)	PJJ12-0046 (F,1 A457392)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U023	PJJ19-0234 (M,1)	CATTLE	BONSMARA (1)	PJJ13-0125 (F,1 A457394)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U024	PJJ19-0235 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0158 (F,1 2692U002)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U025	PJJ19-0239 (M,1)	CATTLE	BONSMARA (1)	PJJ10-0074 (F,1 A457395)(Valid)	PJJ16-0096 (M,1 A457369)(Valid)
2692U026	PJJ19-0256 (M,1)	CATTLE	BONSMARA (1)	PJJ17-0076 (F,1 A379105)(Valid)	PJJ17-0109 (M,1 A457309)(Valid)
2692U027	PJJ19-0258 (M,1)	CATTLE	BONSMARA (1)	PJJ15-0064 (F,1 A534590)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U028	PJJ19-0267 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0129 (F,1 A534582)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U029	PJJ20-0005 (F,1)	CATTLE	BONSMARA (1)	PJJ10-0051 (F,1 A379112)(Valid)	BRB12-0145 (M,1 A191211)(Valid)
2692U030	PJJ20-0014 (F,1)	CATTLE	BONSMARA (1)	PJJ16-0008 (F,1 A534641)(Valid)	PJJ17-0127 (M,1 A457315)(Valid)
2692U031	PJJ20-0015 (F,1)	CATTLE	BONSMARA (1)	PJJ05-0138 (F,1 A379154)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U032	PJJ20-0017 (F,1)	CATTLE	BONSMARA (1)	PJJ10-0028 (F,1 A534634)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U033	PJJ20-0018 (F,1)	CATTLE	BONSMARA (1)	PJJ07-0020 (F,1 A534490)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U034	PJJ20-0019 (F,1)	CATTLE	BONSMARA (1)	PJJ10-0127 (F,1 A534493)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U035	PJJ20-0021 (F,1)	CATTLE	BONSMARA (1)	PJJ07-0093 (F,1 A379143)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U036	PJJ20-0022 (F,1)	CATTLE	BONSMARA (1)	PJJ16-0029 (F,1 A534633)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U037	PJJ20-0023 (F,1)	CATTLE	BONSMARA (1)	PJJ14-0091 (F,1 A457426)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U038	PJJ20-0024 (F,1)	CATTLE	BONSMARA (1)	PJJ09-0119 (F,1 A379118)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U039	PJJ20-0026 (F,1)	CATTLE	BONSMARA (1)	PJJ12-0215 (F,1 A534637)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U040	PJJ20-0031 (F,1)	CATTLE	BONSMARA	PJJ08-0138 (F,1 A457425)(Valid)	PJJ16-0096 (M,1 A457369)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
2692U041	PJJ20-0038 (F,1)	CATTLE	BONSMARA (1)	PJJ12-0030 (F,1 A177649)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U042	PJJ20-0041 (F,1)	CATTLE	BONSMARA (1)	PJJ15-0110 (F,1 2692U003)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U043	PJJ20-0055 (F,1)	CATTLE	BONSMARA (1)	PJJ12-0203 (F,1 A379115)(Valid)	PJJ17-0127 (M,1 A457315)(Valid)
2692U044	PJJ20-0060 (F,1)	CATTLE	BONSMARA (1)	PJJ15-0094 (F,1 2692U004)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U045	PJJ20-0071 (F,1)	CATTLE	BONSMARA (1)	PJJ14-0105 (F,1 A379167)(Valid)	PJJ17-0109 (M,1 A457309)(Valid)
2692U046	PJJ20-0081 (F,1)	CATTLE	BONSMARA (1)	PJJ16-0068 (F,1 A534635)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U047	PJJ20-0002 (M,1)	CATTLE	BONSMARA (1)	PJJ09-0006 (F,1 A379141)(Valid)	BRB12-0145 (M,1 A191211)(Valid)
2692U048	PJJ20-0010 (M,1)	CATTLE	BONSMARA (1)	PJJ09-0125 (F,1 A379153)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U049	PJJ20-0011 (M,1)	CATTLE	BONSMARA (1)	PJJ16-0120 (F,1 2692U005)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U050	PJJ20-0027 (M,1)	CATTLE	BONSMARA (1)	PJJ11-0019 (F,1 A534639)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U051	PJJ20-0028 (M,1)	CATTLE	BONSMARA (1)	PJJ08-0075 (F,1 A379131)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U052	PJJ20-0032 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0089 (F,1 A534640)(Valid)	PJJ17-0109 (M,1 A457309)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U053	PJJ20-0033 (M,1)	CATTLE	BONSMARA (1)	PJJ10-0044 (F,1 A109053)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U054	PJJ20-0037 (M,1)	CATTLE	BONSMARA (1)	PJJ07-0110 (F,1 A379152)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U055	PJJ20-0040 (M,1)	CATTLE	BONSMARA (1)	PJJ16-0047 (F,1 A534588)(Valid)	PJJ17-0109 (M,1 A457309)(Valid)
2692U056	PJJ20-0045 (M,1)	CATTLE	BONSMARA (1)	PJJ11-0173 (F,1 A379140)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U057	PJJ20-0046 (M,1)	CATTLE	BONSMARA (1)	PJJ06-0090 (F,1 A534581)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U058	PJJ20-0047 (M,1)	CATTLE	BONSMARA (1)	PJJ04-0079 (F,1 A379123)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U059	PJJ20-0049 (M,1)	CATTLE	BONSMARA (1)	PJJ09-0026 (F,1 A379113)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U060	PJJ20-0052 (M,1)	CATTLE	BONSMARA (1)	PJJ12-0081 (F,1 A379136)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U061	PJJ20-0058 (M,1)	CATTLE	BONSMARA (1)	PJJ11-0155 (F,1 A379147)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U062	PJJ20-0059 (M,1)	CATTLE	BONSMARA (1)	PJJ12-0166 (F,1 A379117)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U063	PJJ20-0064 (M,1)	CATTLE	BONSMARA (1)	PJJ08-0158 (F,1 A379166)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U064	PJJ20-0065 (M,1)	CATTLE	BONSMARA (1)	PJJ08-0131 (F,1 A379128)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U065	PJJ20-0066 (M,1)	CATTLE	BONSMARA (1)	PJJ08-0190 (F,1 A379132)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U066	PJJ20-0067 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0218 (F,1 A457386)(Valid)	PJJ17-0109 (M,1 A457309)(Valid)
2692U067	PJJ20-0073 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0220 (F,1 A534526)(Not Valid)	PJJ12-0061 (M,1 A301746)(Valid) PJJ17-0088 (M,1 A457302)(Valid)
2692U068	PJJ20-0079 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0177 (F,1 A457377)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U069	PJJ20-0080 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0107 (F,1 A457387)(Valid)	PJJ17-0127 (M,1 A457315)(Valid)
2692U070	PJJ19-0100 (M,1)	CATTLE	BONSMARA (1)	PJJ11-0020 (F,1 2692U006)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)
2692U071	PJJ19-0109 (M,1)	CATTLE	BONSMARA (1)	PJJ17-0009 (F,1 A379056)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)
2692U072	PJJ19-0122 (M,1)	CATTLE	BONSMARA (1)	PJJ16-0107 (F,1 2692U007)(Not Valid)	PJJ17-0006 (M,1 A379053)(Valid)
2692U073	PJJ19-0123 (M,1)	CATTLE	BONSMARA (1)	PJJ13-0111 (F,1 A457390)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U074	PJJ19-0125 (M,1)	CATTLE	BONSMARA (1)	PJJ08-0161 (F,1 A320234)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U075	PJJ19-0128 (M,1)	CATTLE	BONSMARA (1)	PJJ16-0057 (F,1 2692U008)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U076	PJJ19-0132 (M,1)	CATTLE	BONSMARA (1)	PJJ15-0060 (F,1 2692U009)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U077	PJJ19-0134 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0108 (F,1 A457374)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U078	PJJ19-0137 (M,1)	CATTLE	BONSMARA (1)	PJJ13-0193 (F,1 A534577)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U079	PJJ19-0145 (M,1)	CATTLE	BONSMARA (1)	PJJ11-0052 (F,1 A457398)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U080	PJJ19-0146 (M,1)	CATTLE	BONSMARA (1)	PJJ16-0049 (F,1 2692U010)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U081	PJJ19-0156 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0092 (F,1 A457388)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U082	PJJ19-0158 (M,1)	CATTLE	BONSMARA (1)	PJJ17-0004 (F,1 A379052)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)
2692U083	PJJ19-0163 (M,1)	CATTLE	BONSMARA (1)	PJJ07-0150 (F,1 A64483)(Valid)	BRB12-0145 (M,1 A191211)(Valid)
2692U084	PJJ19-0165 (M,1)	CATTLE	BONSMARA (1)	PJJ12-0049 (F,1 A457372)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U085	PJJ19-0179 (M,1)	CATTLE	BONSMARA (1)	PJJ15-0044 (F,1 A534579)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U086	PJJ19-0182 (M,1)	CATTLE	BONSMARA (1)	PJJ17-0034 (F,1 A379072)(Valid)	PJJ17-0006 (M,1 A379053)(Valid)
2692U087	PJJ19-0190 (M,1)	CATTLE	BONSMARA (1)	PJJ16-0129 (F,1 2692U011)(Valid)	PJJ17-0109 (M,1 A457309)(Valid)
2692U088	PJJ19-0194 (M,1)	CATTLE	BONSMARA (1)	PJJ12-0078 (F,1 A457391)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U089	PJJ19-0195 (M,1)	CATTLE	BONSMARA	PJJ10-0056 (F,1 A320237)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
2692U090	PJJ19-0019 (M,1)	CATTLE	BONSMARA (1)	PJJ14-0091 (F,1 A457426)(Valid)	
2692U091	PJJ19-0219 (F,1)	CATTLE	BONSMARA (1)	PJJ17-0083 (F,1 A457301)(Valid)	PJJ17-0006 (M,1 A379053)(Valid)
2692U092	PJJ19-0221 (F,1)	CATTLE	BONSMARA (1)	PJJ09-0162 (F,1 A457402)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U093	PJJ19-0228 (F,1)	CATTLE	BONSMARA (1)	PJJ11-0169 (F,1 A457412)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U094	PJJ19-0229 (F,1)	CATTLE	BONSMARA (1)	PJJ12-0084 (F,1 2692U012)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U095	PJJ19-0230 (F,1)	CATTLE	BONSMARA (1)	PJJ14-0093 (F,1 2692U013)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U096	PJJ19-0243 (F,1)	CATTLE	BONSMARA (1)	PJJ10-0089 (F,1 A457407)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U097	PJJ19-0247 (F,1)	CATTLE	BONSMARA (1)	PJJ08-0105 (F,1 A534589)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U098	PJJ19-0252 (F,1)	CATTLE	BONSMARA (1)	PJJ11-0140 (F,1 A457397)(Valid)	PJJ12-0007 (M,1 A177664)(Valid)
2692U099	PJJ19-0259 (F,1)	CATTLE	BONSMARA (1)	PJJ16-0101 (F,1 2692U014)(Valid)	PJJ17-0088 (M,1 A457302)(Valid)
2692U100	PJJ19-0265 (F,1)	CATTLE	BONSMARA (1)	PJJ13-0223 (F,1 A457393)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U101	PJJ19-0096 (F,1)	CATTLE	BONSMARA	PJJ16-0124 (F,1 2692U015)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
			(1)		
2692U102	PJJ19-0097 (F,1)	CATTLE	BONSMARA (1)	PJJ15-0133 (F,1 2692U016)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)
2692U103	PJJ19-0108 (F,1)	CATTLE	BONSMARA (1)	PJJ16-0126 (F,1 2692U017)(Valid)	PJJ17-0006 (M,1 A379053)(Valid)
2692U104	PJJ19-0118 (F,1)	CATTLE	BONSMARA (1)	PJJ16-0073 (F,1 2692U018)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)
2692U105	PJJ19-0119 (F,1)	CATTLE	BONSMARA (1)	PJJ15-0078 (F,1 A534605)(Valid)	PJJ15-0085 (M,1 A379048)(Valid)
2692U106	PJJ19-0130 (F,1)	CATTLE	BONSMARA (1)	PJJ09-0161 (F,1 A457396)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U107	PJJ19-0131 (F,1)	CATTLE	BONSMARA (1)	PJJ10-0077 (F,1 A457404)(Valid)	PJJ15-0154 (M,1 A379049)(Valid)
2692U108	PJJ19-0139 (F,1)	CATTLE	BONSMARA (1)	PJJ08-0193 (F,1 2692U019)(Valid)	BRB12-0145 (M,1 A191211)(Valid)
2692U109	PJJ19-0140 (F,1)	CATTLE	BONSMARA (1)	PJJ15-0015 (F,1 A457373)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U110	PJJ19-0150 (F,1)	CATTLE	BONSMARA (1)	PJJ09-0167 (F,1 A379139)(Valid)	PJJ16-0096 (M,1 A457369)(Valid)
2692U111	PJJ19-0157 (F,1)	CATTLE	BONSMARA (1)	PJJ14-0148 (F,1 A534663)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U112	PJJ19-0162 (F,1)	CATTLE	BONSMARA (1)	PJJ14-0125 (F,1 A457385)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U113	PJJ19-0167 (F,1)	CATTLE	BONSMARA (1)	PJJ14-0150 (F,1 A534578)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE
2692U114	PJJ19-0173 (F,1)	CATTLE	BONSMARA (1)	PJJ13-0071 (F,1 2692U020)(Valid)	PJJ12-0061 (M,1 A301746)(Valid)
2692U115	PJJ19-0193 (F,1)	CATTLE	BONSMARA (1)	PJJ12-0173 (F,1 A379165)(Valid)	PJJ16-0096 (M,1 A457369)(Valid)

Report Date : 07-Dec-2020 12:42

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract