

Calf	Gender	Date of Birth	DAM	Weight of Calf	Weight of Dam
CTP24-16	M	01/02/2024	EMD 20-034	30	445
CTP24-19	F	06/02/2024	BH16-25	29	501
CTP24-23	F	06/02/2024	ELS19-24	32	484
CTP24-32	M	12/02/2024	ED15-50	26	471
CTP24-33	M	12/02/2024	ELS14-20	39	447
CTP24-113	F	01/07/2024	CTP21-44	31	396
CTP24-128	M	05/07/2024	ELS17-21	28	435
CTP24-133	F	05/07/2024	BU18-0167	30	523
CTP24-169	M	23/07/2024	CTP21-45	29	375
CTP24-181	M	02/08/2024	BH19-650	45	567
CTP24-210	F	16/08/2024	BH18-716	29	443
CTP24-264	F	04/09/2024	FBG018-58	36	421
CTP24-276	F	17/09/2024	SEM18-02	32	411
CTP24-290	F	30/09/2024	VST20-136	21	421
CTP24-311	M	08/10/2024	BU19-114	31	441
CTP24-316	M	08/10/2024	CTP20-58	45	482
CTP24-328	F	08/10/2024	QT14-50	21	458
CTP24-354	M	01/11/2024	DLV20-14	20	372
CTP24-360	M	01/11/2024	FN18-81	41	401
CTP24-363	M	01/11/2024	BH19-678	43	500
CTP24-367	M	01/11/2024	BHB18-09	45	378
CTP24-422	F	03/12/2024	CTP21-10	22	473
CTP24-437	M	13/12/2024	D15-160	28	518
CTP24-446	M	30/12/2024	BMK15-12	34	478

17205U010	CTP24-0010 (F,24)	CATTLE	BORAN (24)	PRB20-0039 (F,24)(Valid)	PRB19-0009 (M,24)(Valid)	PAR_C	Hair	envelope/bag DVS Dam Valid, Sire Valid	48335
17205U011	CTP24-0011 (M,24)	CATTLE	BORAN (24)	PRB18-0010 (F,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U012	CTP24-0012 (F,24)	CATTLE	BORAN (24)	JVG19-0003 (F,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U013	CTP24-0013 (F,24)	CATTLE	BORAN (24)	BWS20-0111 (F,24)(Valid)	BR18-0102 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U014	CTP24-0014 (F,24)	CATTLE	BORAN (24)	DLV21-0057 (N/S,24)(Valid)	DLV19-0043 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U015	CTP24-0015 (F,24)	CATTLE	BORAN (24)	WJ12-0097 (F,24)(Valid)	?	PAR_C	Hair	DV/mNSX Dam Valid, Multiple Nominated Sires Excluded	48335
17205U016	CTP24-0016 (M,24)	CATTLE	BORAN (24)	EMD20-0034 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U017	CTP24-0017 (F,24)	CATTLE	BORAN (24)	CTP20-0021 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U018	CTP24-0018 (F,24)	CATTLE	BORAN (24)	SPJ15-0013 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U019	CTP24-0019 (F,24)	CATTLE	BORAN (24)	BH16-0025 (F,24)(Valid)	CFH14-0254 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U020	CTP24-0020 (F,24)	CATTLE	BORAN (24)	VST19-0367 (F,24)(Valid)	ELS15-0022 (M,UNK,CR)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335

Report Date : 11-Mar-2025 14:56

Page

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestor. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

17205U021	CTP24-0021 (F,24)	CATTLE	BORAN (24)	CTP20-0037 (F,24)(Not Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DXSV Dam Excluded, Sire Valid	48335
17205U022	CTP24-0022 (F,24)	CATTLE	BORAN (24)	BAR18-0495 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U023	CTP24-0023 (F,24)	CATTLE	BORAN (24)	ELS19-0024 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U024	CTP24-0024 (F,24)	CATTLE	BORAN (24)	ELS19-0005 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U025	CTP24-0025 (F,24)	CATTLE	BORAN (24)	CTP20-0048 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U026	CTP24-0026 (M,24)	CATTLE	BORAN (24)	BWS17-0013 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U027	CTP24-0027 (F,24)	CATTLE	BORAN (24)	FBG018-0067 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U028	CTP24-0028 (F,24)	CATTLE	BORAN (24)	ELS19-0032 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U029	CTP24-0029 (M,24)	CATTLE	BORAN (24)	CTP20-0001 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U030	CTP24-0030 (M,24)	CATTLE	BORAN (24)	LE17-0040 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U031	CTP24-0031 (F,24)	CATTLE	BORAN (24)	BH18-0210 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	48335
17205U032	CTP24-0032 (M,24)	CATTLE	BORAN (24)	ED15-0050 (F,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire	48335

Report Date : 11-Mar-2025 14:56

Pag

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

17205U033	CTP24-0033 (M,24)	CATTLE	BORAN (24)	ELS14-0020 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	Valid DVS Dam Valid, Sire Valid	48335
17205U034	CTP24-0034 (SAMPLE = CTP23-0034) (F,24)	CATTLE	BORAN (24)	VST17-0149 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U035	CTP24-0035 (M,24)	CATTLE	BORAN (24)	ELS20-0016 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U036	CTP24-0036 (M,24)	CATTLE	BORAN (24)	BS15-0003 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U037	CTP24-0037 (M,24)	CATTLE	BORAN (24)	BH20-0025 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U038	CTP24-0038 (F,24)	CATTLE	BORAN (24)	DM20-0210 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U039	CTP24-0039 (M,24)	CATTLE	BORAN (24)	BH20-0054 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U040	CTP24-0040 (F,24)	CATTLE	BORAN (24)	SP18-0325 (F,24)(Valid)	ELS15-0022 (M,UNK_C)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U041	CTP24-0041 (F,24)	CATTLE	BORAN (24)	FN18-0128 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335
17205U042	CTP24-0042 (F,24)	CATTLE	BORAN (24)	BA18-0804 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVS Dam Valid, Sire Valid	48335

Report Date : 11-Mar-2025 14:56

Page

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

19768U044	CTP24-0111 (M,24)	CATTLE	BORAN (24)	CTP21-0160 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19768U045	CTP24-0112 (M,24)	CATTLE	BORAN (24)	DM21-0801 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19768U046	CTP24-0113 (F,24)	CATTLE	BORAN (24)	CTP21-0044 (F,24)(Valid)	JT16-0196 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19768U047	CTP24-0114 (F,24)	CATTLE	BORAN (24)	CTP21-0177 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19768U048	CTP24-0115 (F,24)	CATTLE	BORAN (24)	CTP21-0063 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19768U049	DLV21-0039 (F,24)	CATTLE	BORAN (24)	DLV19-0014 (F,24)(Valid)	TLM05-0526 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19768U050	102 (F,24)	CATTLE	BORAN (24)	WG13-0024 (F,24)(Not Valid)	EMD15-0018 (M,24)(Not Valid)	PAR_C	Hair	DXSX Dam Excluded, Sire Excluded	50544Y
19768U051	CTP24-0093 (F,24)	CATTLE	BORAN (24)	WG13-0024 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y

Report Date : 11-Mar-2025 14:59

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG companion testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

19998U010	CTP24-0125 (M,24)	CATTLE	BORAN (24)	LE13-0029 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U011	CTP24-0126 (M,24)	CATTLE	BORAN (24)	DBC21-0040 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U012	CTP24-0127 (F,24)	CATTLE	BORAN (24)	CTP21-0061 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U013	CTP24-0128 (M,24)	CATTLE	BORAN (24)	ELS17-0021 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U014	CTP24-0129 (F,24)	CATTLE	BORAN (24)	NBOR12-0001 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U015	CTP24-0130 (F,24)	CATTLE	BORAN (24)	ELS20-0024 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U016	CTP24-0131 (F,24)	CATTLE	BORAN (24)	BH16-0014 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U017	CTP24-0132 (M,24)	CATTLE	BORAN (24)	KKT18-0007 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U018	CTP24-0133 (F,24)	CATTLE	BORAN (24)	BU18-0167 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U019	CTP24-0134 (F,24)	CATTLE	BORAN (24)	WZ15-0040 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U020	CTP24-0135 (F,24)	CATTLE	BORAN (24)	BH16-0082 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U021	CTP24-0136 (M,24)	CATTLE	BORAN (24)	FN19-0085 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y

Report Date : 11-Mar-2025 14:59

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch 19998U
Owner : Cherokee Borane
Farm :

19998U045	CTP24-0160 (M,24)	CATTLE	BORAN (24)	HOT21-0225 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U046	CTP24-0161 (F,24)	CATTLE	BORAN (24)	CTP21-0073 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U047	CTP24-0162 (M,24)	CATTLE	BORAN (24)	CTP21-0138 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U048	CTP24-0163 (M,24)	CATTLE	BORAN (24)	CTP21-0020 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U049	CTP24-0165 (M,24)	CATTLE	BORAN (24)	CTP21-0066 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U050	CTP24-0166 (F,24)	CATTLE	BORAN (24)	ELS17-0033 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U051	CTP24-0167 (F,24)	CATTLE	BORAN (24)	NCT18-0017 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U052	CTP24-0168 (F,24)	CATTLE	BORAN (24)	BD21-0584 (F,24)(Valid)	JH12-0093 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U053	CTP24-0169 (M,24)	CATTLE	BORAN (24)	CTP21-0045 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U054	CTP24-0170 (F,24)	CATTLE	BORAN (24)	CTP21-0113 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U055	CTP24-0171 (M,24)	CATTLE	BORAN (24)	CTP21-0083 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U056	CTP24-0172 (M,24)	CATTLE	BORAN (24)	CTP21-0122 (F,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire	50544Y

Report Date : 11-Mar-2025 14:59

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

19998U057	CTP24-0173 (M,24)	CATTLE	BORAN (24)	CTP21-0047 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	50544Y
19998U058	CTP24-0174 (M,24)	CATTLE	BORAN (24)	BS21-0010 (F,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U059	CTP24-0175 (M,24)	CATTLE	BORAN (24)	DLV20-0052 (N/S,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U060	CTP24-0177 (M,24)	CATTLE	BORAN (24)	DLV20-0032 SAMPLE=(P) (N/S,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U061	CTP24-0178 (M,24)	CATTLE	BORAN (24)	WJ16-0123 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U062	CTP24-0179 (M,24)	CATTLE	BORAN (24)	BH19-0597 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U063	CTP24-0180 (M,24)	CATTLE	BORAN (24)	FN21-0052 (F,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U064	CTP24-0181 (M,24)	CATTLE	BORAN (24)	BH19-0650 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U065	CTP24-0182 (F,24)	CATTLE	BORAN (24)	HOT19-0111 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U066	CTP24-0183 (F,24)	CATTLE	BORAN (24)	CTP21-0013 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y
19998U067	CTP24-0184 (F,24)	CATTLE	BORAN (24)	EHB20-0008 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50544Y

Report Date : 11-Mar-2025 14:59

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

19998U091	CTP24-0209 (M,24)	CATTLE	BORAN (24)	WJ13-0153 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U092	CTP24-0210 (F,24)	CATTLE	BORAN (24)	BH18-0716 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U093	CTP24-0211 (M,24)	CATTLE	BORAN (24)	WZ13-0061 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U094	CTP24-0212 (M,24)	CATTLE	BORAN (24)	D14-0133 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U095	CTP24-0213 (M,24)	CATTLE	BORAN (24)	EMD20-0020 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U096	CTP24-0214 (M,24)	CATTLE	BORAN (24)	ELS13-0018 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U097	CTP24-0215 (M,24)	CATTLE	BORAN (24)	EMD17-0034 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U098	CTP24-0216 (M,24)	CATTLE	BORAN (24)	ELS15-0049 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U099	CTP24-0217 (F,24)	CATTLE	BORAN (24)	ELS15-0049 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U100	CTP24-0218 (M,24)	CATTLE	BORAN (24)	ELS15-0049 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U101	CTP24-0219 (F,24)	CATTLE	BORAN (24)	LD21-0018 (F,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U102	CTP24-0220 (M,24)	CATTLE	BORAN (24)	CTP21-0178 (F,24)(Not Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DXSV Dam Excluded, Sire	50544Y

Report Date : 11-Mar-2025 14:59

Page : 9

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

19998U138	CTP24-0260 (F,24)	CATTLE	BORAN (24)	BH17-0550 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U139	CTP24-0261 (M,24)	CATTLE	BORAN (24)	BH16-0177 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U140	CTP24-0262 (F,24)	CATTLE	BORAN (24)	CTP21-0107 (F,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U141	CTP24-0263 (M,24)	CATTLE	BORAN (24)	ELS20-0017 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
19998U142	CTP24-0264 (M,24)	CATTLE	BORAN (24)	FBGO18-0058 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	50544Y
						PAR_C	Hair	HER04	50544Y

21133U010	CTP24-0275 (M,24)	CATTLE	BORAN (24)	SPJ18-0016 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid
21133U011	CTP24-0276 (F,24)	CATTLE	BORAN (24)	SEM18-0002 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid
21133U012	CTP24-0277 (F,24)	CATTLE	BORAN (24)	BH19-0523 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid

JS 8/24/10



Batch Detail Report

Created : 2024-12-03

Batch : 20852
Owner : Cherokee Borar
Farm
Account : CHERO
Origin : BORAN BREEDERS SOCIET
Invoice To : Ownr

20852U001	CTP24-0271 (F,24)	CATTLE	BORAN (24)	CTP20-0039 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U002	CTP24-0265 (F,24)	CATTLE	BORAN (24)	DBC18-0008 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U003	CTP24-0279 (F,24)	CATTLE	BORAN (24)	ED15-0047 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U004	CTP24-0288 (M,24)	CATTLE	BORAN (24)	QT21-0084 (F,24)(Valid)	LUD19-0314 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U005	CTP24-0289 (F,24)	CATTLE	BORAN (24)	DLV21-0050 (N/S,24)(Not Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DXSV Dam Excluded, Sire Valid	51184Y
20852U006	CTP24-0290 (F,24)	CATTLE	BORAN (24)	VST20-0136 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U007	CTP24-0291 (M,24)	CATTLE	BORAN (24)	DLV21-0046 (N/S,24)(Valid)	LE16-0027 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U008	CTP24-0292 (F,24)	CATTLE	BORAN (24)	W-520-289	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	SV Sire Valid	51184Y
20852U009	CTP24-0293 (M,24)	CATTLE	BORAN (24)	VST20-0170 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y

Report Date : 11-Mar-2025 15:00

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

20852U022	CTP24-0306 (M,24)	CATTLE	BORAN (24)	ELS17-0008 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U023	CTP24-0307 (F,24)	CATTLE	BORAN (24)	HOT19-0092 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U024	CTP24-0308 (M,24)	CATTLE	BORAN (24)	BH16-0007 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U025	CTP24-0309 (M,24)	CATTLE	BORAN (24)	EMD12-0048 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U026	CTP24-0310 (F,24)	CATTLE	BORAN (24)	PRB20-0005 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U027	CTP24-0311 (M,24)	CATTLE	BORAN (24)	BU19-0114 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U028	CTP24-0312 (F,24)	CATTLE	BORAN (24)	ELS18-0008 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y

20852U030	CTP24-0314 (F,24)	CATTLE	BORAN (24)	BH20-0224 (F,24)(Valid) ✓	PRB18-0001 (M,24)(Valid) ✓	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U031	CTP24-0315 (F,24)	CATTLE	BORAN (24)	CTP20-0011 (F,24)(Valid) ✓	JT16-0198 (M,24)(Valid) ✓	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U032	CTP24-0316 (F,24)	CATTLE	BORAN (24)	CTP20-0058 (F,24)(Valid) ✓	ELS15-0022 (M,24)(Valid) ✓	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U033	CTP24-0317 (F,24)	CATTLE	BORAN (24)	ELS18-0006 (F,24)(Valid) ✓	JT16-0198 (M,24)(Valid) ✓	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y

Report Date : 11-Mar-2025 15:00

Page :

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

20852U040	CTP24-0324 (F,24)	CATTLE	BORAN (24)	MOS20-0238 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U041	CTP24-0325 (M,24)	CATTLE	BORAN (24)	PRB18-0004 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U042	CTP24-0326 (F,24)	CATTLE	BORAN (24)	D14-0155 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51184Y
20852U043	CTP24-0327 (M,24)	CATTLE	BORAN (24)	EMD20-0071 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U044	CTP24-0328 (F,24)	CATTLE	BORAN (24)	QT14-0050 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y

Report Date : 11-Mar-2025 15:00

Page :

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

20852U068	CTP24-0362 (F,24)	CATTLE	BORAN (24)	ELS15-0027 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U069	CTP24-0363 (M,24)	CATTLE	BORAN (24)	BH19-0678 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U070	CTP24-0364 (F,24)	CATTLE	BORAN (24)	SEM19-0002 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U071	CTP24-0365 (M,24)	CATTLE	BORAN (24)	ELS14-0024 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y

20852U073	CTP24-0367 (M,24)	CATTLE	BORAN (24)	BHB18-0009 (F,24)(Valid)	DM17-0059 (M,24)(Valid)	PAR_C	Hair	Sire Valid DVSV Dam Valid, Sire Valid	51184Y
20852U074	CTP24-0368 (M,24)	CATTLE	BORAN (24)	CTP19-0160 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U075	CTP24-0369 (F,24)	CATTLE	BORAN (24)	ELS13-0050 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U076	CTP24-0370 (M,24)	CATTLE	BORAN (24)	EMD15-0040 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U077	CTP24-0371 (F,24)	CATTLE	BORAN (24)	WZ14-0016 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U078	CTP24-0372 (F,24)	CATTLE	BORAN (24)	BH19-0510 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y
20852U079	CTP24-0373 (M,24)	CATTLE	BORAN (24)	BH19-0380 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51184Y

Report Date : 11-Mar-2025 15:00

Unistel report these results on the premise that the hindquarter conformation is correct.



Batch Detail Report

Created : 2025-01-23

Batch : 21315

Owner : Cherokee Borai

Farm

Account : CHER

Origin : BORAN BREEDERS SOCIETY

Invoice To : Own

21315U001	CTP24-0422 (F,24)	CATTLE	BORAN (24)	CTP21-0010 (F,24)(Valid)	ELS19-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U002	CTP24-0423 (M,24)	CATTLE	BORAN (24)	ELS17-0024 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U003	CTP24-0424 (M,24)	CATTLE	BORAN (24)	SPJ15-0137 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U004	CTP24-0425 (M,24)	CATTLE	BORAN (24)	W17-0573 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U005	CTP24-0426 (M,24)	CATTLE	BORAN (24)	WPB21-0025 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U006	CTP24-0427 (M,24)	CATTLE	BORAN (24)	BH16-0049 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U007	CTP24-0428 (M,24)	CATTLE	BORAN (24)	VST18-0181 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U008	CTP24-0429 (M,24)	CATTLE	BORAN (24)	FN18-0032 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U009	CTP24-0430 (M,24)	CATTLE	BORAN (24)	WJ14-0118 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire	51558Y

Report Date : 20-Feb-2025 00:54

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

								Valid	
21315U010	CTP24-0431 (F,24)	CATTLE	BORAN (24)	BU18-0098 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U011	CTP24-0432 (F,24)	CATTLE	BORAN (24)	BH16-0184 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U012	CTP24-0433 (M,24)	CATTLE	BORAN (24)	FN18-0127 (F,24)(Valid)	CFH13-0328 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U013	CTP24-0434 (F,24)	CATTLE	BORAN (24)	ED14-0030 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U014	CTP24-0435 (M,24)	CATTLE	BORAN (24)	NCT18-0028 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U015	CTP24-0436 (M,24)	CATTLE	BORAN (24)	HOT17-0025 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U016	CTP24-0437 (M,24)	CATTLE	BORAN (24)	D15-0160 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U017	CTP24-0438 (F,24)	CATTLE	BORAN (24)	BH16-0024 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U018	CTP24-0439 (F,24)	CATTLE	BORAN (24)	ELS16-0023 (F,24)(Valid)	PRB18-0001 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U019	CTP24-0440 (SAMPLE = CTP24-0004) (M,24)	CATTLE	BORAN (24)	CTM15-0083 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y
21315U021	CTP24-0442 (F,24)	CATTLE	BORAN (24)	CTP19-0078 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	51558Y

Report Date : 20-Feb-2025 00:54

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.
 Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
 DIVISION MANAGER

	CTP24-0443 (M,24)	CATTLE	BORAN (24)	BH15-0227 (F,24)(Valid)	JVG18-0003 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U023	CTP24-0444 (M,24)	CATTLE	BORAN (24)	BH17-0623 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U024	CTP24-0445 (F,24)	CATTLE	BORAN (24)	MC17-0084 (F,24)(Valid)	ELS15-0022 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U025	CTP24-0446 (M,24)	CATTLE	BORAN (24)	BMK15-0012 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U026	CTP24-0447 (F,24)	CATTLE	BORAN (24)	FBGO18-0067 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U027	CTP24-0073 (F,24)	CATTLE	BORAN (24)	CTP21-0104 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U028	CTP24-0075 (F,24)	CATTLE	BORAN (24)	CTP21-0078 (F,24)(Valid)	JT16-0198 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U029	CTP24-0091 (M,24)	CATTLE	BORAN (24)	CTP21-0192 (F,24)(Valid)	HOT15-0012 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y
21315U030	CTP21-0192 (F,24)	CATTLE	BORAN (24)	EMD12-0048 (F,24)(Valid)	BH16-0170 (M,24)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid	51558Y

Report Date : 20-Feb-2025 00:54

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
 Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract.

CHARNÉ ROSSOUW

Milestone Beefmasters

Lidnommer: 0604547BMA

Ingestuur: 28/05/2025 (verkorte lys ingestuur 09/06/2025)

Daar het 'n fout gekom met die inlees van die speengewigte se datum.
Verwyder asb die volgende diere uit hulle groepe.

Dier ID		Weeggroep
MS 230004	2023/03/03	A22BMA202319
MS 230007	2023/03/08	A22BMA202319
MS 230062	2023/03/20	A22BMA202319
MS 230078	2023/07/31	A22BMA202320
MS 230085	2023/08/02	A22BMA202309
MS 230193	2023/09/04	A22BMA202323
MS 230239	2023/09/19	A22BMA202328
MS 230266	2023/09/26	A22BMA202332