



Batch Detail Report

Created : 2025-05-23

Batch : 22873U
Owner :HD Watson
Farm :Glenside Farm
Account : WATHD1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22873U001	VOVA22-0297 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0210 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22873U002	VOVA22-0436 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA20-0030 (F,91)(Valid)	C09-0221 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22873U003	VOVA23-0400 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0210 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22873U004	VOVA23-0412 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0025 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22873U005	VOVA24-0130 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0025 (F,91)(Valid)	CSA16-0056 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22873U006	VOVA24-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0025 (F,91)(Valid)	AGO20-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 23-Jun-2025 07:50

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2025-05-23

Batch : 22873U
Owner :HD Watson
Farm :Glenside Farm
Account : WATHD1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22873U001	VOVA22-0297 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
22873U001	VOVA22-0297 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
22873U001	VOVA22-0297 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22873U002	VOVA22-0436 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
22873U002	VOVA22-0436 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
22873U002	VOVA22-0436 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22873U003	VOVA23-0400 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
22873U003	VOVA23-0400 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
22873U003	VOVA23-0400 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821	

Report Date : 23-Jun-2025 13:59

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22873U004	VOVA23-0412 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
22873U004	VOVA23-0412 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
22873U004	VOVA23-0412 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
22873U005	VOVA24-0130 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
22873U005	VOVA24-0130 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
22873U005	VOVA24-0130 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	
22873U006	VOVA24-0153 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
22873U006	VOVA24-0153 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
22873U006	VOVA24-0153 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 23-Jun-2025 13:59

Unistiel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistiel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistiel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistiel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2025-05-09

Batch : 22610U
Owner :HD Watson
Farm :Glenside Farm
Account : WATHD1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22610U001	VOVA22-0528 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0153 (F,91)(Valid)		PAR_C	Hair	DVMNSX : Dam Valid, Multiple Nominated Sires Excluded	53736Y
22610U002	VOVA22-0569 (F,91)	CATTLE	DROUGHT MASTER (91)	C07-0115 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53736Y
22610U003	VOVA23-0083 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0210 (F,91)(Valid)	TRADITION (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53736Y
22610U004	VOVA23-0092 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0029 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53736Y
22610U005	VOVA23-0306 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP17-0210 (F,91)(Valid)	CSA17-0062 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53736Y
22610U006	VOVA23-0079 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA20-0030 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53736Y
22610U007	VOVA24-0025 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA22-0022 (F,91)(Valid)	TOP17-0235 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53736Y

Report Date : 30-May-2025 14:34

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Created : 2025-05-09

Batch : 22610U
Owner :HD Watson
Farm :Glenside Farm
Account : WATHD1
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIZE	TEST	Tissue Type	RESULT	INVOICE
22610U001	VOVA22-0528 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U001	VOVA22-0528 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y
22610U001	VOVA22-0528 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	53736Y
22610U002	VOVA22-0569 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U002	VOVA22-0569 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y
22610U002	VOVA22-0569 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	53736Y
22610U003	VOVA23-0083 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U003	VOVA23-0083 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y
22610U003	VOVA23-0083 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821	53736Y

Report Date : 02-Jul-2025 13:57

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIUE	TEST	Tissue Type	RESULT	INVOICE
22610U004	VOVA23-0092 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U004	VOVA23-0092 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y
22610U004	VOVA23-0092 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	53736Y
22610U005	VOVA23-0306 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U005	VOVA23-0306 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y
22610U005	VOVA23-0306 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	53736Y
22610U006	VOVA23-0079 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U006	VOVA23-0079 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y
22610U006	VOVA23-0079 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	53736Y
22610U007	VOVA24-0025 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	53736Y
22610U007	VOVA24-0025 (F.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	53736Y

Report Date : 02-Jul-2025 13:57

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22610U007	VOVA24-0025 (F,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18HET : Myostatin - n1821 Heterozygote	53736Y

Report Date : 02-Jul-2025 13:57

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER