



Batch Detail Report

Created : 2025-06-06

Batch : 23067U
Owner :JA Dannhauser
Farm :Braklaagte
Account : DANU02
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIZE	TEST	Tissue Type	RESULT	INVOICE
23067U001	CSA22-0052 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U001	CSA22-0052 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U001	CSA22-0052 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	54052
23067U002	CSA22-0066 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U002	CSA22-0066 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U002	CSA22-0066 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	54052
23067U003	CSA22-0072 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U003	CSA22-0072 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U003	CSA22-0072 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	54052

Report Date : 09-Jul-2025 14:38

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U004	CSA22-0091 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U004	CSA22-0091 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U004	CSA22-0091 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	54052
23067U005	CSA22-0108 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U005	CSA22-0108 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U005	CSA22-0108 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U006	CSA22-0109 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U006	CSA22-0109 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U006	CSA22-0109 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U007	CSA22-0113 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U007	CSA22-0113 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U007	CSA22-0113 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U008	CSA22-0117 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U008	CSA22-0117 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U008	CSA22-0117 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U009	CSA22-0131 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U009	CSA22-0131 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U009	CSA22-0131 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U010	CSA22-0134 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U010	CSA22-0134 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U010	CSA22-0134 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	54052
23067U011	CSA22-0136 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U011	CSA22-0136 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U011	CSA22-0136 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U012	CSA22-0151 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U012	CSA22-0151 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U012	CSA22-0151 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U013	CSA22-0155 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U013	CSA22-0155 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U013	CSA22-0155 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U014	CSA22-0159 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U014	CSA22-0159 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U014	CSA22-0159 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	54052
23067U015	CSA22-0164 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U015	CSA22-0164 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U015	CSA22-0164 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U016	CSA22-0177 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U016	CSA22-0177 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U016	CSA22-0177 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U017	CSA22-0183 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U017	CSA22-0183 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U017	CSA22-0183 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U018	CSA22-0199 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U018	CSA22-0199 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U018	CSA22-0199 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U019	CSA22-0208 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SEX	TEST	Tissue Type	RESULT	INVOICE
23067U019	CSA22-0208 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Normal Q20NOR : Myostatin - Q204X Normal	54052
23067U019	CSA22-0208 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	54052
23067U020	CSA22-0230 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U020	CSA22-0230 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U020	CSA22-0230 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	54052
23067U021	CSA22-0232 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U021	CSA22-0232 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U021	CSA22-0232 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	54052
23067U022	CSA22-0238 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U022	CSA22-0238 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U022	CSA22-0238 (M,91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18HET : Myostatin - n1821 Heterozygote	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U023	CSA22-0243 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U023	CSA22-0243 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U023	CSA22-0243 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U024	CSA22-0261 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U024	CSA22-0261 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U024	CSA22-0261 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8HET : Myostatin - nt821 Heterozygote	54052
23067U025	CSA22-0264 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U025	CSA22-0264 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U025	CSA22-0264 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052
23067U026	CSA22-0266 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U026	CSA22-0266 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U026	CSA22-0266 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U027	CSA22-0269 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U027	CSA22-0269 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U027	CSA22-0269 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	54052
23067U028	CSA22-0285 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U028	CSA22-0285 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U028	CSA22-0285 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	54052
23067U029	CSA23-0005 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U029	CSA23-0005 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052
23067U029	CSA23-0005 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	n18HET : Myostatin - n1821 Heterozygote	54052
23067U030	CSA23-0009 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	54052
23067U030	CSA23-0009 (M.91)	CATTLE	DROUGHT MASTER (91)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23067U030	CSA23-0009 (M:91)	CATTLE	DROUGHT MASTER (91)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	54052

Report Date : 09-Jul-2025 14:38

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER