



Batch Detail Report

Batch : 22973U
Owner :J (Jaco) van der Walt
Farm :Mosdene Ranch
Account : VDWI01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-06-02

SAMPLE	ANIMAL	SPECIES	SIRE	DAM	DATE	TEST	TIME/Type	RESULT	INVOICE
22973U001	MOS25-0250 (F,24)	CATTLE	BORAN (24)	BH19-0154 (F,24)(Valid)	E20-0085 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U002	MOS25-0257 (M,24)	CATTLE	BORAN (24)	VB11-0017 (F,24)(Valid)	PRB21-0057 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U003	MOS25-0259 (M,24)	CATTLE	BORAN (24)			NSR_C	Hair	NSR : No sample received	01
22973U004	MOS25-0260 (M,24)	CATTLE	BORAN (24)	MOS22-0141 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U005	MOS25-0261 (F,24)	CATTLE	BORAN (24)	MOS22-0434 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U006	MOS25-0262 (M,24)	CATTLE	BORAN (24)	MOS22-0259 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U007	MOS25-0263 (F,24)	CATTLE	BORAN (24)	MOS22-0120 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U008	MOS25-0264 (M,24)	CATTLE	BORAN (24)	BH16-0291 (F,24)(Valid)	E20-0085 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U009	MOS25-0265 (M,24)	CATTLE	BORAN (24)	BFT16-0071 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y

Report Date : 14-Jul-2025 11:13

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST Type	RESULT	INVOICE
22973U010	MOS25-0266 (M,24)	CATTLE	BORAN (24)	WZ14-0018 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U011	MOS25-0267 (F,24)	CATTLE	BORAN (24)	MOS22-0249 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U012	MOS25-0271 (M,24)	CATTLE	BORAN (24)	MOS22-0268 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U013	MOS25-0272 (M,24)	CATTLE	BORAN (24)	MOS22-0220 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U014	MOS25-0273 (F,24)	CATTLE	BORAN (24)	MOS22-0518 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U015	MOS25-0274 (F,24)	CATTLE	BORAN (24)	MOS21-0010 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U016	MOS25-0275 (F,24)	CATTLE	BORAN (24)	MOS22-0167 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U017	MOS25-0276 (M,24)	CATTLE	BORAN (24)	NBOR09-0031 (F,24)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	54023Y
22973U018	MOS25-0277 (F,24)	CATTLE	BORAN (24)	ED14-0056 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U019	MOS25-0278 (F,24)	CATTLE	BORAN (24)	BH17-0395 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U020	MOS25-0279 (M,24)	CATTLE	BORAN (24)	MOS20-0280 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U021	MOS25-0281 (F,24)	CATTLE	BORAN (24)		VST14-0042 (M,24)(Valid)	PAR_C	Hair	SV :	54023Y

Report Date : 14-Jul-2025 11:13

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Testant Type	RESULT	INVOICE
22973U022	MOS25-0282 (M,24)	CATTLE	BORAN (24)	MOS20-0193 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	Sire Valid DVS : Dam Valid, Sire Valid	54023Y
22973U023	MOS25-0283 (F,24)	CATTLE	BORAN (24)	MOS22-0306 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U024	MOS25-0284 (F,24)	CATTLE	BORAN (24)	MOS22-0278 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U025	MOS25-0285 (F,24)	CATTLE	BORAN (24)	MOS22-0330 (F,24)(Valid)	E20-0049 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U026	MOS25-0286 (M,24)	CATTLE	BORAN (24)	MOS22-0151 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U027	MOS25-0287 (F,24)	CATTLE	BORAN (24)	MOS22-0401 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U028	MOS25-0288 (F,24)	CATTLE	BORAN (24)	MOS22-0316 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U029	MOS25-0289 (M,24)	CATTLE	BORAN (24)	MOS22-0351 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U030	MOS25-0290 (M,24)	CATTLE	BORAN (24)	MOS22-0344 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U031	MOS25-0291 (M,24)	CATTLE	BORAN (24)	MOS22-0303 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y
22973U032	MOS25-0292 (F,24)	CATTLE	BORAN (24)	MAX10-0033 (F,24)(Valid)	MOS20-0096 (M,24)(Valid)	PAR_C	Hair	DVS : Dam Valid, Sire Valid	54023Y

Report Date : 14-Jul-2025 11:13

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22973U033	MOS25-0293 (F,24)	CATTLE	BORAN (24)	MOS22-0257 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U034	MOS25-0294 (M,24)	CATTLE	BORAN (24)	MOS22-0319 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U035	MOS25-0295 (M,24)	CATTLE	BORAN (24)	WZ11-0050 (F,24)(Valid)	PRB21-0057 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U036	MOS25-0296 (F,24)	CATTLE	BORAN (24)	HOT21-0242 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U037	MOS25-0297 (M,24)	CATTLE	BORAN (24)	MOS20-0284 (F,24)(Valid)	PRB16-0007 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U038	MOS25-0298 (M,24)	CATTLE	BORAN (24)	BH17-0109 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U039	MOS25-0299 (M,24)	CATTLE	BORAN (24)	BS16-0019 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U040	MOS25-0300 (F,24)	CATTLE	BORAN (24)	MOS20-0178 (F,24)(Valid)	PRB16-0007 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U041	MOS25-0301 (M,24)	CATTLE	BORAN (24)	BH17-0049 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U042	MOS25-0302 (F,24)	CATTLE	BORAN (24)	MOS20-0053 (F,24)(Valid)	E20-0072 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U043	MOS25-0303 (F,24)	CATTLE	BORAN (24)	EP14-0015 (F,24)(Valid)	PRB21-0057 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U044	MOS25-0304 (F,24)	CATTLE	BORAN (24)	BU17-0057 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	54023Y

Report Date : 14-Jul-2025 11:13

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	QAM	SIRE	TEST	Issue Type	RESULT	INVOICE
22973U045	MOS25-0305 (F,24)	CATTLE	BORAN (24)	D16-0177 (F,24)(Valid)	E20-0085 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54023Y
22973U046	MOS25-0306 (F,24)	CATTLE	BORAN (24)		VST14-0042 (M,24)(Valid)	PAR_C	Hair	SV : Sire Valid	54023Y
22973U047	MOS25-0307 (F,24)	CATTLE	BORAN (24)	BH17-0466 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U048	MOS25-0308 (F,24)	CATTLE	BORAN (24)	MOS20-0136 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U049	MOS25-0309 (M,24)	CATTLE	BORAN (24)	E18-0086 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U050	MOS25-0311 (F,24)	CATTLE	BORAN (24)	MOS22-0551 (F,24)(Valid)	E20-0049 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U051	MOS25-0313 (F,24)	CATTLE	BORAN (24)	MC18-0031 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U052	MOS25-0314 (F,24)	CATTLE	BORAN (24)	MS15-0469 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U053	MOS25-0315 (F,24)	CATTLE	BORAN (24)	BH14-0084 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U054	MOS25-0319 (M,24)	CATTLE	BORAN (24)	MOS22-0379 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U055	MOS25-0320 (F,24)	CATTLE	BORAN (24)	MOS22-0327 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U056	MOS25-0321 (F,24)	CATTLE	BORAN (24)	BH20-0126 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Valid	54023Y
Report Date : 14-Jul-2025 11:13									Page : 5
Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.									CHARNÉ ROSSOUW DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tested Type	RESULT	INVOICE
22973U057	MOS25-0322 (F,24)	CATTLE	BORAN (24)	MOS22-0315 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	54023Y
22973U058	MOS25-0323 (F,24)	CATTLE	BORAN (24)	E17-0016 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U059	MOS25-0324 (M,24)	CATTLE	BORAN (24)	MOS21-0152 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U060	MOS25-0325 (M,24)	CATTLE	BORAN (24)	HJ15-0029 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U061	MOS25-0327 (F,24)	CATTLE	BORAN (24)	E18-0174 (F,24)(Valid)	E20-0072 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U062	MOS25-0328 (M,24)	CATTLE	BORAN (24)	MOS20-0180 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U063	MOS25-0329 (M,24)	CATTLE	BORAN (24)	BH17-0116 (F,24)(Valid)	MOS20-0096 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y
22973U064	MOS25-0330 (F,24)	CATTLE	BORAN (24)	BH16-0494 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54023Y

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 23142U
Owner :IJ (Jaco) van der Walt
Farm :Mosdene Ranch
Account : VDWO1
Origin : PRIVATE
Invoice To : Owner

Created : 2025-06-12

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Type/Type	RESULT	INVOICE
23142U001	E 19-0077 (M,24)	CATTLE	BORAN (24)	E15-0043 (F,24)(Valid)	VST14-0067 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U002	MOS20-0222 (F,24)	CATTLE	BORAN (24)	BH15-0179 (F,24)(Valid)	BH15-0314 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U003	MOS21-0040 (F,24)	CATTLE	BORAN (24)	BH13-0090 (F,24)(Valid)	BH11-0024 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U004	MOS21-0042 (F,24)	CATTLE	BORAN (24)	E17-0059 (F,24)(Valid)	VST14-0067 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U005	MOS21-0048 (F,24)	CATTLE	BORAN (24)	E12-0094 (F,24)(Valid)	E16-0104 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U006	MOS21-0050 (F,24)	CATTLE	BORAN (24)	E18-0119 (F,24)(Valid)	E16-0104 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U007	MOS21-0053 (F,24)	CATTLE	BORAN (24)	E18-0136 (F,24)(Valid)	E16-0104 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U008	MOS21-0055 (F,24)	CATTLE	BORAN (24)	E17-0075 (F,24)(Valid)	E16-0104 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U009	MOS21-0058 (F,24)	CATTLE	BORAN (24)	E13-0047 (F,24)(Valid)	E16-0104 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y

Report Date : 14-Jul-2025 11:23

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	ITAM	SIRE	TEST	Issue Type	RESULT	INVOICE
23142U010	MOS21-0063 (F,24)	CATTLE	BORAN (24)	ED13-0212 (F,24)(Valid)	PRB16-0019 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U011	MOS21-0064 (F,24)	CATTLE	BORAN (24)	D12-0090 (F,24)(Valid)	WZ13-0051 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U012	MOS21-0065 (F,24)	CATTLE	BORAN (24)	BH15-0240 (F,24)(Valid)	PRB16-0019 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U013	MOS21-0074 (F,24)	CATTLE	BORAN (24)	EG11-0033 (F,24)(Valid)	BH15-0047 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U014	MOS21-0102 (F,24)	CATTLE	BORAN (24)	BH17-0277 (F,24)(Valid)	BH15-0047 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U015	MOS21-0120 (F,24)	CATTLE	BORAN (24)	BH18-0565 (F,24)(Valid)	WZ13-0051 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U016	MOS21-0142 (F,24)	CATTLE	BORAN (24)	F17-0060 (F,24)(Valid)	PRB16-0007 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U017	MOS21-0144 (F,24)	CATTLE	BORAN (24)	E10-0079 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U018	MOS21-0164 (F,24)	CATTLE	BORAN (24)	E18-0132 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U019	MOS21-0168 (F,24)	CATTLE	BORAN (24)	E17-0131 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23142U020	MOS21-0198 (F,24)	CATTLE	BORAN (24)	E16-0221 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23142U021	MOS21-0201 (F,24)	CATTLE	BORAN (24)	E18-0112 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U022	MOS21-0202 (F,24)	CATTLE	BORAN (24)	E08-0051 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U023	MOS21-0203 (F,24)	CATTLE	BORAN (24)	E18-0180 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U024	MOS21-0205 (F,24)	CATTLE	BORAN (24)	E12-0154 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U025	MOS21-0209 (F,24)	CATTLE	BORAN (24)	AW17-0002 (F,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U026	MOS21-0215 (F,24)	CATTLE	BORAN (24)	E17-0161 (N/S,24)(Valid)	QT12-0030 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U027	MOS25-0280 (M,24)	CATTLE	BORAN (24)	GUJ20-0015 (F,24)(Valid)	MOS20-0070 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U028	MOS25-0318 (M,24)	CATTLE	BORAN (24)	E08-0051 (F,24)(Valid)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	54203Y
23142U029	MOS25-0326 (M,24)	CATTLE	BORAN (24)			NSR_C	Hair	NSR : No sample received	54203Y
23142U030	MOS25-0332 (M,24)	CATTLE	BORAN (24)	MOS22-0283 (F,24)(Valid)	E20-0049 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U031	MOS25-0333 (M,24)	CATTLE	BORAN (24)	MOS22-0262 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U032	MOS25-0334 (M,24)	CATTLE	BORAN (24)	MOS22-0300 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	54203Y

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23142U033	MOS25-0336 (F,24)	CATTLE	BORAN (24)	BH18-0166 (F,24)(Valid)	FN06-0068 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U034	MOS25-0337 (F,24)	CATTLE	BORAN (24)	MOS22-0206 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U035	MOS25-0338 (M,24)	CATTLE	BORAN (24)	MOS22-0294 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U036	MOS25-0339 (F,24)	CATTLE	BORAN (24)	MOS22-0075 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U037	MOS25-0340 (M,24)	CATTLE	BORAN (24)	MOS22-0312 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U038	MOS25-0341 (F,24)	CATTLE	BORAN (24)	MK10-0012 (N/S,24)(Valid)	PRB21-0057 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U039	MOS25-0342 (M,24)	CATTLE	BORAN (24)	E19-0114 (F,24)(Valid)	MOS21-0005 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U040	MOS25-0343 (M,24)	CATTLE	BORAN (24)	B12-0139 (F,24)(Valid)	E20-0072 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U041	MOS25-0344 (F,24)	CATTLE	BORAN (24)	E18-0039 (F,24)(Valid)	MOS21-0052 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U042	MOS25-0345 (F,24)	CATTLE	BORAN (24)	E17-0190 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
23142U043	MOS25-0346 (F,24)	CATTLE	BORAN (24)	FN12-0432 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	Valid DVSV : Dam Valid, Sire Valid	54203Y
Report Date : 14-Jul-2025 11:23									
Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates. Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.								Page : 4	
								CHARNÉ ROSSOUW DIVISION MANAGER	

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Testee Type	RESULT	INVOICE
23142U044	MOS25-0347 (F,24)	CATTLE	BORAN (24)	ED14-0031 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U045	MOS25-0348 (M,24)	CATTLE	BORAN (24)	MOS20-0299 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U046	MOS25-0350 (F,24)	CATTLE	BORAN (24)	BH16-0517 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U047	MOS25-0352 (M,24)	CATTLE	BORAN (24)	BH16-0360 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U048	MOS25-0353 (F,24)	CATTLE	BORAN (24)	E20-0078 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U049	MOS25-0354 (F,24)	CATTLE	BORAN (24)	BH15-0154 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U050	MOS25-0355 (F,24)	CATTLE	BORAN (24)	GUJ20-0005 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U051	MOS25-0356 (M,24)	CATTLE	BORAN (24)	BH17-0092 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U052	MOS25-0357 (F,24)	CATTLE	BORAN (24)	BU21-0182 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U053	MOS25-0358 (M,24)	CATTLE	BORAN (24)	MOS22-0388 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U054	MOS25-0359 (F,24)	CATTLE	BORAN (24)	MOS22-0261 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U055	MOS25-0360 (M,24)	CATTLE	BORAN (24)	MOS22-0086 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	54203Y

Report Date : 14-Jul-2025 11:23

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23142U056	MOS25-0361 (M,24)	CATTLE	BORAN (24)	MOS22-0164 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	Valid DVS _V : Dam Valid, Sire Valid	54203Y
23142U057	MOS25-0363 (F,24)	CATTLE	BORAN (24)	GUJ12-0007 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U058	MOS25-0364 (M,24)	CATTLE	BORAN (24)	BH17-0499 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U059	MOS25-0365 (F,24)	CATTLE	BORAN (24)	E18-0025 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U060	MOS25-0366 (F,24)	CATTLE	BORAN (24)	E18-0148 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U061	MOS25-0367 (F,24)	CATTLE	BORAN (24)	BH18-0020 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U062	MOS25-0368 (F,24)	CATTLE	BORAN (24)	E18-0093 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U063	MOS25-0369 (M,24)	CATTLE	BORAN (24)	BH16-0254 (F,24)(Valid)	E18-0138 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U064	MOS25-0370 (F,24)	CATTLE	BORAN (24)	MOS22-0406 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U065	MOS25-0371 (M,24)	CATTLE	BORAN (24)	MOS22-0110 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y
23142U066	MOS25-0372 (F,24)	CATTLE	BORAN (24)	E18-0067 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	54203Y

Report Date : 14-Jul-2025 11:23

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Tissue Type	RESULT	INVOICE
23142U067	MOS25-0373 (M,24)	CATTLE	BORAN (24)	BU18-0010 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U068	MOS25-0375 (M,24)	CATTLE	BORAN (24)	MOS20-0095 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U069	MOS25-0377 (F,24)	CATTLE	BORAN (24)	BH14-0054 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U070	MOS25-0378 (M,24)	CATTLE	BORAN (24)	MOS22-0186 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U071	MOS25-0379 (F,24)	CATTLE	BORAN (24)	MOS22-0335 (F,24)(Valid)	MOS20-0268 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U072	MOS25-0380 (F,24)	CATTLE	BORAN (24)	E13-0054 (F,24)(Valid)	MOS21-0052 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U073	MOS25-0381 (F,24)	CATTLE	BORAN (24)	E16-0217 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U074	MOS25-0382 (M,24)	CATTLE	BORAN (24)	BH17-0283 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U075	MOS25-0384 (M,24)	CATTLE	BORAN (24)	MOS22-0336 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U076	MOS25-0385 (F,24)	CATTLE	BORAN (24)	BH17-0020 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U077	MOS25-0387 (M,24)	CATTLE	BORAN (24)	GUJ19-0015 (F,24)(Valid)	MOS21-0052 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U078	MOS25-0388 (M,24)	CATTLE	BORAN (24)	MXM20-0823 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	54203Y

Report Date : 14-Jul-2025 11:23

Page : 7

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23142U079	MOS25-0389 (M,24)	CATTLE	BORAN (24)	MOS20-0315 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	Valid	54203Y
23142U080	MOS25-0391 (M,24)	CATTLE	BORAN (24)	MOS22-0333 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U081	MOS25-0393 (F,24)	CATTLE	BORAN (24)	MOS22-0304 (F,24)(Valid)	E20-0049 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23142U082	MOS25-2017 (M,24)	CATTLE	BORAN (24)	BH18-0611 (F,24)(Not Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	54203Y

Report Date : 14-Jul-2025 11:23

Page : 8

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 23294U
Owner :!J (Jaco) van der Walt
Farm :Mosdene Ranch
Account : VDWO1
Origin : PRIVATE
Invoice To : Owner

Created : 2025-06-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23294U001	MOS25-0316 (F,24)	CATTLE	BORAN (24)	E20-0055 (F,24)(Valid)	MOS20-0105 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U002	MOS25-0383 (M,24)	CATTLE	BORAN (24)	E20-0094 (F,24)(Valid)	MOS20-0105 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U003	MOS25-0390 (M,24)	CATTLE	BORAN (24)	F17-0060 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U004	MOS25-0394 (M,24)	CATTLE	BORAN (24)	BH18-0128 (F,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U005	MOS25-0395 (M,24)	CATTLE	BORAN (24)	MOS20-0038 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U006	MOS25-0396 (M,24)	CATTLE	BORAN (24)	BH17-0538 (F,24)(Valid)	VST14-0042 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U007	MOS25-0397 (M,24)	CATTLE	BORAN (24)	E18-0084 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U008	MOS25-0399 (F,24)	CATTLE	BORAN (24)	FN12-0440 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U009	MOS25-0400 (M,24)	CATTLE	BORAN (24)	GUJ16-0019 (N/S,24)(Valid)	E20-0069 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y

Report Date : 17-Jul-2025 09:35

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Thruout Type	RESULT	INVOICE
23294U010	MOS25-0401 (M,24)	CATTLE	BORAN (24)	MOS22-0415 (F,24)\(Valid)	PRB18-0015 (M,24)\(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	54203Y
23294U011	MOS25-0402 (F,24)	CATTLE	BORAN (24)	MOS22-0113 (F,24)\(Valid)	E20-0049 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U012	MOS25-0404 (F,24)	CATTLE	BORAN (24)	BH17-0058 (F,24)\(Valid)	MOS20-0081 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U013	MOS25-0405 (M,24)	CATTLE	BORAN (24)	MOS21-0041 (F,24)\(Valid)	MOS20-0081 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U014	MOS25-0406 (F,24)	CATTLE	BORAN (24)	E15-0091 (F,24)\(Valid)	VST14-0042 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U015	MOS25-0407 (F,24)	CATTLE	BORAN (24)	MOS22-0160 (F,24)\(Valid)	PRB18-0015 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U016	MOS25-0408 (M,24)	CATTLE	BORAN (24)	MOS22-0322 (F,24)\(Valid)	PRB18-0015 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U017	MOS25-0410 (M,24)	CATTLE	BORAN (24)	E18-0046 (F,24)\(Valid)	E20-0069 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U018	MOS25-0411 (M,24)	CATTLE	BORAN (24)	E19-0057 (F,24)\(Valid)	E20-0069 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U019	MOS25-0412 (M,24)	CATTLE	BORAN (24)	PB20-0032 (F,24)\(Valid)	MOS21-0009 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y
23294U020	MOS25-0413 (F,24)	CATTLE	BORAN (24)	BH20-0067 (F,24)\(Valid)	MOS20-0081 (M,24)\(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	54203Y

Report Date : 17-Jul-2025 09:35

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW

DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23294U021	MOS25-0414 (F,24)	CATTLE	BORAN (24)	E17-0005 (F,24)(Valid)	MOS20-0105 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U022	MOS25-0415 (F,24)	CATTLE	BORAN (24)			NSR_C	Hair	NSR : No sample received	01
23294U023	MOS25-0417 (M,24)	CATTLE	BORAN (24)	MOS22-0138 (F,24)(Valid)	PRB18-0015 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U024	MOS25-0418 (M,24)	CATTLE	BORAN (24)	MOS22-0309 (F,24)(Valid)	E20-0049 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U025	MOS25-0421 (F,24)	CATTLE	BORAN (24)	WZ14-0123 (F,24)(Valid)	MOS20-0105 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U026	MOS25-0424 (M,24)	CATTLE	BORAN (24)	MOS19-0020 (F,24)(Valid)	E20-0072 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U027	MOS25-0425 (F,24)	CATTLE	BORAN (24)	MOS21-0068 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U028	MOS25-0426 (F,24)	CATTLE	BORAN (24)			NSR_C	Hair	NSR : No sample received	01
23294U029	MOS25-0427 (F,24)	CATTLE	BORAN (24)	MOS21-0064 (F,24)(Valid)	MOS21-0052 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U030	MOS25-0429 (M,24)	CATTLE	BORAN (24)	S15-0031 (F,24)(Valid)	MOS21-0009 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U031	MOS25-0430 (M,24)	CATTLE	BORAN (24)	GUJ16-0003 (N/S,24)(Valid)	MOS20-0105 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U032	MOS25-0431 (M,24)	CATTLE	BORAN (24)	MOS20-0283 (F,24)(Valid)	MOS21-0052 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y

Report Date : 17-Jul-2025 09:35

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23294U033	MOS25-0433 (M,24)	CATTLE	BORAN (24)	BH17-0509 (F,24)(Valid)	MOS20-0081 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y
23294U034	MOS25-0436 (F,24)	CATTLE	BORAN (24)	E20-0096 (F,24)(Valid)	E20-0072 (M,24)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	54203Y

Report Date : 17-Jul-2025 09:35

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER