

Batch Detail Report

Batch : 2904U
 Owner :GB Gatoke/North Field Angus
 Farm :Hillside Farms
 Account :
 Invoice To : Owner

Created : 2020-12-08

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2904U001	GBG20-0003 (F,23)	CATTLE	ANGUS (23)	WB13-0393 (F,23)(Valid)	WB16-0033 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U002	GBG20-0004 (F,23)	CATTLE	ANGUS (23)	GBG14-0001 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U003	GBG20-0005 (F,23)	CATTLE	ANGUS (23)	KHC12-0098 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U004	GBG20-0009 (F,23)	CATTLE	ANGUS (23)	KDL13-0050 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U005	GBG20-0010 (F,23)	CATTLE	ANGUS (23)	KHC13-0046 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U006	GBG20-0011 (F,23)	CATTLE	ANGUS (23)	KHC13-0067 (F,23)(Valid)	WB16-0033 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U007	GBG20-0013 (F,23)	CATTLE	ANGUS (23)	KHC13-0032 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U008	GBG20-0016 (F,23)	CATTLE	ANGUS (23)	GBG15-0012 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U009	GBG20-0018 (F,23)	CATTLE	ANGUS (23)	KDL13-0055 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U010	GBG20-0019 (F,23)	CATTLE	ANGUS (23)	WB13-0496 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Dec-2020 13:12

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2904U011	GBG20-0022 (F,23)	CATTLE	ANGUS (23)	GBG15-0005 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U012	GBG20-0001 (M,23)	CATTLE	ANGUS (23)	GBG17-0018 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U013	GBG20-0006 (M,23)	CATTLE	ANGUS (23)	GBG17-0032 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U014	GBG20-0007 (M,23)	CATTLE	ANGUS (23)	KHC13-0036 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U015	GBG20-0008 (M,23)	CATTLE	ANGUS (23)	GBG14-0002 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U016	GBG20-0012 (M,23)	CATTLE	ANGUS (23)	WB10-0042 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U017	GBG20-0014 (M,23)	CATTLE	ANGUS (23)	GBG14-0003 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U018	GBG20-0015 (M,23)	CATTLE	ANGUS (23)	GBG17-0037 (F,23)(Valid)	WB16-0033 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U019	GBG20-0017 (M,23)	CATTLE	ANGUS (23)	KHC12-0017 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U020	GBG20-0020 (M,23)	CATTLE	ANGUS (23)	WB11-0522 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U021	GBG20-0021 (M,23)	CATTLE	ANGUS (23)	GBG17-0028 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U022	GBG20-0023 (M,23)	CATTLE	ANGUS (23)	WB14-0094 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U023	GBG20-0024 (M,23)	CATTLE	ANGUS (23)	WB13-0548 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV :	
Report Date : 28-Dec-2020 13:12								
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract						DR. M.P. MARX MANAGING DIRECTOR		

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
							Dam Valid, Sire Valid	
2904U024	GBG20-0025 (M,23)	CATTLE	ANGUS (23)	GBG15-0007 (F,23)(Valid)	WB16-0033 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U025	GBG20-0026 (M,23)	CATTLE	ANGUS (23)	WB10-0108 (F,23)(Valid)	WB16-0033 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U026	GBG20-0027 (M,23)	CATTLE	ANGUS (23)	WB09-0004 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U027	GBG20-0028 (M,23)	CATTLE	ANGUS (23)	WB12-0027 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U028	GBG20-0029 (M,23)	CATTLE	ANGUS (23)	KHC13-0056 (F,23)(Valid)	WB16-0180 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U029	GBG20-0030 (M,23)	CATTLE	ANGUS (23)	WB09-0148 (F,23)(Valid)	WB16-0033 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2904U030	GBG20-0031 (M,23)	CATTLE	ANGUS (23)	WB08-0183 (F,23)(Valid)	GBG17-0021 (M,23)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR