

Subject: Syferpan Angus Errors List & DNA submissions

From: "James Moorcroft" <james@hvagri.co.za>

Date: 2025/08/04, 12:30 pm

To: <michellef@studbook.co.za>

CC: "Marietjie Delport" <marietjie@studbook.co.za>

Hi Michelle

Please see attached parentage results & myostatin tests for Syferpan sale bulls for 2025
I have a few queries regarding my errors list & cancellations.

				2022							
Animal ID	Comp No.	Section	WW	Calf #	Sire	DOB	Sex	BW	WW	Calf #	Sire
SLM190012	0094902368	SP	228	SLM220036	Multi Sire	22/11/22	M	32	215	SLM230046	0089990

This information is for a cow that was cancelled last year (24/11/2024) for being out of reproductive norms. The info I have attached shows that she has calved when she should have.

I have looked on the errors list for the calves SLM230046 (AAAN0031308LX89) & SLM240063 (AAAN0031308LX11), both give a different reason for why the cow is pending.

These calves were submitted to Logix in timeously after calving.

I don't understand how the cow was cancelled for being out of reproductive norms when she has had calves submitted.

Please could you help me get this animal reinstated, as she was never meant to be cancelled in the first place.

Additionally, SLM230046 is supposed to be going onto my production sale this year and SLM240063 has been retained to be sold next year on our production sale.

Your assistance will be greatly appreciated

Kind regards

JAMES MOORCROFT

Managing Director

B.Sc. (Agric) • Pr. Sci. Nat. 119242

C 072 343 8747

T 045 001 0040

E james@hvagri.co.za



— Attachments: —

23579U.pdf 89.7 KB

Batch-23579U.pdf 40.6 KB

Batch Detail Report

Created : 2025-07-11

Batch : 23579U
Owner :SL Moorcroft
Farm :Providence
Account : MOOS01
Origin : ANGUS CATTLE BREEDERS' SOCIETY
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23579U001	SLM23-0006 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U001	SLM23-0006 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U001	SLM23-0006 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
23579U002	SLM23-0009 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U002	SLM23-0009 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U002	SLM23-0009 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
23579U003	SLM23-0010 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U003	SLM23-0010 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U003	SLM23-0010 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	n18NOR : Myostatin - n1821	

Report Date : 01-Aug-2025 15:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23579U004	SLM23-0020 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	Normal F94NOR : Myostatin - F94L	
23579U004	SLM23-0020 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U004	SLM23-0020 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
23579U005	SLM23-0024 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U005	SLM23-0024 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U005	SLM23-0024 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
23579U006	SLM23-0028 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U006	SLM23-0028 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U006	SLM23-0028 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	n18NOR : Myostatin - n1821 Normal	
23579U007	SLM23-0030 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U007	SLM23-0030 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	

Report Date : 01-Aug-2025 15:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23579U007	SLM23-0030 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U008	SLM23-0033 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U008	SLM23-0033 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U008	SLM23-0033 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U009	SLM23-0037 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U009	SLM23-0037 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U009	SLM23-0037 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U010	SLM23-0040 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U010	SLM23-0040 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U010	SLM23-0040 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U011	SLM23-0041 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U011	SLM23-0041 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X	

Report Date : 01-Aug-2025 15:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SEX	TEST	Tissue Type	RESULT	INVOICE
23579U011	SLM23-0041 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U012	SLM23-0045 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U012	SLM23-0045 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U012	SLM23-0045 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U013	SLM23-0046 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U013	SLM23-0046 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U013	SLM23-0046 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U014	SLM23-0050 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U014	SLM23-0050 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U014	SLM23-0050 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U015	SLM23-0051 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	

Report Date : 01-Aug-2025 15:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAg comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23579U015	SLM23-0051 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U015	SLM23-0051 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	
23579U016	SLM23-0063 (M,23)	CATTLE	ANGUS (23)			DMG-1_C	Hair	F94NOR : Myostatin - F94L Normal	
23579U016	SLM23-0063 (M,23)	CATTLE	ANGUS (23)			DMG-2_C	Hair	Q20NOR : Myostatin - Q204X Normal	
23579U016	SLM23-0063 (M,23)	CATTLE	ANGUS (23)			DMG-3_C	Hair	nt8NOR : Myostatin - nt821 Normal	

Report Date : 01-Aug-2025 15:30

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Batch Detail Report

Created : 2025-07-11

Batch : 23579U
Owner :SL Moorcroft
Farm :Providence
Account : MOOS01
Origin : ANGUS CATTLE BREEDERS' SOCIETY
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23579U001	SLM23-0006 (M,23)	CATTLE	ANGUS (23)	SLM14-0054 (F,23)(Not Valid)	SLM15-0006 (M,23)(Not Valid)	PAR_C	Hair	DXSX : Dam Excluded, Sire Excluded	
23579U002	SLM23-0009 (M,23)	CATTLE	ANGUS (23)	SLM18-0043 (N/S,23)(Valid)	BLASTER (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U003	SLM23-0010 (M,23)	CATTLE	ANGUS (23)	SLM20-0029 (F,23)(Valid)	BLASTER (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U004	SLM23-0020 (M,23)	CATTLE	ANGUS (23)	SLM20-0201 (F,23)(Valid)	KOUPAL KOZI 418 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U005	SLM23-0024 (M,23)	CATTLE	ANGUS (23)	SLM15-0027A (N/S,23)(Valid)	SLM13-0031 (M,23)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Excluded	
23579U006	SLM23-0028 (M,23)	CATTLE	ANGUS (23)	SLM14-0059 (F,23)(Valid)	001AN01430 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U007	SLM23-0030 (M,23)	CATTLE	ANGUS (23)		KOUPAL KOZI 418 (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	
23579U008	SLM23-0033 (M,23)	CATTLE	ANGUS (23)	SLM15-0059 (N/S,23)(Valid)	001AN01430 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U009	SLM23-0037 (M,23)	CATTLE	ANGUS (23)	SLM13-0005 (F,23)(Valid)	001AN01430 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 31-Jul-2025 15:57

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DATE	SIRE	TEST	Tissue Type	RESULT	INVOICE
23579U010	SLM23-0040 (M,23)	CATTLE	ANGUS (23)	SLM12-0051 (F,23)(Valid)	KOUPAL KOZI 418 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U011	SLM23-0041 (M,23)	CATTLE	ANGUS (23)	SLM15-0057 (N/S,23)(Valid)	001AN01430 (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U012	SLM23-0045 (M,23)	CATTLE	ANGUS (23)	SLM15-0030 (N/S,23)(Valid)	BLASTER (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U013	SLM23-0046 (M,23)	CATTLE	ANGUS (23)	SLM19-0012 (F,23)(Valid)	QUARTERBACK (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U014	SLM23-0050 (M,23)	CATTLE	ANGUS (23)	SLM19-0002 (F,23)(Valid)	QUARTERBACK (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U015	SLM23-0051 (M,23)	CATTLE	ANGUS (23)	SLM18-0054 (N/S,23)(Valid)	QUARTERBACK (M,23)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23579U016	SLM23-0063 (M,23)	CATTLE	ANGUS (23)		QUARTERBACK (M,23)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 31-Jul-2025 15:57

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.