

Created : 2020-12-04

Batch Detail Report

Batch : 2865U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2865U001	AG20-0721 (M,1)	CATTLE	BONSMARA (1)	AG16-0219 (F,1)(Valid)	AG12-0620 (M,1)(Valid) Malawi 2015 AG14-0402 (M,1)(Valid) Bob 2015 BBP13-0257 (M,1)(Valid)	PAR_C	DV/NSV : Dam Valid, Multiple Nominated Sires Valid	
2865U002	AG20-0722 (M,1)	CATTLE	BONSMARA (1)	AG14-0233 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U003	AG20-0723 (F,1)	CATTLE	BONSMARA (1)	AG16-0246 (F,1)(Valid)	AG02-0061 (M,1)(Valid) AG05-0202 (U,1)(Valid) AG05-0446 (U,1)(Valid) AG06-0297 (U,1)(Valid)	PAR_C	DV/NSV : Dam Valid, Multiple Nominated Sires Valid	
2865U004	AG20-0724 (F,1)	CATTLE	BONSMARA (1)	AG13-0081 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U005	AG20-0725 (F,1)	CATTLE	BONSMARA (1)	AG15-0463 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U006	AG20-0726 (M,1)	CATTLE	BONSMARA (1)	AG17-0298 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U007	AG20-0727 (F,1)	CATTLE	BONSMARA (1)	AG12-0405 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U008	AG20-0728 (F,1)	CATTLE	BONSMARA (1)	AG17-0214 (F,1)(Valid)	AG15-0215 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U009	AG20-0729 (M,1)	CATTLE	BONSMARA (1)	AG17-0300 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U010	AG20-0730 (F,1)	CATTLE	BONSMARA (1)	AG15-0364 (F,1)(Valid)	CEW11-0204 (U,1)(Valid) AG16-0402 (M,1)(Valid)	PAR_C	DV/NSV : Dam Valid, Multiple	

Report Date : 21-Dec-2020 08:10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2865U011	AG20-0731 (F,1)	CATTLE	BONSMARA (1)	AG13-0422 (F,1)(Valid)	AG16-0050 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U012	AG20-0732 (F,1)	CATTLE	BONSMARA (1)	AG13-0194 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U013	AG20-0733 (M,1)	CATTLE	BONSMARA (1)	AG14-0243 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U014	AG20-0734 (M,1)	CATTLE	BONSMARA (1)	AG11-0070 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U015	AG20-0735 (M,1)	CATTLE	BONSMARA (1)	AG18-0998 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U016	AG20-0736 (F,1)	CATTLE	BONSMARA (1)	AG18-0330 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U017	AG20-0737 (F,1)	CATTLE	BONSMARA (1)	RHJ15-0001 (F,1)(Valid)	AG18-0384 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U018	AG20-0738 (M,1)	CATTLE	BONSMARA (1)	AG16-0818 (F,1)(Valid)	AG05-0119 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U019	AG20-0739 (F,1)	CATTLE	BONSMARA (1)	AG15-0193 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U020	AG20-0740 (M,1)	CATTLE	BONSMARA (1)	AG15-0216 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U021	AG20-0741 (M,1)	CATTLE	BONSMARA (1)	AG18-0422 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2865U022	AG20-0742 (F,1)	CATTLE	BONSMARA (1)	GZV14-0085 (U,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire	

Report Date : 21-Dec-2020 08:10

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2865U023	AG20-0743 (M,1)	CATTLE	BONSMARA (1)	AG13-0521 (U,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2865U024	AG20-0744 (F,1)	CATTLE	BONSMARA (1)	AG18-0714 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2865U025	AG20-0745 (F,1)	CATTLE	BONSMARA (1)	AG18-0242 (F,1)(Valid)	AG15-0009 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2865U026	AG20-0747 (F,1)	CATTLE	BONSMARA (1)	AG15-0154 (F,1)(Valid)	RHJ15-0002 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2865U027	AG20-0748 (F,1)	CATTLE	BONSMARA (1)	AG18-0419 (F,1)(Valid)	AG16-0314 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2865U028	AG20-0749 (F,1)	CATTLE	BONSMARA (1)	AG13-0204 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2865U029	AG20-0750 (F,1)	CATTLE	BONSMARA (1)	AG13-0376 (F,1)(Valid)	AG16-0050 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 21-Dec-2020 08:10

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR