

Batch Detail Report

Created : 2025-08-08

Batch : 23958U
Owner :JA Dannhauser
Farm :Braklaagte
Account : DANJ02
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23958U001	CSA24-0018 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0120 (F,91)(Not Valid)	CSA21-0183 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
23958U002	CSA24-0022 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0016 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U003	CSA24-0026 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0041 (F,91)(Not Valid)	CSA21-0003 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
23958U004	CSA24-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0113 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U005	CSA24-0031 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0065 (F,91)(Valid)	CSA21-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U006	CSA24-0033 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0195 (F,91)(Valid)	CSA21-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U007	CSA24-0042 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0081 (F,91)(Valid)	CSA21-0003 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U008	CSA24-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0211 (F,91)(Valid)	CSA21-0140 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U009	CSA24-0048 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0080 (F,91)(Not Valid)	CSA21-0003 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23958U010	CSA24-0049 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0173 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U011	CSA24-0050 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0182 (F,91)\(Valid)	CSA22-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U012	CSA24-0051 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0157 (F,91)\(Valid)	CSA21-0210 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U013	CSA24-0054 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0064 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U014	CSA24-0057 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0067 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U015	CSA24-0062 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0054 (F,91)\(Not Valid)	CSA21-0003 (M,91)\(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
23958U016	CSA24-0064 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0158 (F,91)\(Valid)	CSA21-0210 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U017	CSA24-0066 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0085 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U018	CSA24-0068 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0029 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U019	CSA24-0075 (M,91)	CATTLE	DROUGHT MASTER (91)	C22-0051 (F,91)\(Valid)	CSA21-0190 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U020	CSA24-0076 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0096 (F,91)\(Valid)	CSA22-0048 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23958U021	CSA24-0078 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0182 (F,91)(Valid)	CSA21-0210 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U022	CSA24-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0149 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U023	CSA24-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0089 (F,91)(Not Valid)	CSA21-0156 (M,91)(Valid)	PAR_C	Hair	DXSVC : Dam Excluded, Sire Valid	
23958U024	CSA24-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0253 (F,91)(Valid)		PAR_C	Hair	DVMNSX : Dam Valid, Multiple Nominated Sires Excluded	
23958U025	CSA24-0105 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0148 (F,91)(Valid)	CSA21-0009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U026	CSA24-0107 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0184 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U027	CSA24-0114 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0021 (F,91)(Valid)	CSA21-0100 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U028	CSA24-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA18-0008 (F,91)(Valid)		PAR_C	Hair	DVMNSX : Dam Valid, Multiple Nominated Sires Excluded	
23958U029	CSA24-0122 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0084 (F,91)(Valid)		PAR_C	Hair	DVMNSX : Dam Valid, Multiple Nominated Sires Excluded	
23958U030	CSA24-0127 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0068 (F,91)(Valid)	CSA21-0100 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U031	CSA24-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0252 (F,91)(Valid)	CSA22-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23958U032	CSA24-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0111 (F,91)(Valid)	CSA21-0156 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U033	CSA24-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0176 (F,91)(Valid)	CSA21-0009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U034	CSA24-0138 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0089 (F,91)(Valid)		PAR_C	Hair	DVnNSX : Dam Valid, Multiple Nominated Sires Excluded	
23958U035	CSA24-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0099 (F,91)(Valid)	CSA22-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U036	CSA24-0155 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0170 (F,91)(Valid)	CSA22-0048 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U037	CSA24-0159 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0200 (F,91)(Valid)	CSA21-0183 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U038	CSA24-0163 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0221 (F,91)(Valid)	CSA21-0210 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U039	CSA24-0167 (M,91)	CATTLE	DROUGHT MASTER (91)	OV16-0080 (F,91)(Valid)	CSA21-0100 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U040	CSA24-0171 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0156 (F,91)(Valid)	CSA21-0183 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U041	CSA24-0173 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0081 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U042	CSA24-0176 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0058 (F,91)(Valid)	CSA21-0009 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U043	CSA24-0184 (M,91)	CATTLE	DROUGHT	CSA22-0206 (F,91)(Valid)	CSA22-0048 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
23958U044	CSA24-0190 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0147 (F,91)\(Valid)	CSA21-0009 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U045	CSA24-0193 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA22-0071 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U046	CSA24-0200 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0124 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U047	CSA24-0209 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0099 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U048	CSA24-0210 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0142 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U049	CSA24-0211 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0097 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U050	CSA24-0243 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0069 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U051	CSA24-0300 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0101 (F,91)\(Valid)	GLENLANDS D TURNER (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U052	CSA24-0304 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0052 (F,91)\(Valid)	CSA18-0199 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U053	CSA24-0308 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0113 (F,91)\(Valid)	C13-0565 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U054	CSA24-0309 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0101 (F,91)\(Valid)	GLENLANDS D TURNER (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23958U055	CSA24-0312 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0151 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U056	CSA24-0313 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0151 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U057	CSA24-0315 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0183 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U058	CSA24-0318 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0183 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U059	CSA24-0319 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0151 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U060	CSA24-0323 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0052 (F,91)(Valid)	CSA18-0199 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U061	CSA24-0324 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0131 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U062	CSA24-0326 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0007 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U063	CSA24-0327 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0101 (F,91)(Valid)	GLENLANDS D TURNER (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U064	CSA24-0329 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0113 (F,91)(Valid)	C13-0565 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U065	CSA24-0330 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0151 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U066	CSA24-0331 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0151 (F,91)(Valid)	DO06-0178 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
23958U067	CSA24-0333 (M,91)	CATTLE	DROUGHT MASTER (91)		C13-0565 (M,91)\(Valid)	PAR_C	Hair	mNDXSV : Multiple Nominated Dams Excluded, Sire Valid	
23958U068	CSA24-0337 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0007 (F,91)\(Valid)	C13-0565 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U069	CSA24-0338 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA17-0052 (F,91)\(Valid)	CSA18-0199 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U070	CSA24-0339 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0507 (F,91)\(Valid)	CSA17-0062 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U071	CSA24-0345 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0026 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U072	CSA24-0346 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0086 (F,91)\(Valid)	CSA21-0100 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U073	CSA24-0351 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0166 (F,91)\(Valid)	CSA21-0100 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U074	CSA24-0352 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0026 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U075	CSA24-0356 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0151 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U076	CSA24-0357 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0026 (F,91)\(Valid)	CSA21-0156 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
23958U077	CSA24-0010 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA21-0200 (F,91)\(Valid)	DO06-0178 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Sep-2025 11:14

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER