

Batch Detail Report

2

Batch : 3003U

Owner : Arthur de Villiers

Farm : Arthur De Villiers and Son

Account : ADV01

Origin : BONSMARA SA

Invoice To : Owner

Created : 2020-12-21

— 0389342 BON —

3003U001	AG20-0036 (F,1)	CATTLE	BONSMARA (1)	AG18-0019 (F,1)(Valid)	AG17-0004 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U002	AG20-0706 (M,1)	CATTLE	BONSMARA (1)	AG18-0385 (F,1)(Not Valid)	GZV16-0111 (U,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid
3003U003	AG20-0751 (F,1)	CATTLE	BONSMARA (1)	AG17-0876 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U004	AG20-0753 (M,1)	CATTLE	BONSMARA (1)	AG17-0808 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U005	AG20-0755 (M,1)	CATTLE	BONSMARA (1)	FUZ11-0006 (F,1)(Valid)	AJF13-0331 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U006	AG20-0756 (M,1)	CATTLE	BONSMARA (1)	AG11-0352 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U007	AG20-0757 (M,1)	CATTLE	BONSMARA (1)	AG15-0398 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U008	AG20-0758 (F,1)	CATTLE	BONSMARA (1)	AG12-0703 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U009	AG20-0759 (F,1)	CATTLE	BONSMARA (1)	AG17-0340 (F,1)(Valid)	AG14-0403 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U010	AG20-0761 (F,1)	CATTLE	BONSMARA (1)	AG18-0416 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid

Report Date : 11-Jan-2021 12:42

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

3003U011	AG20-0762 (M,1)	CATTLE	BONSMARA (1)	FUZ12-0108 (F,1)(Valid)	AJF13-0331 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U012	AG20-0763 (M,1)	CATTLE	BONSMARA (1)	AG11-0031 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U013	AG20-0764 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab
3003U014	AG20-0765 (F,1)	CATTLE	BONSMARA (1)	AG18-0489 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U015	AG20-0767 (M,1)	CATTLE	BONSMARA (1)	AG16-0294 (F,1)(Valid)	AG15-0006 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U016	AG20-0768 (M,1)	CATTLE	BONSMARA (1)	AG17-0858 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U017	AG20-0769 (M,1)	CATTLE	BONSMARA (1)	AG13-0148 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U018	AG20-0780 (F,1)	CATTLE	BONSMARA (1)	AG18-0329 (F,1)(Valid)	GZV16-0111 (U,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U019	AG20-0781 (M,1)	CATTLE	BONSMARA (1)	AG17-0540 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U020	AG20-0782 (F,1)	CATTLE	BONSMARA (1)	AG15-0489 (F,1)(Valid)	AG16-0083 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U021	AG20-0783 (F,1)	CATTLE	BONSMARA (1)	RHJ15-0020 (U,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U022	AG20-0784 (M,1)	CATTLE	BONSMARA (1)	AG16-0080 (F,1)(Valid)	BBP13-0257 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U023	AG20-0787 (M,1)	CATTLE	BONSMARA	AG18-0122 (F,1)(Valid)	GZV16-0111 (U,1)(Valid)	PAR_C	DVSV :

Report Date : 11-Jan-2021 12:42

Page 2

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

			(1)				Dam Valid, Sire Valid
3003U024	AG20-0752 (F,1)	CATTLE	BONSMARA (1)	AG18-0273 (F,1)(Valid)	AG16-0808 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U025	AG20-0754 (M,1)	CATTLE	BONSMARA (1)	AG18-0230 (F,1)(Valid)	AG16-0808 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid
3003U026	AG20-0760 (M,1)	CATTLE	BONSMARA (1)		AG14-0311 (M,1)(Valid)	PAR_C	SV : Sire Valid
3003U027	AG20-0766 (M,1)	CATTLE	BONSMARA (1)	AG18-0861 (F,1)(Valid)	AG16-0808 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid

Report Date : 11-Jan-2021 12:42

Page 3

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR