

Batch Detail Report

Created : 2020-11-26

Batch : 2786U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2786U006	AG20-0710 (F.1)	CATTLE	BONSMARA (1)	FUZ14-0146 (F.1)(Valid)	AG20-0505 (M.1)(Valid) AG14-0505 (M.1)(Valid) ✓	PAR_C	DVnMSV : Dam Valid, Multiple Nominated Sires Valid	36350

Report Date : 06-Jan-2021 13:26

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

Boa Nina

SAMPLE	BREED	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2504U011	AG20-0344 (M,1)	CATTLE	BONSMARA (1)	AG18-0494 (F,1)(Not Valid)	AG16-0087 (M,1)(Valid) AG16-0097 (M,1)(Valid) AG16-0090 (M,1)(Valid) AG16-0096 (M,1)(Valid) AG16-0741 (M,1)(Valid)	PAR_C	DXmNSV : Dam Excluded, Multiple Nominated Sires Valid	36178	
2504U012	AG20-0345 (F,1)	CATTLE	BONSMARA (1)	AG15-0318 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U013	AG20-0346 (M,1)	CATTLE	BONSMARA (1)	AG15-0310 (F,1)(Valid)	AG16-0402 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U014	AG20-0347 (M,1)	CATTLE	BONSMARA (1)	AG11-0407 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U015	AG20-0348 (F,1)	CATTLE	BONSMARA (1)	AG16-0289 (F,1)(Valid)	MCU18-0096 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U016	AG20-0349 (M,1)	CATTLE	BONSMARA (1)	AG15-0354 (F,1)(Valid)	AG16-0087 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U017	AG20-0350 (F,1)	CATTLE	BONSMARA (1)	AG18-0289 (F,1)(Valid)	AG16-0138 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U018	AG20-0351 (F,1)	CATTLE	BONSMARA (1)	AG18-0289 (F,1)(Not Valid)	AG15-0069 (M,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	36178	
2504U019	AG20-0352 (F,1)	CATTLE	BONSMARA (1)	AG12-0199 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U020	AG20-0353 (F,1)	CATTLE	BONSMARA (1)	AG18-0277 (F,1)(Valid)	AG16-0245 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U021	AG20-0354 (M,1)	CATTLE	BONSMARA (1)	AG14-0349 (F,1)(Valid)	AG16-0515 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	
2504U022	AG20-0355 (M,1)	CATTLE	BONSMARA (1)	AG12-0254 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	36178	

Report Date : 06-Jan-2021 13:36

Page 2

Disclaimer:

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

STUCCO NO. 11111111

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2790U036	AG20-0658 (M,1)	CATTLE	BONSMARA (1)	AG14-0264 (F,1)(Valid)	AG14-0046 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U037	AG20-0659 (F,1)	CATTLE	BONSMARA (1)	AG16-0241 (F,1)(Valid)	AG15-0202 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U038	AG20-0660 (F,1)	CATTLE	BONSMARA (1)	AG14-0144 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U039	AG20-0661 (M,1)	CATTLE	BONSMARA (1)	AG16-0888 (F,1)(Valid)	GJN16-0011 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U040	AG20-0662 (M,1)	CATTLE	BONSMARA (1)	RHJ16-0012 (F,1)(Valid)	MCU18-0096 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U041	AG20-0663 (M,1)	CATTLE	BONSMARA (1)	AG14-0394 (F,1)(Valid)	CEF11-0362 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 29-Dec-2020 08:46

Disclaimer:
While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

Created : 2020-09-30

Batch Detail Report

Batch : 2161U
 Owner : Arthur de Villiers
 Farm : Arthur De Villiers and Son
 Account : ADV01
 Invoice To : Owner

STUUR na Nina

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2161U006	AG20-0172 (F,1)	CATTLE	BONSMARA (1)	AG16-0299 (F,1)(Valid)	LAR16-0053 (M,1)(Valid) Ja	PAR_C	DVSU : Dam Valid, Sire Valid	35776

Report Date : 06-Jan-2021 13:12

Page 1

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
 MANAGING DIRECTOR

Batch Detail Report

Created : 2020-06-07

Structure na Nina
116 20-0052 - Dam speculada na AG 17-0079

Batch : 771U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
771U001	AG20-0050 (M,1)	CATTLE	BONSMARA (1)	AG17-0851 (F,1)(Valid)	AG17-0004 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	INV34626
771U002	AG20-0051 (M,1)	CATTLE	BONSMARA (1)	AG17-0142 (F,1)(Valid)	AG17-0004 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	INV34626
771U003	AG20-0052 (M,1)	CATTLE	BONSMARA (1)		AG17-0004 (M,1)(Valid)	PAR_C	SV : Sire Valid	INV34626
771U004	AG20-0053 (M,1)	CATTLE	BONSMARA (1)	AG17-0079 (F,1)(Valid)	AG17-0004 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	INV34626
771U005	AG20-0054 (M,1)	CATTLE	BONSMARA (1)	AG16-0752 (F,1)(Valid)	LAR16-0211 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	INV34626
771U006	AG20-0055 (M,1)	CATTLE	BONSMARA (1)	AG18-0079 (U,1)(Valid)	AG17-0004 (M,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	INV34626
771U007	AG18-0079 (U,1)	CATTLE	BONSMARA (1)			PAR_C	PU : Profile (Unistel)	INV34626
771U008	AG18-0079B (U,1)	CATTLE	BONSMARA (1)	AG09-0342 (F,1)(Valid)	CEW11-0234 (U,1)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	INV34626

Report Date : 05-Jan-2021 15:41

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

Created : 2020-12-21

Batch Detail Report

Starks na Nina

Batch : 3003U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : BONSMARA SA
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
3003U001	AG20-0036 (F,1)	CATTLE	BONSMARA (1)	AG18-0019 (F,1)(Valid)	AG17-0004 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U002	AG20-0706 (M,1)	CATTLE	BONSMARA (1)	AG18-0385 (F,1)(Not Valid)	GZV16-0111 (U,1)(Valid)	PAR_C	DXSV : Dam Excluded, Sire Valid	
3003U003	AG20-0751 (F,1)	CATTLE	BONSMARA (1)	AG17-0876 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U004	AG20-0753 (M,1)	CATTLE	BONSMARA (1)	AG17-0808 (F,1)(Valid)	AG15-0397 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U005	AG20-0755 (M,1)	CATTLE	BONSMARA (1)	FUZ11-0006 (F,1)(Valid)	AJF13-0331 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U006	AG20-0756 (M,1)	CATTLE	BONSMARA (1)	AG14-0352 (F,1)(Valid)	AG15-0758 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U007	AG20-0757 (M,1)	CATTLE	BONSMARA (1)	AG15-0398 (F,1)(Valid)	AG16-0239 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U008	AG20-0758 (F,1)	CATTLE	BONSMARA (1)	AG12-0703 (F,1)(Valid)	CEF15-0479 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
3003U009	AG20-0759 (F,1)	CATTLE	BONSMARA (1)	AG17-0340 (F,1)(Valid)	AG05-0589 (U,1)(Valid) AG11-0038 (M,1)(Valid) AG14-0403 (M,1)(Valid) AG14-0429 (M,1)(Valid)	PAR_C	DVMSV : Dam Valid, Multiple Sires Valid	
3003U010	AG20-0761 (F,1)	CATTLE	BONSMARA (1)	AG18-0416 (F,1)(Valid)	AG14-0311 (M,1)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 07-Jan-2021 11:01

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of " " contract

DR. M.P. MARX
MANAGING DIRECTOR