

Created : 2020-11-26

Batch Detail Report

Ingles 14/12/2020

Batch : 2790U
Owner : Arthur de Villiers
Farm : Arthur De Villiers and Son
Account : ADV01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2790U001	AG20-0566 (F,1)	CATTLE	BONSMARA (1)	AG16-0217 (F,1 A240742)(Valid)	AG15-0006 (M,1 A252726)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U002	AG20-0592 (M,1)	CATTLE	BONSMARA (1)	AG15-0429 (F,1 A293163)(Valid)	RHJ15-0092 (M,1 A265080)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U003	AG20-0600 (M,1)	CATTLE	BONSMARA (1)	AG13-0182 (F,1 A187228)(Valid)	CEE15-0479 (M,1 A445987)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U004	AG20-0614 (M,1)	CATTLE	BONSMARA (1)	AG12-0270 (F,1 A142054)(Valid)	AG14-0046 (M,1 A203556)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U005	AG20-0622 (F,1)	CATTLE	BONSMARA (1)	AG15-0150 (F,1 A259858)(Valid)	AG16-0402 (M,1 A344172)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U006	AG20-0623 (F,1)	CATTLE	BONSMARA (1)	AG15-0265 (F,1 A281024)(Valid)	RHJ15-0002 (M,1 A255080)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U007	AG20-0624 (F,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2790U008	AG20-0625 (M,1)	CATTLE	BONSMARA (1)	AG17-0305 (F,1 A391529)(Valid)	AG15-0397 (M,1 A292005)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U009	AG20-0626 (F,1)	CATTLE	BONSMARA (1)	AG14-0176 (U,1 A212250)(Valid)	AG15-0758 (M,1 A293387)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	
2790U010	AG20-0627 (F,1)	CATTLE	BONSMARA (1)	AG15-0516 (F,1 A293189)(Valid)	AG16-0402 (M,1 A344172)(Valid)	PAR_C	DVSU : Dam Valid, Sire Valid	

Report Date : 10-Dec-2020 10:48

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2790U011	AG20-0628 (F,1)	CATTLE	BONSMARA (1)	RHU17-0013 (F,1 A378923)(Valid)	AG15-0397 (M,1 A292005)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U012	AG20-0629 (M,1)	CATTLE	BONSMARA (1)	AG18-0831 (F,1 A459969)(Valid)	AG14-0311 (M,1 A239176)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U013	AG20-0630 (M,1)	CATTLE	BONSMARA (1)	AG13-0407 (F,1 A192585)(Valid)	CEF15-0479 (M,1 A445597)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U014	AG20-0631 (F,1)	CATTLE	BONSMARA (1)	AG16-0973 (F,1 A352581)(Valid)	GJN16-0011 (M,1 A446705)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U015	AG20-0632 (M,1)	CATTLE	BONSMARA (1)	AG15-0486 (F,1 A295173)(Valid)	AG16-0083 (M,1 A315910)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U016	AG20-0633 (F,1)	CATTLE	BONSMARA (1)	AG13-0076 (F,1 A161492)(Valid)	CEF15-0479 (M,1 A445597)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U017	AG20-0634 (M,1)	CATTLE	BONSMARA (1)	AG11-0287 (F,1 A111130)(Valid)	AG14-0046 (M,1 A203556)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U018	AG20-0635 (M,1)	CATTLE	BONSMARA (4)	AG13-0726 (F,1 A197231)(Valid)	AG15-0758 (M,1 A293387)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U019	AG20-0636 (M,1)	CATTLE	BONSMARA (1)	AG11-0332 (F,1 A112375)(Valid)	AG15-0758 (M,1 A293387)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U020	AG20-0638 (M,1)	CATTLE	BONSMARA (1)	AG16-0916 (F,1 A351651)(Not Valid)	GJN16-0011 (M,1 A446705)(Valid)	PAR_C	DVSV : Dam Excluded, Sire Valid	
2790U021	AG20-0640 (F,1)	CATTLE	BONSMARA (1)	AG17-0887 (F,1 A397824)(Valid)	AG15-0215 (M,1 A268728)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U022	AG20-0641 (M,1)	CATTLE	BONSMARA (1)	AG18-0264 (F,1 A451656)(Valid)	AG14-0311 (M,1 A239176)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U023	AG20-0642 (F,1)	CATTLE	BONSMARA	AG17-0218 (F,1 A389620)(Valid)	AG15-0215 (M,1 A268728)(Valid)	PAR_C	DVSV :	

Report Date : 10-Dec-2020 10:48

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2790U024	AG20-0643 (F,1)	CATTLE	BONSMARA (1)	AG17-1000 (F,1 A402191)(Valid)	AG16-0386 (M,1 A344156)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U025	AG20-0644 (M,1)	CATTLE	BONSMARA (1)	AG16-0037 (F,1 A309247)(Valid)	AG15-0006 (M,1 A252726)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U026	AG20-0645 (M,1)	CATTLE	BONSMARA (1)	AG13-0364 (F,1 A189598)(Valid)	AG14-0046 (M,1 A203556)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U027	AG20-0646 (M,1)	CATTLE	BONSMARA (1)	AG17-0319 (F,1 A391543)(Valid)	AG15-0397 (M,1 A292005)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U028	AG20-0648 (M,1)	CATTLE	BONSMARA (1)	AG12-0299 (F,1 A142684)(Valid)	AG15-0758 (M,1 A293387)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U029	AG20-0649 (F,1)	CATTLE	BONSMARA (1)	AG15-0347 (F,1 A289171)(Valid)	AG16-0402 (M,1 A344172)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U030	AG20-0650 (M,1)	CATTLE	BONSMARA (1)	AG17-0863 (F,1 A397800)(Valid)	AG16-0090 (M,1 A315917)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U031	AG20-0651 (F,1)	CATTLE	BONSMARA (1)	AG15-0702 (F,1 A295189)(Valid)	RH115-0002 (M,1 A255080)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U032	AG20-0653 (F,1)	CATTLE	BONSMARA (1)	AG15-0228 (F,1 A268741)(Valid)	RH115-0002 (M,1 A255080)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U033	AG20-0655 (M,1)	CATTLE	BONSMARA (1)	AG18-0025 (F,1 A409023)(Valid)	AG16-0090 (M,1 A315917)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U034	AG20-0656 (F,1)	CATTLE	BONSMARA (1)	AG11-0389 (F,1 A112411)(Valid)	AG14-0046 (M,1 A203556)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	
2790U035	AG20-0657 (F,1)	CATTLE	BONSMARA (1)	AG12-0375 (F,1 A143822)(Valid)	AG14-0046 (M,1 A203556)(Valid)	PAR_C	DVS_V : Dam Valid, Sire Valid	

Report Date : 10-Dec-2020 10:48

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	RESULT	INVOICE
2790U036	AG20-0658 (M,1)	CATTLE	BONSMARA (1)	AG14-0264 (F,1 A238609)(Valid)	AG14-0046 (M,1 A203556)(Valid)	PAR_C	Valid DVSV : Dam Valid, Sire Valid	
2790U037	AG20-0659 (F,1)	CATTLE	BONSMARA (1)	AG16-0241 (F,1 A340765)(Valid)	AG15-0202 (M,1 A264029)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U038	AG20-0660 (F,1)	CATTLE	BONSMARA (1)	AG14-0144 (F,1 A209936)(Valid)	AG15-0756 (M,1 A293387)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U039	AG20-0661 (M,1)	CATTLE	BONSMARA (1)	AG16-0888 (F,1 A349851)(Valid)	GJN16-0011 (M,1 A446705)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	
2790U040	AG20-0662 (M,1)	CATTLE	BONSMARA (1)			PAR_C	HER02 : Test to be repeated by lab	
2790U041	AG20-0663 (M,1)	CATTLE	BONSMARA (1)	AG14-0394 (F,1 A242900)(Valid)	CEF11-0362 (M,1 A396015)(Valid)	PAR_C	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Dec-2020 10:48

Disclaimer:

While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. Should gross negligence be proven the claim shall not exceed the value of the contract

DR. M.P. MARX
MANAGING DIRECTOR