

Batch Detail Report

Created : 2024-11-29

Batch : 20818U
Owner : JIF Pistorius
Farm : Paardefontein
Account : PISJ01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
20818U001	TOP24-0266 (M,91)	CATTLE	DROUGHT MASTER (91)		HOT20-0724 (M,91)(Valid)	PAR_C	Hair	mNDXSV : Multiple Nominated Dams Excluded, Sire Valid	
20818U002	TOP24-0339 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0278 (F,91)(Valid)	HS20-0559 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20818U003	TOP24-0340 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0146 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20818U004	TOP24-0341 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0309 (N/S,91)(Valid)	AGO18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20818U005	TOP24-0342 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP19-0163 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
20818U006	TOP24-0343 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0141 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 06-Dec-2024 11:37

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2025-01-20

Batch : 21272U
Owner : JIF Pistorius
Farm : Paardefontein
Account : PISJ01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21272U001	TOP24-0379 (M,91)	CATTLE	DROUGHT MASTER (91)	C09-0032 (F,91)(Valid)	TOP21-0146 (M,91)(Valid)	PAR_C	Hair	DVSV : Darn Valid, Sire Valid	
21272U002	TOP24-0380 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP20-0158 (F,91)(Valid)	TOP21-0146 (M,91)(Valid)	PAR_C	Hair	DVSV : Darn Valid, Sire Valid	
21272U003	TOP24-0381 (M,91)	CATTLE	DROUGHT MASTER (91)	AG015-0043 (F,91)(Valid)	TOP21-0146 (M,91)(Valid)	PAR_C	Hair	DVSV : Darn Valid, Sire Valid	
21272U004	TOP25-0100 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0140 (F,91)(Valid)	TOP21-0146 (M,91)(Valid)	PAR_C	Hair	DVSV : Darn Valid, Sire Valid	
21272U005	TOP25-0101 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0540 (F,91)(Valid)	CSA18-0194 (M,91)(Valid)	PAR_C	Hair	DVSV : Darn Valid, Sire Valid	

Report Date : 28-Jan-2025 15:50

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2025-03-11

Batch : 21915U
Owner : JIF Pistorius
Farm : Paardefontein
Account : PISJ01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21915U001	WITZ-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	CTM19-0005 (F,91)(Valid)	TOP17-0175 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U002	TOP25-0125 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0105 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U003	TOP25-0126 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0317 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U004	TOP25-0127 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0367 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U005	TOP25-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0189 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U006	TOP25-0129 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0185 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U007	TOP25-0130 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0321 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U008	TOP25-0131 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP23-0101 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire Valid	
21915U009	TOP25-0132 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0249 (F,91)(Valid)	GARTHOMEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Damm Valid, Sire	

Report Date : 03-Apr-2025 09:39

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21915U010	TOP25-0133 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP23-0129 (F,91)\(Valid)	HOT20-0724 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U011	TOP25-0134 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP23-0129 (F,91)\(Valid)	HOT20-0724 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U012	TOP25-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0267 (F,91)\(Valid)	HOT20-0724 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U013	TOP25-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	HS22-0567 (F,91)\(Valid)	GARTHOWEN AUSTIN (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U014	TOP25-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0199 (F,91)\(Valid)	HOT20-0724 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U015	TOP25-0138 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP23-0127 (F,91)\(Valid)	HOT20-0724 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U016	TOP25-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0332 (F,91)\(Valid)	TOP22-0184 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21915U017	TOP25-0141 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0186 (F,91)\(Valid)	HOT20-0724 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 03-Apr-2025 09:39

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Created : 2025-04-07

Batch : 22244U
Owner : JIF Pistorius
Farm :Paardefontein
Account : PISJ01
Origin : PRIVATE
Invoice To : Owner

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22244U001	TOP25-0148 (F,91)	CATTLE	DROUGHT MASTER (91)	AG016-0044 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U002	TOP25-0149 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U003	TOP25-0150 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0216 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U004	TOP25-0151 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0175 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U005	TOP25-0152 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F,91)(Valid) TOP16-0111 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	mNDVSV : Multiple Nominated Dams Valid, Sire Valid	
22244U006	TOP25-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U007	TOP25-0155 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0333 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U008	TOP25-0156 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP23-0108 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U009	TOP25-0157 (M,91)	CATTLE	DROUGHT	TOP22-0231 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 28-Apr-2025 12:22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
			MASTER (91)					Dam Valid, Sire Valid	
22244U010	TOP25-0158 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0159 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U011	TOP25-0159 (M,91)	CATTLE	DROUGHT MASTER (91)	AGO16-0044 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U012	TOP25-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0216 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U013	TOP25-0161 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0342 (F,91)(Valid)	HOT20-0724 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U014	TOP25-0162 (M,91)	CATTLE	DROUGHT MASTER (91)	TOP22-0312 (F,91)(Valid)	TOP22-0184 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U015	TOP25-0163 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U016	TOP25-0164 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO16-0044 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U017	TOP25-0165 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO16-0044 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U018	TOP25-0166 (F,91)	CATTLE	DROUGHT MASTER (91)	AGO16-0044 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U019	TOP25-0168 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0140 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U020	TOP25-0169 (F,91)	CATTLE	DROUGHT MASTER (91)	TOP21-0140 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Apr-2025 12:22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22244U021	TOP25-0170 (F.91)	CATTLE	DROUGHT MASTER (91)	TOP17-0197 (F.91)(Valid)	TOP22-0184 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U022	TOP25-0171 (F.91)	CATTLE	DROUGHT MASTER (91)	AG016-0044 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U023	TOP25-0172 (F.91)	CATTLE	DROUGHT MASTER (91)	C09-0140 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U024	TOP25-0173 (F.91)	CATTLE	DROUGHT MASTER (91)	AG016-0044 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U025	TOP25-0174 (M.91)	CATTLE	DROUGHT MASTER (91)	AG016-0044 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U026	TOP25-0175 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP21-0140 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U027	TOP25-0176 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U028	TOP25-0177 (F.91)	CATTLE	DROUGHT MASTER (91)	TOP18-0115 (F.91)(Valid)	TOP19-0155 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U029	TOP25-0178 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP21-0140 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U030	TOP25-0179 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U031	TOP25-0180 (M.91)	CATTLE	DROUGHT MASTER (91)	TOP22-0233 (F.91)(Valid)	HOT20-0724 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
22244U032	TOP25-0181 (F.91)	CATTLE	DROUGHT MASTER (91)	TOP16-0115 (F.91)(Valid)	GARTHOWEN AUSTIN (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Apr-2025 12:22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22244U033	TOP25-0182 (M,91)	CATTLE	DROUGHT MASTER (91)	AG016-0044 (F,91)(Valid)	GARTHOWEN AUSTIN (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 28-Apr-2025 12:22

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER