

Subject: H 23-27 (M) DNA nr: U16576U012**From:** <Studs@hurwitz.co.za>**Date:** 2025/11/18, 07:35 pm**To:** "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb die kalf H 23-160 van VOVA 17-53 verwyder van Logix af. Haar 2023 kalf is verkeerd geregistreer.

Hiermee die regte inligting vir haar 2023 kalf (as jy hom asb kan laai):

H 23-27 (M)

DOB: 12/07/2023

Dam: VOVA 17-53

Natuurlike kalf

DNA nr: U16576U012

DNA resultaat aangeheg.

16576U012	H23-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0053 (F,91)(Valid)	CSA16-0066 (M,91)(Valid)	PAR_C	Hair	DVSV: Dam Valid, See Valid
-----------	-----------------	--------	---------------------	---------------------------	--------------------------	-------	------	----------------------------

Identification Number	Computer No.	Sex	Sec/Sub	Date of Birth	Serv	Breeder	Status	Sire:	Inspection date
DMAAMH230025	0099481020	M	SP/NO	17 FEB 25	1	0712320DMA	CLB - Calfbook	DMAAMVOVA180010	
DMAAFH250001	0099480840	F	PEN/PNV	05 JAN 25	3	0712330DMA	CLB - Calfbook	DMAAMVOVA180010	
DMAAMH250007	0099480873	M	PEN/PNV	02 JAN 25	3	0712330DMA	CLB - Calfbook	DMAAMVOVA180019	
DMAAMH230160	0097239356	M	NFR/OR	20-DEC-23	1	0712320DMA	CAN - Cancelled	DMAAMVOVA180019	

Baie dankie!



HURWITZ FARMING
STUD MANAGER

studs@hurwitz.co.za
+2772 680 8589
www.hurwitz.co.za
Farm Hamelfontein
Davel, Mpumalanga
2356

Facebook YouTube Instagram



Attachments:

Batch-16576U.pdf

103 KB

Subject: H 23-93 (M) DNA laai: 16345U006
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 07:27 pm
To: "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 23-93 (M) DNA nr: 16345U006 se DNA op Logix laai?
DNA resultaat aangeheg.

Baie dankie!



Attachments:

Batch-16576U.pdf

103 KB

Subject: H 23-28 (M) Geslag verander & DNA laai U16576U013

From: <Studs@hurwitz.co.za>

Date: 2025/11/18, 07:24 pm

To: "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 23-28 se geslag verander na manlik (M) op Logix?

Kan jy dan asb ook die bul se DNA op Logix laai?

H 23-28 (M) DNA nr: U16576U013

16576U013	H23-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0017 (F,91)(Valid)	CSA16-0063 (M,91)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire Valid
-----------	-----------------	--------	------------------------	------------------------	--------------------------	-------	------	----------------------------------

Baie dankie!



Attachments:

Batch-16576U.pdf

103 KB

Subject: FW: H 23-0083 (Medium DM bulls herd) sire DNA?
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 07:37 pm
To: "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 23-83 (M) se DNA op Logix laai?

Vriendelike Groete,



From: Unistel Cattle <cattle@unistelmedical.co.za>
Sent: Monday, November 17, 2025 10:14 AM
To: Studs@hurwitz.co.za
Subject: RE: H 23-0083 (Medium DM bulls herd) sire DNA?

Goeiemore Sjane,

Ek hoop dit gaan goed.

Sien aangeheg die opgedateerde resultaat.

Groete,

JC Bothma

Relationship Manager

Animal Genetics



Human and Animal Genetic Testing

Main Switchboard: +27 (0)21 007 5617

Suite 13, Private Bag X22, Tygervally, 7536

www.unistelmedical.co.za

Everything in this e-mail and any attachments relating to the official business of Unistel is proprietary to the group. It is confidential, legally privileged and protected by law. Unistel does not own and endorse any other content. Views and opinions

FW: H 23-0083 (Medium DM bulls herd) sire DNA?

are those of the sender unless clearly stated as being that of Unistel. The person addressed in the e-mail is the sole authorised recipient. Please notify the sender immediately if it has unintentionally reached you and do not read, disclose or use the content in any way. Unistel cannot assure that the integrity of this communication has been maintained nor that it is free of errors, virus, interception or interference.

From: Studs@hurwitz.co.za <Studs@hurwitz.co.za>
Sent: 16 November 2025 09:48 AM
To: Unistel Cattle <cattle@unistelmedical.co.za>
Subject: RE: H 23-0083 (Medium DM bulls herd) sire DNA?

Hi JC,

Ja CSA16-0075 is ons bull. Passing is moontlik.

Vriendelike Groete,



From: Unistel Cattle <cattle@unistelmedical.co.za>
Sent: Friday, November 14, 2025 1:31 PM
To: Studs@hurwitz.co.za
Subject: RE: H 23-0083 (Medium DM bulls herd) sire DNA?

Goeiemiddag Sjane,

Ek hoop dit gaan goed.

Daar is nie 'n bul op rekord onder julle naam wat pas nie.

Is CSA16-0075 dalk moontlik?

Groete,

JC Bothma

Relationship Manager

Animal Genetics



Human and Animal Genetic Testing

Main Switchboard: +27 (0)21 007 5617

Suite 13, Private Bag X22, Tygervally, 7536

www.unistelmedical.co.za

Everything in this e-mail and any attachments relating to the official business of Unistel is proprietary to the group. It is confidential, legally privileged and protected by law. Unistel does not own and endorse any other content. Views and opinions are those of the sender unless clearly stated as being that of Unistel. The person addressed in the e-mail is the sole authorised recipient. Please notify the sender immediately if it has unintentionally reached you and do not read, disclose or use the content in any way. Unistel cannot assure that the integrity of this communication has been maintained nor that it is free of errors, virus, interception or interference.

From: Studs@hurwitz.co.za <Studs@hurwitz.co.za>

Sent: 14 November 2025 10:00 AM

To: JC Bothma <jbothma@unistelmedical.co.za>

Subject: H 23-0083 (Medium DM bulls herd) sire DNA?

Goeie more JC,

Kan jy asb H 23-0083 (M) DNA nr: U15953U013 toets teen Hurwitz Farming se Droughtmaster bulle vir 'n moontlike vaar?

Vriendelike Groete,



Attachments:

Batch-15953U013_Inq.pdf

18.3 KB

Subject: FW: H 24-0095 (M) Sire DNA? 21420U014
From: <Studs@hurwitz.co.za>
Date: 2025/11/19, 03:40 pm
To: "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 24-0095 se DNA op Logix laai?

Baie dankie!



From: Unistel Cattle <cattle@unistelmedical.co.za>
Sent: Wednesday, November 19, 2025 2:46 PM
To: Studs@hurwitz.co.za
Subject: RE: H 24-0095 (M) Sire DNA? 21420U014

Goeiemiddag Sjane,

Ek hoop dit gaan goed.

Sien aangeheg die resultaat soos op rekord.

Groete,
JC Bothma

Relationship Manager

Animal Genetics



Human and Animal Genetic Testing

Main Switchboard: +27 (0)21 007 5617
Suite 13, Private Bag X22, Tygervally, 7536
www.unistelmedical.co.za

Everything in this e-mail and any attachments relating to the official business of Unistel is proprietary to the group. It is confidential, legally privileged and protected by law. Unistel does not own and endorse any other content. Views and opinions

are those of the sender unless clearly stated as being that of Unistel. The person addressed in the e-mail is the sole authorised recipient. Please notify the sender immediately if it has unintentionally reached you and do not read, disclose or use the content in any way. Unistel cannot assure that the integrity of this communication has been maintained nor that it is free of errors, virus, interception or interference.

From: Studs@hurwitz.co.za <Studs@hurwitz.co.za>

Sent: 18 November 2025 07:11 PM

To: JC Bothma <jbothma@unistelmedical.co.za>

Subject: H 24-0095 (M) Sire DNA? 21420U014

Hi JC,

Vertrou dit gaan goed?

Kan jy asb H 24-0095 (M) DNA nr: 21420U014 toets teen al die Hurwitz Farming Droughtmaster Bulle vir 'n moontlike vaar?

Vriendelike Groete,



—Attachments:—

Batch-21420U014_Inq.pdf

18.3 KB

Subject: H 20-38 verander na SP & H 23-69 DNA laai**From:** <Studs@hurwitz.co.za>**Date:** 2025/11/17, 02:58 pm**To:** "Michelle Fisher" <michellef@studbook.co.za>

Goeie middag Michelle,

Kan jy asb H 20-38 verander van F2 na SP (altwee haar ouers is SP)?

Kan jy dan asb H 23-69 en H 24-65 ook na SP verander?

Aangeheg is die DNA van H 23-69 as jy dit ook kan update asb?

16576U019	H23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0038 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
-----------	-----------------	--------	---------------------	------------------------	--------------------------	-------	------	------------------------------------

 DROUGHTMASTER SA(DMA)	Animal:	Sire:	Dam:
Identification Number	DMAFH 200038		DMAFH 150015
Prefix	HURWITZ	CONSIDERATA SA	HURWITZ
Name	20-0038H	15 0015CSA	15 0015H
Computer No.	4042656498 (F)	4041533448(M)	4041955066 (F)
Date of Birth & Age (months)	12/10/2020 (61)	26-04-2015	04/12/2015
Section / subsection	F2 (F2) / None	SP/NO	SP/NO
Status	REG (Registered)	CAN (Cancelled)	REG (Registered)

Progeny

Identification Number	Computer No.	Sex	Sec/Sub	Date of Birth	Serv	Breeder	Status	Sire:	Inspection date
DMAAH 245065	0097853600	M	F3/NO	31-OCT-24	1	0712320DMA	CLB - Calfbok	DMAHCSA 150066	
DMAFH 239069	0097193189	F	PEN/MS	01-MAY-23	1	0712320DMA	CLB - Calfbok		



HURWITZ FARMING
STUD MANAGER

studs@hurwitz.co.za
+2772 680 8589
www.hurwitz.co.za
Farm Hamelfontein
Davel, Mpumalanga
2356

  



Subject: H 20-56 verander van F1 na SP
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 12:15 pm
To: "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

1. Kan jy asb H 20-56 verander van F1 na SP, albei ouers is SP?
2. Kan jy dan ook haar 2024 calf ook verander na SP
3. Kan jy asb die 2024 se DNA op Logix laai: H 24-24 (F) DNA nr: 19451U009 (DNA resultaat aangeheg)

19451U009	H24-0024 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0056 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV Dam Valid, Sire	50271
-----------	-----------------	--------	---------------------	------------------------	--------------------------	-------	------	-------------------------	-------

 DROUGHTMASTER SA(DMA)	Animal:		
Identification Number	DMAFH 200056		
Prefix	HURWITZ		
Name	20 0056H		
Computer No.	4042791030 (F)		
Date of Birth & Age (months)	04/12/2020 (59)		
Section / subsection	F1 (F1) / None		
Status	REG (Registered)		

Sire:	Dam:
	DMAFH 110236
LENLANS 1086 (P) 66	11-0236C
10413(4054)(M)	0094971035 (F)
14/01/1992	03/10/2011
EP/HQ	SP/HQ
Unregistered	REG (Registered)

Vriendelike Groete,



HURWITZ FARMING
STUD MANAGER

studs@hurwitz.co.za
+2772 680 8589
www.hurwitz.co.za
Farm Hamelfontein
Davel, Mpumalanga
2356

  





Attachments:

Batch-19451U_Inq.pdf

38.9 KB

Subject: H 20-19 verander van F2 na SP
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 12:23 pm
To: "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 20-19 verander van F2 na SP albei haar ouers is SP.

Kan jy asb ook haar 2023 en 2024 kalfies verander na SP:

- H 23-0035
- H 24-0077

Identification Number	Computer No.	Sex	Sec/Sub	Date of Birth	Serv	Breeder	Status	Sire:
DMAFH 240077	0097855191	F	F3/NO	04-NOV-24	1	0712320DMA	CLB - Calfbook	DMAMCSA 150066
DMAMH 230035	0096816764	M	F3/NO	12-SEP-23	1	0712320DMA	CLB - Calfbook	DMAMCSA 150066

DROUGHTMASTER SA(DMA)		Animal:
Identification Number	DMAFH 200019	
Prefix	HURWITZ	
Name	20 0019H	
Computer No.	4042656316 (F)	
Date of Birth & Age (months)	17/09/2020 (62)	
Section / subsection	F2 (F2) / None	
Status	REG (Registered)	

Sire:	Dam:
DMAFH 200019	DMAFLW 130393
140758P01	
18 03250W	MODEL 19 03930W
4042656316 (F)	4041882352 (F)
07/10/2018	19/10/2013
SP/NO	SP/NO
REG (Registered)	REG (Registered)

Baie dankie!

Sjané van Aswegen

HURWITZ FARMING
STUD MANAGER

studs@hurwitz.co.za
+2772 680 8589
www.hurwitz.co.za
Farm Hamellfontein
Davel, Mpumalanga
2356


HURWITZ FARMING

  



Subject: H 20-09 verander van F1 na SP
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 12:53 pm
To: "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

1. Kan jy asb H 20-09 verander van F1 na SP?
2. Kan jy ook asb haar 2023 kalfie verander na SP en haar DNA op Logix laai: H 23-0066 (F) DNA nr: 15953U006 (ek heg die DNA resultaat aan)

Identification Number	Computer No.	Sex	Sec/Sub	Date of Birth	Serv	Breeder	Status	Sire:
DMAFH 230066	0096816822	F	PEN/MS	02-NOV-23	1	0712320DMA	CLB - Callbook	
DMAFH 220106	0095635587	M	NFR/NO	16-DEC-22	1	0712320DMA	CAN - Cancelled	DMAAFCSA 100063

 DROUGHTMASTER SA (DMA)	Animal:
Identification Number	DMAFH 200009
Prefix	HURWITZ
Name	20 0009H
Computer No.	4042656241 (F)
Date of Birth & Age (months)	01/06/2020 (65)
Section / subsection	F1 (F1) / None
Status	REG (Registered)

Sire:	Dam:
	DMAFBV 170034
	D BOSCHVALLEYFARM517 0034BV
(M)	4042100216 (F)
	04/08/2017
	F3/NO:
Unknown	REG (Registered)

Baie dankie!



HURWITZ FARMING
STUD MANAGER

studs@hurwitz.co.za
+2772 680 8589
www.hurwitz.co.za
Farm Hamelfontein
Davel, Mpumalanga
2356

  





Attachments:

Batch-15953U.pdf

44.0 KB

Subject: H 20-27 verander F2 na SP**From:** <Studs@hurwitz.co.za>**Date:** 2025/11/18, 06:04 pm**To:** "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 20-27 (F) verander van F2 na SP albei haar ouers is SP.

Kan jy asb ook haar kalf van F3 na SP verander: H 23-150 (M)

DROUGHTMASTER SA(DMA)		Animal:	Sire:	Dam:
Identification Number	DMAFH 200027		DMAFH 160209	DMAFH 160209
Prefix	HURWITZ		BRANDWATER	BRANDWATER
Name	20-0027H		RY 16-0209HDT	RY 16-0209HDT
Computer No.	4042656399 (F)		4041769664 (F)	4041769664 (F)
Date of Birth & Age (months)	28/09/2020 (61)		11/10/2011	19/09/2016
Section / subsection	F2 (F2) / None		SP/NO	SP/NO
Status	REG (Registered)		CAN (Cancelled)	REG (Registered)

Progeny

Identification Number	Computer No.	Sex	Sec/Sub	Date of Birth	Serv	Breeder	Status	Sire:	Inspection date
DMAFH 230150	0096816228	M	F3/NO	08-DEC-23	1	8772220DMA	CLB - Callbook	DMAFH 160209	

Vriendelike Groete,

Sjané van Aswegen

HURWITZ FARMING
STUD MANAGER

studs@hurwitz.co.za
+2772 680 8589
www.hurwitz.co.za
Farm Hamelfontein
Davel, Mpumalanga
2356









Subject: H 20-38 verander van F2 na SP
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 06:57 pm
To: "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 20-38 (F) verander van F2 na SP, albei haar ouers is SP.

Kan jy asb ook die kalfies van H 20-38 verander van F3 na SP?

- H 24-65 (M) verander na SP.
- H 23-69 (F) verander na SP & DNA op Logix laai asb (DNA nr: 16576U019) DNA resultaat aangeheg.

16576U019	H23-0069 (F 91)	CATTLE	DROUGHT MASTER (91)	H20-0038 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid
-----------	-----------------	--------	---------------------	------------------------	--------------------------	-------	------	---------------------------------

Identification Number	Computer No.	Sex	Sec/Sub	Date of Birth	Serv	Breeder	Status	Sire:	Inspection date
DMAFH 240045	0097853600	M	F3/NO	31-OCT-24	1	071222DMA	CLB - Callbook	DMAHCSA 150066	
DMAFH 230069	0097193189	F	PEN/MS	01-MAY-23	1	071222DMA	CLB - Callbook		

 DROUGHTMASTER SA(DMA)	Animal:	Sire:	Dam:
Identification Number	DMAFH 200038	DMAFH 150015	DMAFH 150015
Prefix	HURWITZ	CONSIDERATA SA	HURWITZ
Name	20-0038H	150038CSA	150015H
Computer No.	4042656498 (F)	404100344NM	4041955065 (F)
Date of Birth & Age (months)	12/10/2020 (61)	26/04/2015	04/12/2015
Section / subsection	F2 (F2) / None	SP/NO	SP/NO:
Status	REG (Registered)	CAN (Cancelled)	REG (Registered)

Baie dankie!



Attachments:

Batch-16576U.pdf

103 KB

Subject: H 25-03 (M) DNA laai 22001U029
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 07:00 pm
To: "Michelle Fisher" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 25-03 se DNA op Logix laai?

H 25-03 (M) DNA nr: 22001U029

Vriendelike Groete,



—Attachments:—

Batch-22001U 2024 and 2025 calves.pdf

93.5 KB

Batch Detail Report

Batch : 16576U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2024-01-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U001	H23-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0016 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U002	C11-0163 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U003	C11-0438 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U004	H21-0017 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0163 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U005	H22-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U006	H22-0086 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Not Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U007	H23-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	OW13-0393 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U008	H23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U009	H23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0066 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
16576U010	H23-0020 (F,91)	CATTLE	DROUGHT	C08-0419 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 22-Feb-2024 11:20

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U011	H23-0021 (F,91)	CATTLE	MASTER (91)	C08-0419 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	
16576U012	H23-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0053 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U013	H23-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0017 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U014	H23-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U015	H23-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Not Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U016	H23-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0029 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U017	H23-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0250 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U018	H23-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0023 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U019	H23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0038 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U020	H23-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0008 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U021	H23-0080 (M,91)	CATTLE	DROUGHT MASTER (91)	BV8009 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U022	H23-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0007 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U023	H23-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0006 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U024	H23-0087 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U025	H23-0088 A (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U026	H23-0088 B (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U027	H23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Not Valid)	CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid) CSA15-0066 (M,91)(Not Valid)	PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
16576U028	H23-0095 (M,91)	CATTLE	DROUGHT MASTER (91)	BV17-0037 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U029	H23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM18-0125 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U030	H23-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0014 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U031	H23-0102 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIZE	TEST	Temper Type	RESULT	INVOICE
16576U032	H23-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U033	H23-0108 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0050 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U034	H23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U035	H23-0113 (F,91)	CATTLE	DROUGHT MASTER (91)	H14-0005 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U036	H23-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U037	H23-0115 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0025 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U038	H23-0117 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0015 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U039	H23-0118 (F,91)	CATTLE	DROUGHT MASTER (91)	H16-0008 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U040	H23-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0072 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U041	H23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0243 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U042	H23-0121 (F,91)	CATTLE	DROUGHT MASTER (91)	BV17-0034 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U043	H23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	H13-0007 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U044	H23-0125 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0215 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	Valid	
16576U045	H23-0128 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U046	H23-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded
16576U047	H23-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U048	H23-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0042 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U049	H23-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0246 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U050	H23-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U051	H23-0146 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0056 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U052	H23-0147 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0001 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U053	VOVA21-0341 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

Valid)

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 16576U
Owner :B/S Hurwitz
Farm :Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2024-01-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U001	H23-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0016 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U002	C11-0163 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U003	C11-0438 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U004	H21-0017 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0163 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U005	H22-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U006	H22-0086 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Not Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U007	H23-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	OW13-0393 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U008	H23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U009	H23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0066 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
16576U010	H23-0020 (F,91)	CATTLE	DROUGHT	C08-0419 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 22-Feb-2024 11:20

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tested Type	RESULT	INVOICE
16576U011	H23-0021 (F,91)	CATTLE	MASTER (91)	C08-0419 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	
16576U012	H23-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0053 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U013	H23-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0017 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U014	H23-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U015	H23-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Not Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U016	H23-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0029 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U017	H23-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0250 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U018	H23-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0023 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U019	H23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0038 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U020	H23-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0008 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U021	H23-0080 (M,91)	CATTLE	DROUGHT MASTER (91)	BV8009 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	DREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U022	H23-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0007 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U023	H23-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0006 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U024	H23-0087 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U025	H23-0088 A (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U026	H23-0088 B (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U027	H23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Not Valid)	CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid) CSA15-0066 (M,91)(Not Valid)	PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
16576U028	H23-0095 (M,91)	CATTLE	DROUGHT MASTER (91)	BV17-0037 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U029	H23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM18-0125 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U030	H23-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0014 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U031	H23-0102 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U032	H23-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U033	H23-0108 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0050 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U034	H23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U035	H23-0113 (F,91)	CATTLE	DROUGHT MASTER (91)	H14-0005 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U036	H23-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U037	H23-0115 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0025 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U038	H23-0117 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0015 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U039	H23-0118 (F,91)	CATTLE	DROUGHT MASTER (91)	H16-0008 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U040	H23-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0072 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U041	H23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0243 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U042	H23-0121 (F,91)	CATTLE	DROUGHT MASTER (91)	BV17-0034 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U043	H23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	H13-0007 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tested Type	RESULT	INVOICE
16576U044	H23-0125 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0215 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
16576U045	H23-0128 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U046	H23-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U047	H23-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U048	H23-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0042 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U049	H23-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0246 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U050	H23-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U051	H23-0146 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0056 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U052	H23-0147 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0001 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U053	VOVA21-0341 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 22-Feb-2024 11:20

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Valid)

Report Date : 22-Feb-2024 11:20

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 16576U
Owner :B/S Hurwitz
Farm :Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2024-01-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U001	H23-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0016 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U002	C11-0163 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U003	C11-0438 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U004	H21-0017 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0163 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U005	H22-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U006	H22-0086 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Not Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U007	H23-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	OW13-0393 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U008	H23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U009	H23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0066 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
16576U010	H23-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0419 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV :	

Report Date : 22-Feb-2024 11:20

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SAVE	TEST	Tissue Type	RESULT	INVOICE
16576U011	H23-0021 (F,91)	CATTLE	MASTER (91)	C08-0419 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	
16576U012	H23-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0053 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U013	H23-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0017 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U014	H23-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U015	H23-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Not Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U016	H23-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0029 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U017	H23-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0250 (F,91)\(Valid)	CSA18-0063 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U018	H23-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0023 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U019	H23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0038 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U020	H23-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0008 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U021	H23-0080 (M,91)	CATTLE	DROUGHT MASTER (91)	BV8009 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Yeast Type	RESULT	INVOICE
16576U022	H23-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0007 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U023	H23-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0006 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U024	H23-0087 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U025	H23-0088 A (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U026	H23-0088 B (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U027	H23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Not Valid)	CSA18-0063 (M,91)(Valid) VOVA18-0019 (M,91)(Not Valid) CSA15-0066 (M,91)(Not Valid)	PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
16576U028	H23-0095 (M,91)	CATTLE	DROUGHT MASTER (91)	BV17-0037 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U029	H23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM18-0125 (F,91)(Valid)	CSA15-0066 (M,91)(Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U030	H23-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0014 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U031	H23-0102 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U032	H23-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U033	H23-0108 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0050 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U034	H23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U035	H23-0113 (F,91)	CATTLE	DROUGHT MASTER (91)	H14-0005 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U036	H23-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U037	H23-0115 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0025 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U038	H23-0117 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0015 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U039	H23-0118 (F,91)	CATTLE	DROUGHT MASTER (91)	H16-0008 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U040	H23-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0072 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U041	H23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0243 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U042	H23-0121 (F,91)	CATTLE	DROUGHT MASTER (91)	BV17-0034 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U043	H23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	H13-0007 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U044	H23-0125 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB17-0215 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
16576U045	H23-0128 (F.91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F.91)(Valid)	VOVA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U046	H23-0129 (M.91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F.91)(Valid)	CSA15-0066 (M.91)(Not Valid) CSA18-0063 (M.91)(Not Valid) VOVA18-0019 (M.91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U047	H23-0131 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F.91)(Valid)	VOVA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U048	H23-0136 (M.91)	CATTLE	DROUGHT MASTER (91)	CSA15-0042 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U049	H23-0137 (M.91)	CATTLE	DROUGHT MASTER (91)	HOT16-0246 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U050	H23-0144 (M.91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F.91)(Valid)	CSA15-0066 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U051	H23-0146 (F.91)	CATTLE	DROUGHT MASTER (91)	WBT17-0056 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U052	H23-0147 (M.91)	CATTLE	DROUGHT MASTER (91)	H17-0001 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U053	VOVA21-0341 (M.91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F.91)(Valid)	CSA15-0066 (M.91)(Not Valid) CSA18-0063 (M.91)(Not Valid) VOVA18-0019 (M.91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Teste Type	RESULT	INVOICE
--------	--------	---------	-------	-----	------	------	------------	--------	---------

Valid)

Report Date : 22-Feb-2024 11:20

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 22001U
Owner :B/S Hurwitz
Farm :Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2025-03-18

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22001U001	H24-0149 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0013 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U002	H24-0050 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U003	H24-0051 (M,91)	CATTLE	DROUGHT MASTER (91)	OW13-0393 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U004	H24-0054 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U005	H24-0055 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U006	H23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U007	VOVA21-0341 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)\(Valid)	VOVA19-0040 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U008	H23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0024 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U009	H22-0024 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0163 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528

Report Date : 21-Aug-2025 10:19

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22001U010	H22-0001 (F,91)	CATTLE	DROUGHT MASTER (91)	H17-0012 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	Valid	53528
22001U011	H21-0093 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U012	H24-0027 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0033 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	PU : Profile (Unistel)	53528
22001U013	H24-0033 (N/S,91)	CATTLE	DROUGHT MASTER (91)	H20-0015 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U014	H24-0048 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U015	H24-0108 (M,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER04 : No sample in envelope/bag	53528
22001U016	H24-0113 (F,91)	CATTLE	DROUGHT MASTER (91)	H14-0005 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	HER01 : Repeat sample is requested	53528
22001U017	H24-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U018	H24-0130 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0044 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U019	H24-0131 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0685 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U020	H24-0133 (F,91)	CATTLE	DROUGHT MASTER (91)	H21-0024 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U021	H24-0134 (M,91)	CATTLE	DROUGHT	H21-0059 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV :	53528

Report Date : 21-Aug-2025 10:19

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST# Type	RESULT	INVOICE
22001U022	H24-0135 (F,91)	CATTLE	MASTER (91)	H15-0005 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	53528
22001U023	H24-0125 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U024	H24-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U025	H24-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U026	H24-0151 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0053 (F,91)\(Valid)	VOVA18-0019 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U027	H24-0162 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U028	H25-0004 (H25-0004 SAMPLE = H25-0002) (M,91)	CATTLE	DROUGHT MASTER (91)	WBT20-0078 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U029	H25-0003 (M,91)	CATTLE	DROUGHT MASTER (91)	H21-0083 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U030	H25-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0141 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U031	H25-0010 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U032	H25-0012 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0072 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528

Report Date : 21-Aug-2025 10:19

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22001U033	H24-0163 (M,91)	CATTLE	DROUGHT MASTER (91)	H21-0074 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U034	H25-0021 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U035	H25-0011 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U036	H25-0008 (F,91)	CATTLE	DROUGHT MASTER (91)	H13-0007 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U037	H24-0168 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0680 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U038	H25-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	H21-0049 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U039	H25-0014 (F,91)	CATTLE	DROUGHT MASTER (91)	VOVA21-0328 (N/S,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U040	H25-0015 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0014 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U041	H25-0016 (M,91)	CATTLE	DROUGHT MASTER (91)	H21-0035 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U042	H25-0017 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0081 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U043	H25-0018 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0020 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528
22001U044	H25-0019 (F,91)	CATTLE	DROUGHT MASTER (91)	C09-0020 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	53528

Report Date : 21-Aug-2025 10:19

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
22001U045	H25-0020 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM17-0034 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	Valid DVS _V : Dam Valid, Sire Valid	53528
22001U046	H24-0124 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0066 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	53528
22001U047	H24-0166 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	53528
22001U048	H24-0084 (F,91)	CATTLE	DROUGHT MASTER (91)	OW13-0393 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVS _V : Dam Valid, Sire Valid	53528

Report Date : 21-Aug-2025 10:19

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Subject: H 23-120 (M) DNA laai 16576U041
From: <Studs@hurwitz.co.za>
Date: 2025/11/18, 07:19 pm
To: "'Michelle Fisher'" <michellef@studbook.co.za>

Hi Michelle,

Kan jy asb H 23-120 (M) DNA nr: 16576U041 se DNA op Logix laai?
DNA resultaat aangeheg.

Baie dankie!



—Attachments:—

Batch-16576U.pdf

103 KB



Batch Detail Report

Batch : 16576U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2024-01-24

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U001	H23-0013 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0016 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U002	C11-0163 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U003	C11-0438 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	PU : Profile (Unistel)	
16576U004	H21-0017 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0163 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U005	H22-0063 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U006	H22-0086 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Not Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U007	H23-0009 (F,91)	CATTLE	DROUGHT MASTER (91)	OW13-0393 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U008	H23-0016 (F,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U009	H23-0017 (M,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0066 (M,91)(Valid)	PAR_C	Hair	SV : Sire Valid	
16576U010	H23-0020 (F,91)	CATTLE	DROUGHT MASTER (91)	C08-0419 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Sire Valid	

Report Date : 22-Feb-2024 11:20

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Testus Type	RESULT	INVOICE
16576U011	H23-0021 (F,91)	CATTLE	MASTER (91)	C08-0419 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	Dam Valid, Sire Valid	
16576U012	H23-0027 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA17-0053 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U013	H23-0028 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0017 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U014	H23-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U015	H23-0035 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0047 (F,91)(Not Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
16576U016	H23-0036 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0029 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U017	H23-0044 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0250 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U018	H23-0058 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0023 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U019	H23-0069 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0038 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U020	H23-0070 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0008 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U021	H23-0080 (M,91)	CATTLE	DROUGHT MASTER (91)	BV8009 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	TEST Type	RESULT	INVOICE
16576U022	H23-0082 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0007 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U023	H23-0085 (F,91)	CATTLE	DROUGHT MASTER (91)	H20-0006 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U024	H23-0087 (M,91)	CATTLE	DROUGHT MASTER (91)	C11-0438 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U025	H23-0088 A (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U026	H23-0088 B (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0031 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U027	H23-0089 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Not Valid)	CSA18-0063 (M,91)(Valid) VOVA18-0019 (M,91)(Not Valid) CSA15-0066 (M,91)(Not Valid)	PAR_C	Hair	DXmNSX : Dam Excluded, Multiple Nominated Sires Excluded	
16576U028	H23-0095 (M,91)	CATTLE	DROUGHT MASTER (91)	BV17-0037 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U029	H23-0096 (M,91)	CATTLE	DROUGHT MASTER (91)	CTM18-0125 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U030	H23-0098 (M,91)	CATTLE	DROUGHT MASTER (91)	VOVA19-0014 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U031	H23-0102 (M,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 22-Feb-2024 11:20

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	SPEED	DAM	SIRE	TEST	Tattoo Type	RESULT	INVOICE
16576U032	H23-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U033	H23-0108 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0050 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U034	H23-0112 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U035	H23-0113 (F,91)	CATTLE	DROUGHT MASTER (91)	H14-0005 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U036	H23-0114 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U037	H23-0115 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0025 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U038	H23-0117 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0015 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U039	H23-0118 (F,91)	CATTLE	DROUGHT MASTER (91)	H16-0008 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U040	H23-0119 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0072 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U041	H23-0120 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0243 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U042	H23-0121 (F,91)	CATTLE	DROUGHT MASTER (91)	BV17-0034 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
16576U043	H23-0123 (F,91)	CATTLE	DROUGHT MASTER (91)	H13-0007 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 22-Feb-2024 11:20

Page : 4

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16576U044	H23-0125 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0215 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	Valid DVSU : Dam Valid, Sire Valid	
16576U045	H23-0128 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0346 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U046	H23-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
16576U047	H23-0131 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U048	H23-0136 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA15-0042 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U049	H23-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0246 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U050	H23-0144 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT13-0096 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U051	H23-0146 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0056 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U052	H23-0147 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0001 (F,91)(Valid)	CSA18-0063 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
16576U053	VOVA21-0341 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA14-0022 (F,91)(Valid)	CSA15-0066 (M,91)(Not Valid) CSA18-0063 (M,91)(Not Valid) VOVA18-0019 (M,91)(Not Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 22-Feb-2024 11:20

Page : 5

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Valid)

Report Date : 22-Feb-2024 11:20

Page : 6

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requester. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 21420U
Owner :B/S Hurwitz
Farm :Uitzigt-Davel
Account : HURW01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-01-30

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21420U014	H24-0095 (M.91)	CATTLE	DROUGHT MASTER (91)	H19-0015 (F.91)(Valid)	VOVA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid. Sire Valid	51805

Report Date : 19-Nov-2025 14:44

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 15953U
Owner :B/S Hurwitz
Farm :Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2023-11-20

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Timbre Type	RESULT	INVOICE
15953U013	H23-0083 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0020 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	47590

Report Date : 17-Nov-2025 10:10

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
15953U009	H23-0056 (F.91)	CATTLE	DROUGHT MASTER (91)	HOT13-0092 (F.91)(Valid)		PAR_C	Hair	Excluded	
15953U010	H23-0064 (M.91)	CATTLE	DROUGHT MASTER (91)	OW18-0419 (F.91)(Valid)	CSA15-0066 (M.91)(Valid)	PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	
15953U011	H23-0073 (F.91)	CATTLE	DROUGHT MASTER (91)	C11-0236 (F.91)(Valid)		PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15953U012	H23-0065 (M.91)	CATTLE	DROUGHT MASTER (91)	H20-0005 (F.91)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	
15953U013	H23-0083 (M.91)	CATTLE	DROUGHT MASTER (91)	H18-0020 (F.91)(Valid)		PAR_C	Hair	DVmnSX : Dam Valid, Multiple Nominated Sires Excluded	
15953U014	H23-0081 (F.91)	CATTLE	DROUGHT MASTER (91)	CSA18-0065 (F.91)(Valid)	CSA15-0066 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15953U015	H23-0072 (F.91)	CATTLE	DROUGHT MASTER (91)	VOVA21-0082 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15953U016	H23-0084 (F.91)	CATTLE	DROUGHT MASTER (91)	H20-0039 (F.91)(Valid)	CSA18-0063 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15953U017	H23-0046 (M.91)	CATTLE	DROUGHT MASTER (91)	H19-0024 (F.91)(Valid)	VOVA18-0019 (M.91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
15953U018	H23-0061 (M.91)	CATTLE	DROUGHT MASTER (91)		VOVA18-0019 (M.91)(Valid)	PAR_C	Hair	SV : Sire Valid	

Report Date : 07-Dec-2023 08:56

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 17266U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2024-03-15

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
17266U001	H24-0001 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F.91)\(Valid)	VOVA18-0019 (M.91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17266U002	H23-0133 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F.91)\(Valid)	VOVA18-0019 (M.91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17266U003	H24-0023 (F.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F.91)\(Valid)	VOVA18-0019 (M.91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17266U004	H24-0021 (M.91)	CATTLE	DROUGHT MASTER (91)	CSA18-0081 (F.91)\(Valid)	VOVA18-0019 (M.91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17266U005	H24-0022 (M.91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F.91)\(Valid)	VOVA18-0019 (M.91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
17266U006	H23-0071 (M.91)	CATTLE	DROUGHT MASTER (91)	CSA18-0052 (F.91)\(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
17266U007	H24-0024 (F.91)	CATTLE	DROUGHT MASTER (91)	CSA18-0081 (F.91)\(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
17266U008	H23-0060 (F.91)	CATTLE	DROUGHT MASTER (91)	H17-0006 (F.91)\(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	

Report Date : 02-Apr-2024 11:51

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SWEE	TEST	Temp Type	RESULT	INVOICE
17266U009	H23-0141 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0081 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 02-Apr-2024 11:51

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 16819U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2024-02-12

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
16819U001	H24-0011 (M.91)	CATTLE	DROUGHTMASTER (91)	CSA14-0022 (F.91)\(Valid)	CSA15-0066 (M.91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 15-Feb-2024 10:07

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 19628U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : PRIVATE
Invoice To : Owner

Created : 2024-09-04

SAMPLE	ANIMAL	SPECIES	UNREED	DMG	SIZE	TEST	Tissue Type	RESULT	INVOICE
19628U001	H23-0134 (M,91)	CATTLE	DROUGHT MASTER (91)	OW16-0094 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271Y
19628U002	H23-0148 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0456 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271Y
19628U003	H24-0007 (M,91)	CATTLE	DROUGHT MASTER (91)	C08-0419 (F,91)(Valid)	97-0056 (M,UNK_C)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271Y
19628U004	H24-0034 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0250 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	50271Y

Report Date : 19-Sep-2024 10:02

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.

Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER



Batch Detail Report

Batch : 21420U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : PRIVATE
Invoice To : Owner

Created : 2025-01-30

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21420U001	H24-0048 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	mNSX : Multiple Nominated Sires Excluded	
21420U002	H24-0134 (M,91)	CATTLE	DROUGHT MASTER (91)		CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	SV : Sire Valid	
21420U003	H24-0113 (F,91)	CATTLE	DROUGHT MASTER (91)	H14-0005 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21420U004	H24-0130 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0044 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21420U005	H24-0135 (F,91)	CATTLE	DROUGHT MASTER (91)	H15-0005 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21420U006	H24-0108 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT17-0355 (F,91)\(Valid)		PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U007	H24-0128 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0173 (F,91)\(Valid)	CSA15-0066 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21420U008	H24-0131 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0685 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21420U009	H24-0133 (F,91)	CATTLE	DROUGHT MASTER (91)	H21-0024 (F,91)\(Valid)	CSA16-0075 (M,91)\(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire	

Report Date : 06-Feb-2025 10:31

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	TEST	Triennial Type	RESULT	INVOICE
21420U010	H24-0092 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0029 (F,91)(Valid)	PAR_C	Hair	Valid DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U011	H24-0087 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA18-0065 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U012	H24-0091 (F,91)	CATTLE	DROUGHT MASTER (91)	H21-0027 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U013	H24-0093 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0006 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U014	H24-0095 (M,91)	CATTLE	DROUGHT MASTER (91)	H19-0015 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U015	H24-0100 (F,91)	CATTLE	DROUGHT MASTER (91)	C10-0041 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U016	H24-0094 (M,91)	CATTLE	DROUGHT MASTER (91)	H17-0007 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U017	H24-0102 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0236 (F,91)(Valid)	PAR_C	Hair	DVmNSX : Dam Valid, Multiple Nominated Sires Excluded	
21420U018	H24-0090 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0025 (F,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 06-Feb-2025 10:31

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

Batch Detail Report

Batch : 21554U
Owner : B/S Hurwitz
Farm : Uitzigt-Davel
Account : HURW01
Origin : DROUGHTMASTER
Invoice To : Owner

Created : 2025-02-07

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Test Type	RESULT	DWQICE
21554U001	H24-0101 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0062 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid) H22-0070 (M,91)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
21554U002	H24-0103 (M,91)	CATTLE	DROUGHT MASTER (91)	H15-0017 (F,91)(Not Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DXSV : Dam Excluded, Sire Valid	
21554U003	H24-0104 (M,91)	CATTLE	DROUGHT MASTER (91)	BV17-0037 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid) VOVA22-0218 (M,91)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
21554U004	H24-0105 (F,91)	CATTLE	DROUGHT MASTER (91)	C11-0163 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid) H22-0086 (M,91)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
21554U005	H24-0107 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB20-0249 (F,91)(Valid)	VOVA18-0019 (M,91)(Valid) H22-0066 (M,91)(Valid)	PAR_C	Hair	DVmNSV : Dam Valid, Multiple Nominated Sires Valid	
21554U006	H24-0111 (F,91)	CATTLE	DROUGHT MASTER (91)	HS19-0167 (N/S 91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U007	H24-0116 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT18-0491 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U008	H24-0121 (M,91)	CATTLE	DROUGHT MASTER (91)	H21-0044 (F,91)(Not Valid)		PAR_C	Hair	DXmNSX : Dam Excluded,	

Report Date : 10-Mar-2025 12:01

Page : 1

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract
Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Test Type	RESULT	INVOICE
21554U009	H24-0122 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB18-0050 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	Multiple Nominated Sires Excluded DVSU : Dam Valid, Sire Valid	
21554U010	H24-0126 (M,91)	CATTLE	DROUGHT MASTER (91)	GRB17-0215 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
21554U011	H24-0127 (F,91)	CATTLE	DROUGHT MASTER (91)	CSA20-0113 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
21554U012	H24-0129 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0059 (F,91)(Not Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DXSU : Dam Excluded, Sire Valid	
21554U013	H24-0137 (M,91)	CATTLE	DROUGHT MASTER (91)	CSA19-0125 (F,91)(Valid)	CSA21-0163 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
21554U014	H24-0138 (M,91)	CATTLE	DROUGHT MASTER (91)	HS20-0005 (F,91)(Not Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DXSU : Dam Excluded, Sire Valid	
21554U015	H24-0139 (M,91)	CATTLE	DROUGHT MASTER (91)	H18-0027 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
21554U016	H24-0140 (F,91)	CATTLE	DROUGHT MASTER (91)	H21-0085 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
21554U017	H24-0143 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT14-0014 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	
21554U018	H24-0145 (F,91)	CATTLE	DROUGHT MASTER (91)			PAR_C	Hair	HER01 : Repeat sample is requested	
21554U019	H24-0146 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0041 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSU : Dam Valid, Sire Valid	

Report Date : 10-Mar-2025 12:01

Page : 2

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER

SAMPLE	ANIMAL	SPECIES	BREED	DAM	SIRE	TEST	Tissue Type	RESULT	INVOICE
21554U020	H24-0147 (F,91)	CATTLE	DROUGHT MASTER (91)	HOT16-0289 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U021	H24-0152 (M,91)	CATTLE	DROUGHT MASTER (91)	H20-0042 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U022	H24-0153 (F,91)	CATTLE	DROUGHT MASTER (91)	OW17-0279 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U023	H24-0156 (F,91)	CATTLE	DROUGHT MASTER (91)	H19-0019 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U024	H24-0157 (M,91)	CATTLE	DROUGHT MASTER (91)	BV17-0034 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U025	H24-0159 (M,91)	CATTLE	DROUGHT MASTER (91)	HOT19-0615 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U026	H24-0160 (M,91)	CATTLE	DROUGHT MASTER (91)	WBT16-0123 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U027	H24-0161 (F,91)	CATTLE	DROUGHT MASTER (91)	WBT17-0056 (F,91)(Valid)	CSA15-0066 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	
21554U028	H25-0004 (F,91)	CATTLE	DROUGHT MASTER (91)	GRB14-0035 (F,91)(Valid)	CSA16-0075 (M,91)(Valid)	PAR_C	Hair	DVSV : Dam Valid, Sire Valid	

Report Date : 10-Mar-2025 12:01

Page : 3

Unistel report these results on the premise that the biological samples received are from the individuals nominated by the owner/ breeder/ requestee. This Certificate replaces all previously issued certificates.
Disclaimer: While every reasonable effort is made to prevent faulty results, Unistel Medical Laboratories do not accept any responsibility for any losses that may occur as a result of human or technical error. The results relate only to the samples tested. Should gross negligence be proven, the claim shall not exceed the value of the contract

Please note: some STR profiles used in parentage analysis may have been sourced from another laboratory. While every reasonable effort is made to prevent incorrect results, Unistel Medical Laboratories does not accept any responsibility for parentage mismatches due to incompatible marker scoring strategies between laboratories. Unistel Medical Laboratories participates in ISAG comparison testing and therefore incorporates international scoring standards in the generation of our STR profiles.

CHARNÉ ROSSOUW
DIVISION MANAGER